

Government of the People's Republic of Bangladesh Local Government Division Ministry of Local Government, Rural Development & Cooperatives

NAZIPUR PAURASHAVA MASTER PLAN: 2011-2031

JANUARY, 2015



Government of the People's Republic of Bangladesh Local Government Division Ministry of Local Government, Rural Development & Cooperatives

NAZIPUR PAURASHAVA MASTER PLAN: 2011-2031

STRUCTURE PLAN

URBAN AREA PLAN:

- Landuse Plan
- Transportation & Traffic Management Plan
- Drainage & Environmental Management Plan

WARD ACTION PLAN

January, 2015



NAZIPUR PAURASHAVA PATNITALA, NAOGAON

NAZIPUR PAURASHAVA MASTER PLAN: 2011-2031

| Pu | hl | is | he | Ч | hν | • |
|----|----|----|-----|---|----|---|
| гu | v | 13 | IIC | u | υv | |

NAZIPUR PAURASHAVA

Supported by Upazila Towns Infrastructure Development Project (UTIDP) of Local Government Engineering Department (LGED) under Local Government Division

Consultant:

AQUA Consultants & Associates Ltd.

AQUA Tower (Level- 14 & 15), 43, Mohakhali C/A, Dhaka-1212

Printed By:

Copyright: Nazipur Paurashava

Local Government Division (LGD),

Ministry of Local Government, Rural Development and Cooperatives.

First Edition: January, 2015

Price: BDT 1500.00

USD 20.00

Preface

Bangladesh has been experiencing rapid urbanization in the last four decades where level of urbanization has reached from 7.6% to nearly 29% between 1970 and 2011. Multidimensional complex factors like; socio-economic, political, demographic and climatic are responsible for this higher growth of spatial transformation. The fast urbanization is putting pressure on the small towns' limited land, urban services and environment along with countries big cities. Whereas urbanization is also considered as an opportunity and an integral part of the development process. Proper development plans and guidelines with necessary legislative measures and appropriate institutional arrangement can help to achieve sustainable urban as well as rural development.

However, presently, the Paurashavas has the legal mandate to take initiatives of formulating development plans, providing infrastructure and other services and creating opportunities for people to initiate developments with sustainable and harmonic approach. In this regards, Nazipur had initiated steps to frame its' Master Plan (Physical Development Plan) by taking technical assistance from the Local Government Engineering Department (LGED). LGED under the Local Government Division of the Ministry of Local Government, Rural Development and Cooperatives initiated a project titled 'Upazila Towns Infrastructure Development Project (UTIDP)' providing all sorts of technical assistances to prepare long term physical development plan titled 'Master Plan' for Nazipur Paurashava.

Master Plan of Nazipur Paurashva has been prepared following the pre-requisite of the Local Government (Paurashva) Act, 2009. To prepare the Master Plan, LGED engaged consulting firm named AQUA Consultants & Associates Ltd. and set up a Project Management Office (PMO) deploying a Project Director, Deputy Project Director, experienced Urban Planners as Individual Consultant and support staffs. Regular monitoring, evaluation and feedback from PMO had also accelerate the pace and quality of the master plan preparation tasks. During formulation of the Master Plan, the Paurashava authority along with the project & the Consultant ensure people's opinion, observation and expectation in various ways: conducting sharing meetings, Public Hearing etc. At the end of the formulation process, the Paurashava completed all procedures necessary for its approval as per the related clauses and sub-clauses of the Local Government (Paurashava) Act, 2009. Paurashava Authority has submitted this Plan to the Local Government Division of the Ministry of Local Government, Rural Development and Cooperatives for final approval and gazette notification.

This Master Plan comprises of three tier of plan in a hierarchical order, these are: Structure Plan for 20 years, Urban Area Plan for 10 years and Ward Action Plan for 5 years. Urban Area Plan also comprises of three components namely; Land use plan, Traffic & Transportation Management plan and Drainage & Environmental Management Plan. This Master plan will serve as guidelines for the future infrastructure development of Nazipur Paurashava together with land use control and effective management of service facilities.

The Paurashva Authority acknowledges the full support and all out cooperation from the consultant team, the Project Management office of UTIDP, LGED, Local Government Division of the Local Government, Rural Development and Cooperatives Ministry, public representatives, other stakeholders and civil society with deepest gratitude for accomplishing this remarkable assignment.

Cooperation and participation from national to local authorities, all government institutions, private entities and people of Nazipur Paurashava will be necessary to implement this Master Plan successfully and make this Paurashava developed and livable. I hope Nazipur Paurashava will be a model Paurashava in Bangladesh through building itself green and sustainable by successful implementation of this Master Plan.

(Md. Anwar Hossain) Mayor Nazipur Paurahsava

EXECUTIVE SUMMARY

The Master Plan Report of Nazipur Paurashava has been prepared and submitted by the consultant AQUA-SCPL-RCC consortium for the partial fulfilment of the requirements stated in the Terms of Reference (ToR) for Upazila Towns Infrastructure Development Project (UTIDP; Package- 9) being implemented by Local Government Engineering Department (LGED) under the Ministry of Local Government Rural Development and Co-operatives (LGRD&C) Ministry of Government of the People's Republic of Bangladesh. The Draft Master Plan Report is the fourth of the series of the reports to be submitted as per the ToR of the project "Upazila Town Infrastructure Development Project-Preparation of Nazipur Paurashava Master Plan (Structure Plan, Urban Area Plan and Ward Action Plan)".

Prior to starting the Master Plan report the consultant undertook field visit and organized a meeting with the stakeholders to understand the growth pattern, problems and prospects in future developing aspects of the project area. Existing Paurashava boundary covering an area of 3239.16 acres or 13.10 sq. km. according to GIS Database was delineated as planning area for preparation of Master Plan with due emphasis on local and regional development agenda for next 20 years.

The pattern of settlements in the Paurashava reflects that the Paurashava still possesses predominantly the rural characteristics. No planned residential area exists in the Paurashava. Structures are established without any planning standard and in haphazard manner. Population density of the Paurashava area is found 1657 p/ sq. km in the year 2011. The Growth Rate of Nazipur Paurashava is estimated to be 2.50 %. The projected population found for the year 2031 is 35,507 which are higher than the present population (21,670) of Nazipur Paurashava. The gross density of the area will be 7 ppa (person per acre). People in this Paurashava mostly belong to middle and higher income groups. Only a small number of people belong to higher income group. According to BBS 2001, Agriculture is the main economic activity of the majority of the people of this Paurashava. The percentage of the people in this occupation is 45%. The next highest occupation class observed is the small business and others service. Other major occupations are day laborers, expatriate wage earners, and public and private services. Present socio-economic condition of Nazipur Paurashava is not very enthusiastic. Mentionable problems are identified and these area found from the Survey are: insufficient water supply, gas supply, lack of sanitary facilities, inadequate recreational facilities etc. So, it needs to realize of master plan in this situation and government takes initiative to run this project.

The project area is located in the bank of Atrai River; The Paurashava as well as the Upazila is connected within the region by Road Networks. The project area is one of the important centers of economic activities within the eastern region. It has long cultural and trading relation with Mohadebpur, Dhamoirhat, Joypurhat and Naogaon. The average elevation of the land of the Paurashava area is 19.17 mPWD. Most of the area of the Paurashava area lies under normal flood level. For Nazipur Paurashava mean spot height for Agricultural Land is found to be 19.31 mPWD and mean spot height found for residential is about 19.99 mPWD. The physical feature survey reveals that there are in total 7459 structures exist in the Paurashava of which residential structures are the highest (82.48%) and commercial structures are second highest (11.50%). Maximum structures of the Paurashava (49.24%) is katcha while semi pucca structures are 31.30% and pucca structures are only 19.45% of the total structures of the Paurashava. Among 82.48 km of total Road network out of which 27.54 km is Pucca and 28.58 km is Katcha. In this

Paurashava there is 26.35 km semi-Pucca Road. In Nazipur Paurashava in total 6.27 km of pucca drain exists.

The project area is predominantly agricultural in character. Land use survey reveals that agriculture is the most dominant land use category of the Nazipur Paurashava which comprises 56.15% of the total land area of the Paurashava. The land under agriculture purpose use is mostly double cropped area, which are low-lying depressions and remain under water during the monsoon flood. Paurashava Commercial, educational and mixed use lands are very much negligible in percentage. Core areas (Ward Nos. 2, 3, 6 and 9) of the town along this highway and its close vicinity developed with diversified land use without any proper planning guidelines causing many difficulties such as, traffic congestion, drainage problems and environmental degradations etc. for the town. Existence of Atrai River and quite a good number of canals in and around the Paurashava created opportunities for cultured fisheries in the Paurashava area. Good transportation linkage within the region and other parts of the country and potential for agriculture and fishery has created abundant scope for establishment of agro-based industries with adequate forward and backward linkages in the Paurashava.

The structure plan (Part-A) area consist of different zones (Core Area, Fringe Area, Peripheral Area, New Urban Area, Agriculture, Water body and Major Circulation) and it covers 3239.16 acres of land in entire Paurashava. Agricultural area (1491.84 acres) is the highest percentage of land (46.05%) followed by Fringe Area (20.06%), Core Area (5.81%), Major Circulation (9.51%) and Water body (11.94%). The core area covers only 188.24 acres of land.

Urban Area Plan is the mid-level plan that covers the existing Paurashava. It lays down the land use zoning plan and infrastructure development proposals at the town level. Land use planning is an important part of Master Plan ensuring that land is used efficiently for the benefit of economy, society and environment of Nazipur Paurashava. Urban Area Plan is the first phase illustration of the Structure Plan intended to be implemented over a time span of 10 years that includes 1st phase (1st-5th year) and 2nd phase (6th-10th year) of development programs.

The components of Urban Area Plan include Land Use Plan, Transportation and Traffic Management Plan, Drainage and Environmental Management Plan, Proposals for Urban Services. The future housing area estimates on a recommended planning standard of 100 persons per acre. With this standard, the maximum land required to accommodate total projected population (35,507) in the year 2031 will be 355.07 acres. Total commercial land in 2031 has been fixed at 50.55 acres, Education 52.59 acres, and Open Space 81.33 acres. But in the time of land use proposal of Nazipur Paurashava it is not possible to maintain the all standard due to insufficient land. In land use proposal 377.55 acres of land is for Urban Residential Zone where 208.72 acres is for rural settlement.

The Transportation and Traffic Management Plan covers the scope of improvement of the existing network and system and plan proposals for new development. The proposals on improvement and new development are made for the project area up to 2031. The existing circulation network of Nazipur Paurashava is 63.50 acre and the proposed circulation network is 308.25 acres includes existing. The main intention of transport plan is to ensured proper functional linkage within other regional centres. Truck terminal, Tempo and Rickshaw Stands are proposed to cover the whole area. It is also focused on parking facilities and built passenger shed.

The purpose of the Drainage Plan is to make an assessment of the present drainage facilities and to improve future development. This Plan shall be a planning tool and shall be used as a guideline for Nazipur Paurashava that shall be responsible for the approval of drainage improvements. Natural canal in Nazipur Paurashava is acting as a critical role in entire Paurashava.

Nazipur Paurashava is lacking for sewerage system and people are used to dispose household sewer to the surface drains and or surface water bodies. This Paurashava does not possess good solid waste management system. Only there are three vehicle and 6 vans for solid waste disposal although those are not properly functioning. There was no designated dumping area in Nazipur Paurashava. In proposed plan there is a land is reserved for dumping ground. A waste transfer stations have been proposed in fringe area.

In Part-C of the report contains Ward Action Plan of each individual Ward and this Development Proposals will be implemented within 1st to 5th year of planning period.

The Ward Action Plans (Part-C) are prepared under the framework of Structure Plan and Urban Area Plan. The Ward Action Plans contain details of development proposals at Ward level including the problems and opportunities existing therein and also include the proposals made in the upper level plan that is in the Urban Area Plan. The Ward Action Plans have been formulated for execution within a period of 5 years.

Finally, The Paurashava is self-sufficient neither in preparation of plan nor in implementation of plan proposals; is dependence on central government for technical and financial assistance huge. This dependence might hinder the overall plan making and implementation process. Besides, plan implementation would require the Paurashava to have a good coordination among various stakeholders and with the line ministry (LGRD&C) in place. Therefore a right kind of Institutional arrangement, and implementation framework would be required for successful implementation of the plan proposals and its future updating. However, the current project regarding Preparation of Master Plan for Nazipur Paurashava under "UTIDP" emphasizes on having proper guidelines and planning standards by the Paurashava for ensuring sustainable and planned development of the Paurashava.

Preparation of Master Plan for Paurashavas under Upazila Towns Infrastructure Development Project (UTIDP)

Nazipur Paurashava

| Preface | |
|---|---------|
| Executive Summary | i-ii |
| Table of Contents | i-vi |
| List of Tables | viii-ix |
| List of Maps | |
| List of Figures | x |
| List of Abbreviations, Acronyms And Local Terms | xi |
| PART-A: STRUCTURE PLAN | |
| Chapter 1: Introduction | |
| 1.1 General | |
| 1.2 Philosophy of the Preparation of Master Plan | |
| 1.3 Objectives of the Master Plan | |
| 1.4 Philosophy of the Preparation of Master Plan | |
| 1.5 Objectives of the Master Plan | |
| 1.6 Approach and Methodology | 5 |
| 1.7 Scope of Work | 6 |
| 1.8 Organization of the Master Plan Report | 8 |
| Chapter 2: Introduction to Structure Plan | 9 |
| 2.1 Background of the Paurashava | |
| 2.2 Vision of the Structure Plan | |
| 2.3 Objectives of the Structure Plan | |
| 2.4 Concepts, Content and Format of the Structure Plan | |
| 2.5 Duration and Amendment of the Structure Plan | 13 |
| 2.6 Structure Plan Area | 13 |
| Chapter 3: Existing Development Status of Nazipur Paurashava | 14 |
| 3.1 Social Development | |
| 3.2 Economic Development | |
| 3.3 Economic Activities | |
| 3.4 Existing Employment Pattern | |
| 3.5 Population | |
| 3.6 Physical Infrastructure Development | 18 |
| 3.7 Utility Services | 18 |
| 3.8 Environmental Issues | 19 |
| 3.9 Institutional Capacity | 20 |
| 3.10 Urban Growth Area | 21 |
| 3.11 Catchments Area | 22 |
| 3.12 Land Use and Urban Services | 22 |
| 3.13 Paurashava Functional Linkage with the Regional and National Network | |
| 3.14 Role of Agencies for Different Sectoral Activities | 25 |
| Chapter 4: Critical Issues for Planning | |
| 4.1 Socio-Economic and Demographic Issues | |
| 4.2 Transportation and Communication | |
| 4.3 Urban Utilities | |
| 4.4 Drainage and Environment | 29 |

| 4.5 Related Other Issues | 29 |
|--|-----|
| 4.6 Disaster Issues | 29 |
| 4.7 Land Use Control | |
| 4.8 Laws and Regulations | |
| 4.9 Existing Problems and Weaknesses in the Development | 31 |
| Chapter 5: Reviews of Policies, Laws and Regulations | 33 |
| 5.1 Introduction | |
| 5.2 Review of Relevant National Policies | 33 |
| 5.2.1 Directives of the Local Government (Paurashava) Act 2009 for Preparing the Master Plan | 33 |
| 5.2.2 National Land Use Policy 2001 | |
| 5.2.3 National Housing Policy, 1993 | |
| 5.2.4 Population Policy 2004 | |
| 5.2.5 Transportation Policy 2004 | |
| 5.2.6 National Environment Policy 1992 | |
| 5.2.7 Industrial Policy 2005 | |
| 5.2.9 Agriculture Policy 1999 | |
| 5.2.10 Urban Forest Policy 1994 | |
| 5.2.11 National Plan for Disaster Management, 2008-15 | |
| 5.2.12 National Plan of Action for Person's with Disabilities (PWDs) as well as Autism, 1995 | |
| 5.2.13 Review of Relevant Laws and Regulations | 41 |
| 5.2.13.1 The Act (36 of 2000) for Conservation of Play field, Open space, Park and Natura | |
| Water Reservoir in Mega City, Divisional Town, District Town and Paurashavas of Bangladesh . | 41 |
| 5.2.13.2 Bangladesh National Building Code (BNBC) 1993 | |
| 5.3 Applicability of the Acts, Regulations and Policies in the Paurashava Master Plan | |
| | |
| Chapter 6: Projection of Future Growth by 2031 | |
| 6.1 Projection of Population | |
| 6.1.2 Assumptions | |
| 6.1.3 Projected population by ward | |
| 6.2 Identification of Future Economic Opportunities | |
| 6.3 Projection of Land use | |
| Chapter 7: Landuse Zoning Policies and Development Strategies | 51 |
| 7.1 Zone of Structure Plan Area | • . |
| 7.1.1 Core Area | |
| 7.1.2 Fringe Area | |
| 7.1.3 Peripheral Area | |
| 7.1.4 New Urban Area | |
| 7.1.5 Agriculture | 54 |
| 7.1.6 Water body/Retention Area | 55 |
| 7.1.7 Major Circulation Network | |
| 7.1.8 Optimum use of Urban Land Resources | |
| 7.2 Strategies for optimum use of Urban Land Resources | |
| 7.2.1 Plans for New Area Development | |
| 7.2.2 Areas for Conservation and Protection | |
| 7.3 Policies for Development | |
| 7.3.1 Policies for Socio-economic Sector | |
| 7.3.3 Environmental Issues | |
| Chapter 8: Implementation Issues | |
| | |
| 8.1 Institutional Capacity Building of the Paurashava | |
| 8.1.2 Lack of Automation | |
| 8.1.3 Town Planning Capacity | |
| 8.1.3.1 Institutional Framework (Proposed by UGIIP, LGED) | |

| 8.1.3.2 Lack of Paurashava Town Planning Capacity | |
|--|--|
| 8.1.4 Legal Aspects | |
| 8.1.5 Good Governance in Legal Provisions | |
| 8.1.6 Financial Issues | |
| 8.1.7 Monitoring, Evaluation and Updating | |
| 8.1.8 Periodic Review and Updating | |
| | |
| 8.3 Concluding Remarks | / 1 |
| PART-B: URBAN AREA PLAN | |
| Chapter 9: Urban Area Plan | 72 |
| 9.1 Goals and Objectives of Urban Area Plan | |
| 9.2 Methodology and Approach to Planning | |
| 9.2.1 Delineation of Planning Areas | |
| 9.2.2 Content and Form of Urban Area Plan | |
| Chapter 10: Landuse Plan | 75 |
| 10.1 Existing and Projected land use | 75 |
| 10.1.1 Existing Land Use | |
| 10.1.2 Land Requirement Estimation | |
| 10.2 Land Use Proposals | 81 |
| 10.2.1 Designation of Future Land Use | 81 |
| 10.2.2 Land Use Zoning | |
| 10.2.2.1 Types of Land Use Zoning | |
| 10.2.2.2 Classification of Land Use Zoning | |
| | 97 |
| 10.2.3 Land Use Permission | 00 |
| 10.3 Plan Implementation Strategies | |
| 10.3 Plan Implementation Strategies | 98 |
| 10.3 Plan Implementation Strategies | 98 .101 |
| 10.3 Plan Implementation Strategies | 98 .101 . 102 |
| 10.3 Plan Implementation Strategies | 98 .101 . 102 .102 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General | 98 .101 . 102 .102 .102 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General 11.1.2 Approach and Methodology | 98 .101 . 102 .102 .102 .103 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General | 98 .101 .102 .102 .103 .104 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General 11.2 Approach and Methodology 11.2 Existing Conditions of Transportation Facilities 11.2.1 Roadway Characteristics and Functional Classification | 98 .101 .102 .102 .103 .104 .104 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General 11.1.2 Approach and Methodology 11.2 Existing Conditions of Transportation Facilities 11.2.1 Roadway Characteristics and Functional Classification 11.2.2 Roads in Paurashava | 98 .101 .102 .102 .103 .104 .104 .105 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General 11.1.2 Approach and Methodology 11.2 Existing Conditions of Transportation Facilities 11.2.1 Roadway Characteristics and Functional Classification 11.2.2 Roads in Paurashava 11.2.3 Important Local Roads | 98 101 102 102 103 104 104 105 105 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General 11.1.2 Approach and Methodology 11.2 Existing Conditions of Transportation Facilities 11.2.1 Roadway Characteristics and Functional Classification 11.2.2 Roads in Paurashava | 98 101 102 102 103 104 104 105 105 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General. 11.2 Approach and Methodology 11.2 Existing Conditions of Transportation Facilities 11.2.1 Roadway Characteristics and Functional Classification 11.2.2 Roads in Paurashava 11.2.3 Important Local Roads 11.2.4 Mode of Transport. | 98 101 102 102 103 104 104 105 106 106 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General 11.2 Approach and Methodology 11.2 Existing Conditions of Transportation Facilities 11.2.1 Roadway Characteristics and Functional Classification 11.2.2 Roads in Paurashava 11.2.3 Important Local Roads 11.2.4 Mode of Transport 11.2.5 Intensity of Traffic Volume 11.2.6 Level of Service: Degree of Traffic Congestion and Delay 11.2.7 Facilities for Pedestrians | 98 101 102 102 103 104 104 105 105 106 106 107 108 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General 11.1.2 Approach and Methodology 11.2 Existing Conditions of Transportation Facilities 11.2.1 Roadway Characteristics and Functional Classification 11.2.2 Roads in Paurashava 11.2.3 Important Local Roads 11.2.4 Mode of Transport 11.2.5 Intensity of Traffic Volume 11.2.6 Level of Service: Degree of Traffic Congestion and Delay 11.2.7 Facilities for Pedestrians 11.2.8 Analysis of Existing Deficiencies | 98 101 102 102 103 104 104 105 106 106 107 108 108 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan. 11.1 Introduction 11.1.1 General | 98 101 102 102 103 104 105 105 106 107 108 108 |
| 10.3 Plan Implementation Strategies. 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan. 11.1 Introduction. 11.1.2 Approach and Methodology. 11.2 Existing Conditions of Transportation Facilities. 11.2.1 Roadway Characteristics and Functional Classification. 11.2.2 Roads in Paurashava. 11.2.3 Important Local Roads. 11.2.4 Mode of Transport. 11.2.5 Intensity of Traffic Volume. 11.2.6 Level of Service: Degree of Traffic Congestion and Delay. 11.2.7 Facilities for Pedestrians. 11.2.8 Analysis of Existing Deficiencies. 11.2.8.1 Roadway Capacity Deficiencies. 11.2.8.2 Operational, Safety, Signal and other Deficiencies. | 98 101 102 102 103 104 105 105 106 106 107 108 108 111 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General 11.1.2 Approach and Methodology 11.2 Existing Conditions of Transportation Facilities 11.2.1 Roadway Characteristics and Functional Classification 11.2.2 Roads in Paurashava 11.2.3 Important Local Roads 11.2.4 Mode of Transport 11.2.5 Intensity of Traffic Volume 11.2.6 Level of Service: Degree of Traffic Congestion and Delay 11.2.7 Facilities for Pedestrians 11.2.8 Analysis of Existing Deficiencies 11.2.8.1 Roadway Capacity Deficiencies 11.2.8.2 Operational, Safety, Signal and other Deficiencies 11.2.9 Condition of other mode of transport (Rail/Water/Air) | 98 101 102 102 103 104 104 105 105 106 107 108 108 111 111 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General 11.1.2 Approach and Methodology 11.2 Existing Conditions of Transportation Facilities 11.2.1 Roadway Characteristics and Functional Classification 11.2.2 Roads in Paurashava 11.2.3 Important Local Roads 11.2.4 Mode of Transport 11.2.5 Intensity of Traffic Volume 11.2.6 Level of Service: Degree of Traffic Congestion and Delay 11.2.7 Facilities for Pedestrians 11.2.8 Analysis of Existing Deficiencies 11.2.8.1 Roadway Capacity Deficiencies 11.2.8.2 Operational, Safety, Signal and other Deficiencies 11.2.9 Condition of other mode of transport (Rail/Water/Air) | 98 101 102 102 103 104 104 105 105 106 107 108 108 111 111 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General 11.2 Approach and Methodology 11.2 Existing Conditions of Transportation Facilities 11.2.1 Roadway Characteristics and Functional Classification 11.2.2 Roads in Paurashava 11.2.3 Important Local Roads 11.2.4 Mode of Transport 11.2.5 Intensity of Traffic Volume 11.2.6 Level of Service: Degree of Traffic Congestion and Delay 11.2.7 Facilities for Pedestrians 11.2.8 Analysis of Existing Deficiencies 11.2.8.1 Roadway Capacity Deficiencies 11.2.8.2 Operational, Safety, Signal and other Deficiencies 11.2.9 Condition of other mode of transport (Rail/Water/Air) 11.3 Future Projections 11.3.1 Travel Demand Forecasting for Next 10 Years | 98 101 102 102 103 104 104 105 106 106 107 108 108 111 111 |
| 10.3 Plan Implementation Strategies | 98 101 102 102 103 104 105 105 106 106 107 108 108 111 111 111 |
| 10.3 Plan Implementation Strategies | 98 101 102 102 103 104 104 105 105 106 107 108 108 111 111 111 111 111 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan 11.1 Introduction 11.1.1 General 11.1.2 Approach and Methodology 11.2 Existing Conditions of Transportation Facilities 11.2.1 Roadway Characteristics and Functional Classification 11.2.2 Roads in Paurashava 11.2.3 Important Local Roads 11.2.4 Mode of Transport 11.2.5 Intensity of Traffic Volume 11.2.6 Level of Service: Degree of Traffic Congestion and Delay 11.2.7 Facilities for Pedestrians 11.2.8 Analysis of Existing Deficiencies 11.2.8.1 Roadway Capacity Deficiencies 11.2.8.2 Operational, Safety, Signal and other Deficiencies 11.2.9 Condition of other mode of transport (Rail/Water/Air) 11.3 Future Projections 11.3.1 Travel Demand Forecasting for Next 10 Years 11.3.2 Transportation Network Considered 11.3.3 Future Traffic Volume and Level of Service | 98 101 102 102 103 104 104 105 106 107 108 108 111 111 111 111 112 113 114 |
| 10.3 Plan Implementation Strategies | 98 101 102 102 103 104 104 105 106 107 108 108 111 111 111 111 112 113 114 |
| 10.3 Plan Implementation Strategies | 98 101 102 102 103 104 105 105 106 107 108 108 111 111 111 112 113 114 114 114 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan. 11.1 Introduction 11.1.1 General | 98 101 102 102 103 104 105 105 106 107 108 108 111 111 111 112 113 114 114 114 115 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan. 11.1 Introduction 11.1.1 General | 98 101 102 102 103 104 105 105 106 106 107 108 108 111 111 111 112 113 114 114 114 115 116 |
| 10.3 Plan Implementation Strategies 10.3.1 Land Development Regulations to implement the Land Use Plan 10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan Chapter 11: Traffic and Transportation Management Plan. 11.1 Introduction 11.1.1 General | 98 101 102 102 103 104 105 105 106 106 107 108 108 111 111 111 112 113 114 114 115 116 117 |

| 11.4.2.1 Transportation Facilities Plan1 | |
|--|-----|
| 11.4.2.2 Parking and Terminal Facilities1 | 120 |
| 11.4.2.3 Development of Facilities for Pedestrians, Bicycles and Rickshaws | 121 |
| 11.4.2.4 Other Transportation Facilities1 | 121 |
| 11.4.3 Waterway Development/Improvement Options1 | 123 |
| 11.4.4 Railway Development Option1 | 123 |
| 11.5 Transportation System Management Strategy (TSM) | |
| 11.5.1 Strategies for Facility Operations | |
| 11.5.2 Strategies for Traffic Flow and Safety | |
| 11.5.3 Strategies for Traffic Management | |
| · · · · · · · · · · · · · · · · · · · | |
| 11.6 Plan Implementation Strategies | |
| 11.6.1 Regulations to limplement the Transportation Plan | |
| 11.6.2 Implementation, Monitoring, Evaluation and Coordination of the Plan | 128 |
| Chapter 12: Drainage and Environmental Management Plan1 | 129 |
| 12.1 Introduction | |
| 12.1.1 Goals and Objectives | |
| 12.1.2 Methodology and Approach to Planning | |
| er i i i e e e e e e e e e e e e e e e e | |
| 12.2 Existing Drainage Network | |
| 12.2.1 Introduction | |
| 12.2.2 Existing Drainage System/ Network | |
| 12.2.3 Analysis on land level (Topography)1 | |
| 12.2.4 Analysis of peak runoff and identification of drainage outfalls | |
| 12.3 Plans for Drainage Management and Flood Control1 | 136 |
| 12.3.1 Plan for Drain Network Development | 136 |
| 12.3.1.1 Drain Network Plan1 | |
| 12.3.1.2 Proposal for Improvement of the Existing Drainage Networks | 136 |
| 12.3.1.3 List of Proposed New Drains1 | 136 |
| 12.4 Plan Implementation Strategies | 139 |
| 12.4.1 Regulations to implement the Drainage and Flood Plan | |
| 12.4.2 Implementation, Monitoring, Evaluation & Coordination of the Plan | |
| 12.5 Introduction | |
| 12.5.1 Goals and Objectives | |
| 12.5.2 Methodology and Approach to Planning | |
| er i i i e e e e e e e e e e e e e e e e | |
| 12.6 Existing Environmental Condition | |
| 12.6.1 Introduction | |
| 12.6.2 Geo-morphology1 | |
| 12.6.3 Solid Waste and Garbage disposal1 | |
| 12.6.4 Waste Management System1 | |
| 12.6.5 Pollutions | |
| 12.6.5.1 Water1 | |
| 12.6.5.2 Air | |
| 12.6.5.3 Sound | |
| 12.6.5.4 Arsenic1 | |
| 12.6.6 Natural Calamities and Localized Hazards | |
| 12.6.6.1 Cyclone | |
| 12.6.6.2 River Erosion | |
| 12.6.6.3 Flood | |
| 12.6.6.4 Earthquake | |
| 12.6.6.5 Water Logging | |
| 12.6.6.6 Fire Hazard | |
| 12.7 Plans for Environmental Management and Pollution Control | |
| 12.7.1 Proposals for Environmental Issues | |
| 12.7.1.1 Solid waste management Plan | 151 |
| 12.7.1.2 Plan for Protecting Open Space, Wet-Land and Relevant Features | 152 |
| 12.7.1.3 Proposals for Pollution Control | |
| 12.7.1.3.1 Industrial | |
| 12.7.1.3.2 Air/Water/Land/Sound | |
| 12.7.1.3.3 Other Pollution | |
| 12.7.2 Natural Calamities and Hazard Mitigation Proposals | 156 |

| 12.7.2.1 Plan for Addressing Natural Calamities (Structural and non structural measures) | |
|--|------|
| 12.7.2.2 Plan for Addressing Hazards | |
| 12.8 Plan Implementation Strategies | |
| 12.8.1 Regulations to Implement the Environmental Management Plan | |
| 12.8.2 Implementation, Monitoring, Evaluation and Coordination of the Plan | |
| Chapter 13: Plan for Urban Services | |
| 13.1 Water Supply | |
| 13.2 Solid Waste Management | .163 |
| 13.3 Sanitation | .164 |
| 13.4 Electricity and Gas | .164 |
| 13.5 Telecommunication | .164 |
| PART-C: WARD ACTION PLAN | |
| Chapter 14: Ward Action Plan | .166 |
| 14.1 Introduction | .166 |
| 14.1.1 Background | .166 |
| 14.1.2 Content and Form of Ward Action Plan | .166 |
| 14.1.3 Linkage with Structure and Urban Area Plan | .166 |
| 14.1.4 Approach & Methodology | |
| 14.2 Derivation of the Ward Action Plan | |
| 14.2.1 Revisiting Structure Plan and Urban Area Plan | .167 |
| 14.2.2 Prioritization | |
| 14.2.3 Ward Wise Action Plan for Next Five Years | |
| 14.3 Demographic Conditions of Ward-01 | |
| 14.4 Critical Issues and Opportunities of the Ward | |
| 14.5 Ward Action Plan Proposals | |
| 14.5.1 Review of Existing Land Use | |
| 14.5.2 Proposed Land Use Zoning | |
| 14.5.3 Road Network Development Plan | |
| 14.5.4 Drainage Development Plan | |
| 14.5.5 Urban Services Development Plan of Ward No-01 | |
| 14.6 Demographic Conditions of Ward-02 | |
| 14.7 Critical Issues and Opportunities of the Ward | |
| 14.8 Ward Action Plan Proposals | |
| 14.8.1 Review of Existing Land Use | |
| 14.8.2 Proposed Land Use Zoning | |
| 14.8.3 Road Network Development Plan14.8.4 Drainage Development Plan | |
| 14.8.5 Urban Services Development Plan of Ward No-02 | |
| 14.9 Demographic Conditions of Ward-03 | |
| 14.10 Critical Issues and Opportunities of the Ward | |
| 14.11 Ward Action Plan Proposals | |
| 14.11.1 Review of Existing Land Use | |
| 14.11.2 Proposed Land Use Zoning | |
| 14.11.3 Road Network Development Plan | |
| 14.11.4 Drainage Development Plan | |
| 14.11.5 Urban Services Development Plan of Ward No-03 | |
| 14.12 Demographic Conditions of Ward-04 | |
| 14.13 Critical Issues and Opportunities of the Ward | |
| 14.14 Ward Action Plan Proposals | |
| 14.14.1 Review of Existing Land Use | |
| 14.14.2 Proposed Land Use Zoning | |
| 14.14.3 Road Network Development Plan | .194 |
| 14.14.4 Drainage Development Plan | .194 |
| 14.14.5 Urban Services Development Plan of Ward No-04 | .194 |
| 14.15 Demographic Conditions of Ward-05 | .198 |

| 14.16 Critical Issues and Opportunities of the Ward | 198 |
|--|-----|
| 14.17 Ward Action Plan Proposals | 199 |
| 14.17.1 Review of Existing Land Use | |
| 14.17.2 Proposed Land Use Zoning | 199 |
| 14.17.3 Road Network Development Plan | 200 |
| 14.17.4 Drainage Development Plan | 201 |
| 14.17.5 Urban Services Development Plan of Ward No-05 | 201 |
| 14.18 Demographic Conditions of Ward-06 | 205 |
| 14.19 Critical Issues and Opportunities of the Ward | |
| 14.20 Ward Action Plan Proposals | |
| 14.20.1 Review of Existing Land Use | |
| 14.20.2 Proposed Land Use Zoning | |
| 14.20.3 Road Network Development Plan | |
| 14.20.4 Drainage Development Plan | 208 |
| 14.20.5 Urban Services Development Plan of Ward No-06 | 208 |
| 14.21 Demographic Conditions of Ward-07 | 212 |
| 14.22 Critical Issues and Opportunities of the Ward | 212 |
| 14.23 Ward Action Plan Proposals | |
| 14.23.1 Review of Existing Land Use | |
| 14.23.2 Proposed Land Use Zoning | |
| 14.23.3 Road Network Development Plan | 215 |
| 14.23.4 Drainage Development Plan | 215 |
| 14.23.5 Urban Services Development Plan of Ward No-07 | |
| 14.24 Demographic Conditions of Ward-08 | 219 |
| 14.25 Critical Issues and Opportunities of the Ward | 219 |
| 14.26 Ward Action Plan Proposals | |
| 14.26.1 Review of Existing Land Use | 220 |
| 14.26.2 Proposed Land Use Zoning | |
| 14.26.3 Road Network Development Plan | |
| 14.26.4 Drainage Development Plan | 222 |
| 14.26.5 Urban Services Development Plan of Ward No-08 | |
| 14.27 Demographic Conditions of Ward-09 | 226 |
| 14.28 Critical Issues and Opportunities of the Ward | 226 |
| 14.29 Ward Action Plan Proposals | 227 |
| 14.29.1 Review of Existing Land Use | 227 |
| 14.29.2 Proposed Land Use Zoning | |
| 14.29.3 Road Network Development Plan | 228 |
| 14.29.4 Drainage Development Plan | |
| 14.29.5 Urban Services Development Plan of Ward No-09 | 229 |
| 14.30 Implementation Guidelines | |
| 14.30.1 Tasks of Paurashava Authority | 233 |
| 14.30.2 Institutional Strengthening | |
| 14.30.3 Role of Municipal Authority | |
| 14.30.4 Publicity and Circulation of the Plans and Documents | |
| 14.31 Concluding Remarks | 233 |

Annexure

Annexure-A: Land Use Permission Annexure-B: Proposed Road Inventory Annexure-C: Proposed Drain Inventory

Annexure-D: Schedule of Land Use Planning Proposal Annexure-E: Mouza Schedule of Development Proposal Annexure-F: Resolution of Final Consultation Meeting

Annexure-G: Gazette of Nazipur Paurashava

Appendix

Appendix-1: Structure Plan of Nazipur Paurashava Appendix-2: Land Use Plan of Nazipur Paurashava Appendix-3: Transportation and Traffic Management Plan Appendix-4: Drainage and Environmental Management Plan

LIST OF TABLES

| Table 3-1: Population Distribution in Nazipur Paurashava | า of |
|--|------|
| Table 6-1: Population Projection with Density for Nazipur Paurashava Up to 2031 | |
| Table 6-2: Main Activity Pattern of Local Population (10 years and Over) | |
| Table 7-1: Structure Plan Policy Zoning | |
| Table 7-2: Policy for optimum use of urban land resources | |
| Table 7-3: Policy for new area development | 56 |
| Table 7-4: Area for conservation and protection | |
| Table 7-5: Policy for Population Sector | 57 |
| Table 7-6: Policy for Economic Development and Employment Generation | 58 |
| Table 7-7: Housing and Slum Improvement | 59 |
| Table 7-8: Social Amenities and Community Facilities | 60 |
| Table 7-9: Policy for Transport Sector | |
| Table 7-10: Policy for Utility Services | 61 |
| Table 7-11: Policy for Natural Resources | 62 |
| Table 9-1: List of Mouza Maps of Nazipur Paurashava | 73 |
| Table 10-1: Existing Land use Classification of Nazipur Paurashava | 75 |
| Table 10-2: Estimation of Housing Land Requirement | |
| Table 10-3: Estimation of Land Requirement for Commerce and Shopping | 77 |
| Table 10-4: Estimation of Land Requirement for Industries | 78 |
| Table 10-5: Estimation of Land Requirement for Education Facilities | 78 |
| Table 10-6: Estimation of Land Requirement for Health Facilities | |
| Table 10-7: Estimation of Land Requirement for Administration | |
| Table 10-8: Estimation of Land Requirement for Community Facilities | 79 |
| Table 10-9: Estimation of Land Requirement for Open Space | |
| Table 10-10: Estimation of Land Requirement for Utilities | |
| Table 10-11: Estimation of Land Requirement for Transport and Communication | 81 |
| Table 10-12: Proposed Land Use Categories for Urban Area Plan of Nazipur Paurashava | 83 |
| Table 10-13: Proposed Land Use Categories for Low Income Housing Project and Resettlement Area | |
| Table 10-14: New Industrial Zone Proposal | |
| Table 10-15: New Development Proposal for Commercial Use | 88 |
| Table 10-16: Proposed Ward Centre of Nazipur Paurashava | |
| Table 10-17: New Land Proposal for Education and Research | |
| Table 10-18: New Land Proposal for Open Space | 92 |
| Table 10-19: New Transportation Facilities | |
| Table 10-20: New Utility Services | 95 |
| Table 10-21: New Helth Services | 96 |
| Table 10-22: New Community Facilities | 97 |
| Table 11-1: Major Regional Center Routes from Nazipur | 105 |
| Table 11-2: Road Status in Nazipur Paurashava | |
| Table 11-3: Inventory of Major Road Network at Nazipur Paurashava | 105 |
| Table 11-4: Roadway Level-Of-Service (LOS) Ratings of Wikipedia | 107 |
| Table 11-5: Existing Level of Service (LOS) of major roads of Nazipur Paurashava | 108 |
| Table 11-6: Width of some Major Roads in Nazipur Paurashava | 109 |
| Table 11-7: Recommended Planning Standard | 112 |
| Table 11-8: Projection of Target Year Traffic Volume | 113 |
| Table 11-9: Level of Service of Different Major Roads and their Relative Proposals | 114 |
| Table 11-10: Proposal for Road Standard in the Project area | 115 |
| Table 11-11: Road Improvement Proposal in Nazipur Paurashava | 116 |
| Table 11-12: Road Improvement Proposal in Nazipur Paurashava | |
| Table 11-13: List of Proposed Roundabout in Nazipur Paurashava | 122 |
| Table 11-14: Traffic Control Facilities in Nazipur Paurashava | |
| Table 11-15: List of Proposed Boat Ghat in Nazipur Paurashava | |
| Table 11-16: List of Railway Station in Nazipur Paurashava | |
| Table 12-1: List of Existing Drains in Nazipur Paurashava | |
| Table 12-2: Summary of Spot Level Data of Nazipur Paurashava | |
| Table 12-3: Characteristics of Land Levels of Nazipur Paurashava | |
| Table 12-4: Land Use Category with Spot Heights (mPWD) in Nazipur Paurashava | 132 |
| Table 12-5: Common Run – off coefficients for Different Types of Area | |

| Table 12-6: List of Drains for Proposed Improvement | 136 |
|---|-----|
| Table 12-7: List of New Drains Proposal | 137 |
| Table 12-7: List of Construction Criteria and Locations | 140 |
| Table 13-1: Water Supply Proposal | 162 |
| Table 13-2: Solid Waste Management Proposal | 163 |
| Table 14-1: Population Statistics of Ward-01 | 170 |
| Table 14-2: Proposal of Roads for Ward-01 | 173 |
| Table 14-3: Proposal of Drain for Ward-01 | |
| Table 14-4: Proposal for Other Facilities of Ward-01 | |
| Table 14-5: Population Statistics of Ward-02 | 177 |
| Table 14-6: Proposal of Roads for Ward-02 | |
| Table 14-7: Proposal of Drain for Ward-02 | |
| Table 14-8: Proposal for Other Facilities of Ward-02 | |
| Table 14-9: Population Statistics of Ward-03 | |
| Table 14-10: Proposal of Roads for Ward-03 | |
| Table 14-11: Proposal of Drain for Ward-03 | |
| Table 14-12: Proposal for Other Facilities of Ward-03 | |
| Table 14-13: Population Statistics of Ward-04 | |
| Table 14-14: Proposal of Roads for Ward-04 | 194 |
| Table 14-15: Proposal of Drain for Ward-04 | |
| Table 14-16: Proposal for Other Facilities of Ward-04 | |
| Table 14-17: Population Statistics of Ward-05 | |
| Table 14-18: Proposal of Roads for Ward-05 | |
| Table 14-19: Proposal of Drain for Ward-05 | |
| Table 14-20: Proposal for Other Facilities of Ward-05 | |
| Table 14-21: Population Statistics of Ward-06 | |
| Table 14-22: Proposal of Roads for Ward-06 | |
| Table 14-23: Proposal of Drain for Ward-06 | |
| Table 14-24: Proposal for Other Facilities of Ward-06 | |
| Table 14-25: Population Statistics of Ward-07 | |
| Table 14-26: Proposal of Roads for Ward-07 | |
| Table 14-27: Proposal of Drain for Ward-07 | |
| Table 14-28: Proposal for Other Facilities of Ward-07 | |
| Table 14-29: Population Statistics of Ward-08 | |
| Table 14-30: Proposal of Roads for Ward-08 | |
| Table 14-31: Proposal of Drain for Ward-08 | |
| Table 14-32: Proposal for Other Facilities of Ward-08 | |
| Table 14-33: Population Statistics of Ward-09 | |
| Table 14-34: Proposal of Roads for Ward-09 | |
| Table 14-35: Proposal of Drain for Ward-09 | |
| Table 14-36: Proposal for Other Facilities of Ward-00 | 230 |

LIST OF MAPS

| Map 1-1: Nazipur Paurashava within Bangladesh | 3 |
|---|-----|
| Map 2-1: Nazipur Paurashava within Naogaon District | 11 |
| Map 3-1: Communication Network of Naogaon Region showing Connectivity with Nazipur Paurashava | |
| Map 7-1: Structure Plan Map of Nazipur Paurashava | 52 |
| Map 10-1: Existing Land Use Map of Nazipur Paurashava | 76 |
| Map 10-2: Land use Proposal for Nazipur Paurashava | 87 |
| Map 11-1: Existing Road Network Map of Nazipur Paurashava | 110 |
| Map 11-2: Transport Plan Map of Nazipur Paurashava | 118 |
| Map 12-1: Contour Map of Nazipur Paurashava | 133 |
| Map 12-2: Surface Analysis (IDW Method) of Nazipur Paurashava | 134 |
| Map 12-3: Drainage Plan Map of Nazipur Paurashava | |
| Map 13-1: Proposed Basic Urban Services of Nazipur Paurashava | 165 |
| Map 14-1: Ward Action Plan of Nazipur Paurashava | |
| Map 14-2: Ward Action Plan Map of Nazipur Paurashava (Ward-01) | 175 |
| Map 14-3: Drain and Service Plan Map of Nazipur Paurashava (Ward-01) | 176 |
| Map 14-4: Ward Action Plan Map of Nazipur Paurashava (Ward-02) | |
| Map 14-5: Drain and Service Plan Map of Nazipur Paurashava (Ward-02) | 183 |
| Map 14-6: Ward Action Plan Map of Nazipur Paurashava (Ward-03) | |
| Map 14-7: Drain and Service Plan Map of Nazipur Paurashava (Ward-03) | 190 |
| Map 14-8: Ward Action Plan Map of Nazipur Paurashava (Ward-04) | |
| Map 14-9: Drain and Service Plan Map of Nazipur Paurashava (Ward-04) | |
| Map 14-10: Ward Action Plan Map of Nazipur Paurashava (Ward-05) | |
| Map 14-11: Drain and Service Plan Map of Nazipur Paurashava (Ward-05) | |
| Map 14-12: Ward Action Plan Map of Nazipur Paurashava (Ward-06) | |
| Map 14-13: Drain and Service Plan Map of Nazipur Paurashava (Ward-06) | |
| Map 14-14: Ward Action Plan Map of Nazipur Paurashava (Ward-07) | |
| Map 14-15: Drain and Service Plan Map of Nazipur Paurashava (Ward-07) | |
| Map 14-16: Ward Action Plan Map of Nazipur Paurashava (Ward-08) | |
| Map 14-17: Drain and Service Plan Map of Nazipur Paurashava (Ward-08) | |
| Map 14-18: Ward Action Plan Map of Nazipur Paurashava (Ward-09) | |
| Map 14-19: Drain and Service Plan Map of Nazipur Paurashava (Ward-09) | 232 |

LIST OF FIGURES

| Fig 3-1: Percentage Distribution of Population at Nazipur Paurashava, 6 Years or Above by Education | ı Level |
|---|---------|
| | 17 |
| Fig 3-2: Future Growth Direction of Nazipur Paurashava | 21 |
| Fig 7-1: Total Core Area of Nazipur Paurashava | 53 |
| Fig 7-2: New Urban Area beside Upazila Complex, surrounded by Core Area and Fringe Area | 54 |
| Fig 8-1: Scope of Work for Planning Division | 66 |
| Fig 11-1: Flow Chart of the Methodology | 104 |
| Fig 11-2: Nazipur Bazar Chowmatha Moar Intersection Flow Diagram | 106 |
| Fig 12-1: Temperature characteristics of last 10 years in Nazipur Paurashava | 145 |
| Fig 12-2: Normal Maximum and Minimum Temperature Characteristics across the year in Nazipur | |
| Paurashava | 146 |
| Fig 12-3: Average Rainfall Characteristics across the year in Nazipur Paurashava | 146 |
| Fig 12-4: Rainfall Characteristics for last 10 years in Nazipur Paurashava | 147 |
| Fig 12-5: Humidity characteristics of last 10 years in Nazipur Paurashava | 147 |
| Fig 12-6: Overview of the Solid Waste Management Plan | |
| Fig 14-1: Flow Chart of Methodology | 167 |

ACRONYMS

BM Bench Mark

BTM Bangladesh Transverse Mercator

CBD Central Business District
CNG Compressed Natural Gas

CS Cadastral survey

DGPS Differential Global Positioning System
DLRS Directorate of Land Records and Survey

DPA Demarcation of Planning Area

DPHE Department of Public Health and Engineering

GCP Ground Control Point

GIS Geographic Information System
GPS Global positioning system

K.P.H kilometers Per Hour

K.M. Kilometer

LGED Local Government Engineering Department

MSL Mean Sea Level

O-D Origin and destination Survey

PCU Passenger Car Unit

PWD Public Works Department

RHD Roads and Highway Department

RTK-GPS Real Time Kinematics Global Positioning System

SOB Survey of Bangladesh
TCP Temporary Control Points

TIC Tentative points)
TS Total Station

UTIDP Upazila Towns Infrastructure Development Project

LOCAL WORDS

Khal Canal

Tempo Human hauler Bazar Trade Center

Hat Weekly an occasional Market

Paurashava Municipality

Chapter 1: Introduction

1.1 General

Urbanization in Bangladesh is moving at a rapid pace. Between1961 to 1981, the average urban growth rate was 8%. The present average growth rate is about 4.5%. According to the population census of 2001, the share of urban population was about 23.29% and at present it is approximately 25%. By the year 2015, the share of urban population will be about 37% of the national population. The importance of urban development is emphasized in terms of its role in the national economy. More than 60% of the national GDP is derived from the non-agricultural sectors that are mainly based in urban areas. Again, the most foreign exchange earning sectors, like, garment and knitwear enterprises are agglomerated in urban areas. These sectors earn over 70% of the foreign exchange. Remittance is also a major sector of foreign exchange earnings and a large share of the remittance goes into the purchase of urban land. Surplus remittance is invested in business and manufacturing located in urban areas. These phenomena indicate the increasing role of urban areas being played in the national economy. The expansion of urban economy leads to the growth of urban population and concomitant haphazard urban spatial growth without planning. The rapid urbanization is marked by the creation of Paurashavas, whose number at present stands at 318. Paurashavas are created not only to provide urban services to their citizens, but also to create a livable environment through development of planned and environmentally sound living space.

The present infrastructure provisions in the Paurashavas are in a precarious state. Drains are mostly clogged that cannot drain out water during heavy rains and natural drainage systems have either been filled up or occupied by land grabbers creating water logging during monsoon. Traffic in Paurashavas is increasing day by day with the increase in population and demand. But the substandard road network cannot keep pace with the growing demand for movement. As a result, congestion becomes a common problem. Road networks are not developed in planned and systematic way leaving room for traffic congestion that increases economic loss to the people due to travel delay. The land use development in the Paurashavas is unorganized and unplanned, which is a major source of environmental deterioration. Building Construction Rules are not effectively enforced in the Paurashavas mainly for want of a well formulated Master Plan and qualified planning professional.

Under the above circumstances, it is high time to think about solving the problems of the Paurashavas that might otherwise be emerged critically in the future. To overcome all likely problems to come in future, the Paurashavas should go for planned development through preparation and implementation of a Master Plan. The Master Plan can be prepared exercising the power conferred to them by the Local Government (Paurashava) Act 2009. The Upazila Town Infrastructure Development Project (UTIDP) aims to prepare Master Plan for 223 Upazila level Paurashavas and Kuakata Tourism center under 12 packages for a period of next 20 years. The project has provisions for separate plans for land use control, drainage and environment, traffic and transportation management and improvement. The project also aims to prepare a Ward Action Plan (WAP) to ensure systematic execution of future infrastructure development projects. There is also aim to prepare proposals to enhance Paurashava revenue so that it becomes more capable to meet its own capital needs.

STRUCTURE PLAN

Of the total 223 Paurashavas Nazipur is one of 20 Paurashavas within Rajshahi Region under Package 09. The location of Nazipur within Bangladesh is shown in **Map 1-1**.

Map 1-1: Nazipur Paurashava within Bangladesh

Thus the Master Plan of Nazipur Paurashava suggests for the development of urban infrastructure, such as new roads and bridges/culverts, drainage facilities, street lights, markets, bus stands, solid waste management, sanitation, water supply, community facilities and other such infrastructure in order to equip the Paurashava to face future challenges of urbanization and economic regeneration. The Master Plan will initially focus on growth and development, social integration and environmental improvement following principles of sustainable development.

1.2 Philosophy of the Preparation of Master Plan

The philosophy behind preparation of Master Plan of the Upazila level Paurashava lies in the very motive of providing community welfare through a process of spatial organization, socio-economic rejuvenation, environmental improvement and provision of amenities to the present and future generations. The Master Plan aims for rational use of scarce land resources for concentrated development at urban scale following the principles of sustainable development.

1.3 Objectives of the Master Plan

As per the Terms of Reference (TOR), the objectives of the preparation of Master Plan of Nazipur Paurashava are to:

- a) Find out development issues and potentials of the Nazipur Paurashava and make a 20- year development vision for the Paurashava and prepare a Master Plan in line with the vision for the development;
- b) Plan for the people of Nazipur Paurashava to develop and update provisions for better transport and communication network, housing, roads, markets, bus terminals, sanitation, water supply, drainage, solid waste management, electricity, education, leisure and such other infrastructure facilities for meeting the social and community needs of the poor and the disadvantaged groups for better quality of life;
- c) Prepare a multi-sector short and long term investment plan through participatory process for better living standards by identifying area based priority-drainage master plan, transportation and traffic management plan, other need specific plan as per requirement in accordance with the principle of sustainability;
- d) Provide controls for private sector development, with clarity and security in regard to future development;
- e) Provide guideline for development considering the opportunity and constrains of future development of the Upazila Town; and
- f) Prepare a 20-year Master Plan to be used as a tool to ensure and promote growth of the Nazipur Paurashava in line with the guiding principles of the Master Plan and control any unplanned growth by any private and public organization.

1.4 Philosophy of the Preparation of Master Plan

The philosophy behind preparation of Master Plan of the Upazila level Paurashava lies in the very motive of providing community welfare through a process of spatial organization, socio-economic rejuvenation, environmental improvement and provision of amenities to the present and future generations. The Master Plan aims for rational use of scarce land resources for concentrated development at urban scale following the principles of sustainable development.

1.5 Objectives of the Master Plan

As per the Terms of Reference (TOR), the objectives of the preparation of Master Plan of Nazipur Paurashava are to:

- a) Find out development issues and potentials of the Nazipur Paurashava and make a 20- year development vision for the Paurashava and prepare a Master Plan in line with the vision for the development;
- b) Plan for the people of Nazipur Paurashava to develop and update provisions for better transport and communication network, housing, roads, markets, bus terminals, sanitation, water supply, drainage, solid waste management, electricity, education, leisure and such other infrastructure facilities for meeting the social and community needs of the poor and the disadvantaged groups for better quality of life;
- c) Prepare a multi-sector short and long term investment plan through participatory process for better living standards by identifying area based priority-drainage master plan, transportation and traffic management plan, other need specific plan as per requirement in accordance with the principle of sustainability;
- d) Provide controls for private sector development, with clarity and security in regard to future development;
- e) Provide guideline for development considering the opportunity and constrains of future development of the Upazila Town; and
- f) Prepare a 20-year Master Plan to be used as a tool to ensure and promote growth of the Nazipur Paurashava in line with the guiding principles of the Master Plan and control any unplanned growth by any private and public organization.

1.6 Approach and Methodology

The UTIDP Project is aimed for substantial development of infrastructure and services for the Paurashava with optimum provision of opportunities for Paurashava dwellers and making scope for extending services to surrounding areas. The current project is preparing a Master plan of the Paurashava, where the existing condition and different problems are identified, studied and analyzed and the probable solutions are to be sought to ameliorate the same. The study moves through a process of data collection-analysis and fixation of objectives for planning. The approach is based on field survey for data collection and collection of information from secondary sources. The data is presented through maps, text and tabular form. Than the survey report and maps are prepared and submitted. Analysis of collected data is carried out to identify the nature and extent of problems prevailing in the Paurashava in order to fix the objectives of the actions to be undertaken in the form of planning and the interim report prepared and submitted. Through the process, involvement of the stakeholders has been ensured to make the planning as much sustainable as possible. For this purpose, continuous formal and informal discussions and meetings have been carried out throughout the project period using participatory approach. The discussions serve two purposes, first, a sense of belongingness develops within the minds of the stakeholders, particularly among the citizens, about the master plan to be prepared, and secondly, identification of problems and finding their solutions become easier with the participation of stakeholders, as the local stakeholders are more knowledgeable about local problems and possible solutions of those problems.

After doing all these jobs thoroughly the Master Plan had been done based on a prepared planning standard for Paurashava level town and formulating future strategies for the corresponding area. Again after final consultation with the stakeholders on the prepared plan the Final Master Plan has to be completed.

1.7 Scope of Work

The scope of work under this consultancy services covers all aspects related to the preparation of Master Plan, which includes Land Use Plan, Transportation and Traffic Management Plan, Drainage and Environmental Management Plan and Ward Action Plan for the proposed Paurashava. In order to prepare these plans, the activities contain but not limited to the following:

- Visits have been made to the Paurashava at different stages of work of the preparation of Master Plan of Nazipur Paurashava.
- 2. Feasibility for preparation of Master Plan has been submitted to the office of the PD, UTIDP.
- 3. An Inception Seminar has been organized at the Paurashava level to inform the Paurashava about the scope and Terms of Reference for the preparation of Master Plan. A thorough investigation has been made based on potential scope and opportunities available in the Paurashava to develop a 20 year development vision for it linking the ideas and view of the Paurashava people.
- 4. Determination of the study area and planning area has been done based on existing condition, demand of the Paurashava and potential scope for future development. A detailed survey has been conducted on the existing conditions of socio-economic, demographic, transportation and traffic, physical features, topographic, and land use of the Paurashava area following the approved format and data have been collected from primary and secondary sources. Analysis of such data and information has been carried out to find out the possible area of intervention to forecast future population of the Paurashava (15-20 years), vis-a-vis assess their requirement for different services, such as physical infrastructure facilities, employment generation, housing, right of way and land requirement for the existing and proposed roads, drains, playgrounds, recreation centers and other environmental and social infrastructure. The following major tasks have been accomplished:
 - a. Identification and investigation of the existing natural and man-made drains, natural river system, the extent and frequency of floods, area of planning intervention have been done. Other works include study of the contour and topographic maps produced by the relevant agencies and review of any previous drainage Master Plan available for the Paurashava.
 - b. A comprehensive (storm water) Drainage Master Plan for a plan period of 20 years has been prepared considering all relevant issues including discharge calculation, catchments areas, design of main and secondary drains along with their sizes, types and gradients and retention areas with preliminary cost estimates for the proposed drainage system.
 - c. Recommendations have been made on planning, institutional and legal mechanisms to ensure provision of adequate land for the establishment of proper rights of way for (storm water) drainage system in the Paurashava.

- d. Collection and assessment of the essential data relating to existing transport Land Use Plan, relevant regional and national highway development plans, accident statistics, number and type of vehicles registered for each Paurashava have been made.
- e. Assessment has been made on the requirements of critical data and data have been collected through reconnaissance and traffic surveys, which should estimate present traffic volume, forecast the future traffic growth, identification of travel patterns, areas of traffic conflicts and their underlying causes.
- f. Study has been conducted on the viability of different solutions for traffic management and development of a practical short term traffic management plan has been accomplished, including one way systems, restricted access for large vehicles, improved signal system, traffic islands, roundabouts, pedestrian crossings, deceleration lanes for turning traffic, suitable turning radius, parking policies and separation of pedestrians and rickshaws etc.
- g. Assessment has been done on the non-pedestrian traffic movements that are dominated by cycle rickshaw. Special recommendations should be made as to how best to utilize this form of transport without causing unnecessary delays to other vehicles. Proposals should also consider pedestrians and their safety, with special attention for the children.
- h. Assessment has been made on the current land use with regard to road transportation, bus & truck stations, railway stations etc, and recommendations to be provided on actions to optimize this land use.
- i. Preparation of a Road Network Plan based on topographic and base Map prepared under the Project. Recommendation has been made on the road development standards, which serve as a guide for the long and short term implementation of road. Also Traffic and Transportation Management Plan and traffic enforcement measure have been suggested.
- j. Preparation of the Master Plan with all suitable intervention, supported by appropriate strategic policy, outline framework, institutional arrangement and possible source of fund for effective implementation of the plan.
- k. Preparation of a plan has been set out proposed Master Plan at 3-levels namely Structural Plan, Urban Area Plan and Ward Action Plan.
- I. At the first level, policies and strategies have been worked out for the preparation of a Structure Plan for each Paurashava under the package. The Master Plan has been prepared consisting of Structural Plan, Land Use Plan, Transportation and Traffic Management Plan, Drainage and Environmental Management Plan and Ward Action Plan.
- m. A total list of primary and secondary roads, drains and other social infrastructures for each Paurashava for a plan period of next 20 years has been made. Examining and classifying according to the existing condition, long, medium and short term plans have been proposed and estimated cost for improvement of drain and road alignment and other infrastructures have been prepared.

- n. In line with the proposed Master Plan, a Ward Action Plan has been proposed with list of priority schemes for the development of roads, drains, traffic management and other social infrastructures for implementation during the first five years of plan period.
- o. With the help of concerned Paurashava, at least 2 public consultation meetings or seminars have been organized, one for discussion on Interim Report and the other on Final Report on the proposed Master Plan. Beneficiary's point of view has been integrated in the plan with utmost careful consideration.
- p. Preparation and submission of Master Plan and Report with required standards as per the TOR.

1.8 Organization of the Master Plan Report

The Master Plan Report is organized in three major parts with an introduction at the beginning. The three major parts contain various components of work under the UTIDP of LGED. The three major parts of the Master Plan of Nazipur Paurashava are as follows:

INTRODUCTION: It describes the ToR of the UTIDP, philosophy and objectives of the Master Plan, methodology and scope of the work and organization of the Master Plan Report.

PART–A: The Structure Plan sets the conceptual framework and strategies for planned development of the Paurashava based on its potentials for next 20 years up to 2031.

PART-B: Urban Area Plan includes i) Land Use Plan; ii) Transportation and Traffic Management Plan; iii) Drainage and Environmental Management Plan; and iv) Proposals for Urban Services.

PART–C: Ward Action Plan presents ward wise detailed proposals for implementation within first five years of the Master Plan period of 20 years.

Chapter 2: Introduction to Structure Plan

The Master Plan Report is the fourth of the series of the reports to be submitted as per the ToR of the project "Upazila Town Infrastructure Development Project - Preparation of Nazipur Paurashava Master Plan (Structure Plan, Urban Area Plan and Ward Action Plan)". Part A of this report describes the Structure Plan of Nazipur Paurashava and Chapter 2 describes the conceptual issues related to the preparation of Structure Plan for Nazipur Paurashava.

2.1 Background of the Paurashava

As per the Local Government (Paurashava) Act 2009, the Paurashavas in Bangladesh are categorized mainly into A, B, and C classes based mainly on annual income of the Paurashava. There is also a separate category called "Special Class", basically for industrial and commercial hubs of Narayanganj and Tongi within the Dhaka Metropolitan Development Area (DMDA).

Nazipur is a B-category Paurashava with an area of 13.10 sq. km according to GIS Database that was established in 1999 with 9 wards following the Paurashava Ordinance 1977. The Paurashava locate the Patnitola Upazila and it is bounded on the north by Dhamoirhat Upazila, on the east by Badalgachi Upazila, on the south by Mohadebpur Upazila and on the west by Shapahar Upazilla. The location of Nazipur within Naogaon District is shown in **Map 2-1**.

Nazipur Paurashava is the urban center in the Patnitola Upazila. Not much known about origin of the name of the Paurashava. The Upazila is located between 24°07′ and 24°19′ north latitudes and between 88°44′ and 88°55′ east longitudes. Naogaon region is characterized by high and low lands.

Nazipur is located within the flood plain of Atrai River. The Atrai river is of hydrographical importance of the area, which are more or less moribund. During the rainy season, these moribund rivers act as excellent drainage channels draining of a large volume of water and have a strong current.

Nazipur falls within the undulated Barind Land. The level of undulation ranges from 1 to 5 meters. The town center of the Paurashava is comparatively elevated and not subject to annual flooding. Flooding in the area usually occurs due to the over flow of the River Atrai, the Mohananda and the Atrai. In recent years, the severe flooding was occurred in 1988 and 1998. Duration of the flooding was more than 2 months and flood level was 1 to 3 meters above the surface. The extensive peripheral areas of Paurashava jurisdiction are comparatively low and are flooded each year during the monsoon. There exist a small number of unsanitary pools, kharis (canal), ditches and filth within the Paurashava. These depressions serve as catchments basin and help in reducing the flood intensity and also mitigate the flood damages during and after heavy rainfall in the monsoon period. Most of the buildings within the town are constructed in normal height but the houses outside the urban areas are mostly constructed on the elevated land of 3 and 4 meters above natural ground level to keep them free from annual flooding.

2.2 Vision of the Structure Plan

The vision of the plan is the creation of an urban liveable environment, where people irrespective of their socio-economic, demographic and religious identities can live and enjoy today within affordable means without sacrificing interests of tomorrow. The implementation of Master Plan of the Paurashava will translate this vision into reality.

Map 2-1: Nazipur Paurashava within Naogaon District

STRUCTURE PLAN

2.3 Objectives of the Structure Plan

To guide long term growth within the Structure Plan Area by means of demarcation of the future growth areas and indication of potential locations of major development areas includes: a) indication of important physical infrastructure; and b) setting out policy recommendations for future development. According to the Terms of Reference, the objectives of Nazipur Paurashava Structure Plan are:

- Description of the Paurashava's administrative, economic, social, physical environmental growth, functional linkage and hierarchy in the national and regional context; catchments area; population; land use and urban services; agencies responsible for different sectoral activities, etc.
- Identification of urban growth area based on analysis of patterns and trends of development, and projection of population, land use and economic activities for next 20 years.
- Identification and description of physical and environmental problems of Nazipur Paurashava.
- Discussion of relevant policies to analyze and find out potential scopes for the use in the
 present exercise and also find out constraints and weakness of the existing policy to suggest
 appropriate measures for the development and management of Nazipur Paurashava.
- To provide land use development strategies.
- To provide strategies and policies for sectoral as well as socio-economic, infrastructural and environmental issues of development.
- To discuss about implementation issues including institutional capacity building and strengthening of Paurashava, resource mobilization etc.

2.4 Concepts, Content and Format of the Structure Plan

Concept

Structure Plan is a kind of guide plan, or framework plan, or an indicative plan that is presented with maps and explanatory texts in a broader planning perspective than other components of Master Plan. Structure Plan indicates the broad magnitudes and directions of urban growth, including infrastructure networks, the placement of major facilities such as hospitals and upazila complex. A Structure Plan is not intended to specify detailed lot by lot land use or local road configurations and development proposals. Rather it identifies the areas where growth and change are such that more detailed local and action plans are needed. Structure Plan does not require excessive effort in gathering data and it is flexible and dynamic and can be changed to accommodate demanded changes. The present Structure Plan is an overall long term strategic plan for the Paurashava Shahar (Town), Nazipur.

Structure Plan is the 1st component of the Master Plan package. The other two lower level components are Urban Area Plan and Ward Action Plan. Structure Plan lays down the framework of the future plan including strategy and the sectoral policies. The Urban Area Plan and the Ward Action Plan detail out development proposals under the framework of Structure Plan. The extended area was selected in consultation with the Paurashava for possible extension of the Paurashava. But no development proposals are suggested for the extended part as existing

STRUCTURE PLAN

Paurashava area is enough to accommodate population and services during Structure Plan period, that is, up to the year 2031.

Content and Format of the Structure Plan

The Structure Plan is an indicative plan that gives a brief on the future development of an area with policy guidelines. It is a long-term plan with flexibility in the sense that it sets down a broad framework for future development, but not the details. The format of a Structure Plan comprises written document and indicative major development locations presented in maps and diagrams as parts of the report. The written text analyses the issues that are not possible to be presented as diagrams, drawings and maps. Therefore, the written document is as important as the physical plan and diagrams and should be read in conjunction with each other.

2.5 Duration and Amendment of the Structure Plan

The Structure Plan is to remain valid for a period of 20 years from the time of its approval that is up to the year 2031. Structure Plan can contain two Urban Area Plan for the time period of 10 years each and four Ward Action Plan for the time period of 5 years each.

2.6 Structure Plan Area

The total area of Nazipur Structure Plan is 3239.16 acres (13.10 sq km) according to GIS Database that include total area of Nazipur Paurashava, and there is no extended area in the structure plan of Nazipur Paurashava. All the 9 wards of the Paurashava are covered by Structure Plan area.

Chapter 3: Existing Development Status of Nazipur Paurashava

This chapter of the report makes a review of the various issues related to existing growth trend of the Paurashava and unveils its problems. The existing scenario in development status concerning socio-economic, physical infrastructure and environment are presented in the following paragraphs.

3.1 Social Development

Development is a dynamic issue. Measurement of social development essentially requires time series data. Consultant collected recent data of the project area by means of sample survey (5% of total households) with no reference to previous situation. Population census reports are the only sources of information for Paurashava level data, but they cover only a selected number of issues that are not sufficient to make a qualitative judgment of social improvement. It makes a review of social development based on available population census data of 2011. This social review indicates positive social development in Nazipur Paurashava. As per Census 2011, present average household size of the Paurashava is 4.07. This indicates the success of family planning programme at Nazipur Paurashava though the figure is still much higher than the national average (4.8%). Success is also achieved in education sector. Literacy rate was raised to 69.6 % in 2011 from last years.

The employment situation is also slightly improved in this Paurashava. Unemployment rate was reduced from 31.93% as per population census 2011.

3.2 Economic Development

Economic activity is the lifeblood of any urban centre. The higher is the economic activity, the higher will be the level of employment and consequent physical growth. So, before going for a development plan, it is necessary to assess the current level, constraint and prospects of economic activities of the Paurashava.

The principal criterion to judge the economy of an urban center is to learn about its main sources of employment. Besides, the number of productive enterprises and tertiary level activities are also the indicators of the pattern and level of economic activities in any area. It is revealed from the sample survey on all categories of people, although almost 50% of the Paurashava area is under agriculture though there are little percentage of people is farmers and agricultural labourers. So a fair portion of people is engaged in agriculture for their livelihood. A fare portionof people are engaged in small business. So, the economic picture of the Paurashava is not very bright. Poverty haunts over one third of its population and activities in the service sector have not yet gained momentum.

3.3 Economic Activities

Although the local economy of Nazipur Paurashava is yet to emerge as a vibrant one, its current activities as discussed in this section require care analysis for planned development in the future. In the case of expanding cross-border trade between Nazipur and Dhamoirhat, the Paurashava may experience higher economic growth in the near future.

Industry

Except some small scale processing units, there is virtually no manufacturing, as such, in the Paurashava. The town actually has no strong industrial base. There are a number of rice processing units and saw mills in the town that may grow in the future, and should choose suitable locations in the Master Plan.

Commerce

The commercial activities in the Paurashava are dominated by retail business. The Nazipur bazar located at Chowmatha is the largest bazar of the Paurashava. The retailers mostly collect their goods from this bazar, which is also the largest wholesale market.

Services

The household survey shows, 4.7% of the male adults are engaged in service of different kinds as employment. Among them, 1.2% works in different public sectors agencies, while 3.5% serve in private enterprises that include shops and other business enterprises. 1.2% female members were being found housewife.

Agriculture

Sample survey by the consultant reveals that about 40 percent of the income earners in the Paurashava are engaged in farming occupation. Besides about 24.13% are agro laborers living in the Paurashava (BBS, 2001). The farmers and farm laborers work in farm lands, both, within and outside the Paurashava. It is evident from land use survey of the Paurashava that about 82% of the Paurashava lands are still under agriculture.

Agro-based

As the Paurashava is mostly rural in nature at present, with effective agricultural extension services, the agricultural output can be increased many times to serve the agro-based industries in future. In this backdrop, the major challenge is to strike a balance between urbanization and maintenance of rural nature of the project area.

Informal Sector Economic Activities

Informal sector study was not a part of ToR, so the consultant did not conduct any formal study on the informal sector. It can be considered that the informal sector characteristics at upazila level Paurashava are same all over Bangladesh. It is more prominent, where the concentration of people takes place. Informal sector is a part and parcel of urban economy in developing countries. They have small capital and are usually self-employed. In Nazipur, the concentration of informal businesses is found around the bazar area, transport terminal and stoppage areas and also near the Upazila Complex.

3.4 Existing Employment Pattern

Out of the employed male population, more than 41.49 percent is engaged in business. Since secondary sector employment is seriously lacking in the town, people move to self-employment like small business. Trading has not been found feasible as employment in the town, mainly, because of lower level of affordability of the people powered by remittance they receive from abroad regularly. Of the total 141 working population of surveyed households of Nazipur

Paurashava, 96.81 percent is in the active working force. About 6 percent of the working force is unemployed. The scenario is unlikely to change unless there is any major investment in the industrial sector that can pool a large number of workers and render the local economy more vibrant services.

It is evident from the household survey that there is insignificant employment in the service sector. 1.2% males are employed in government/autonomous organizations. It is observed that no female population is employed in private company. It is unlikely that public sector jobs will show any major improvement in future. But with the increase in business, and industry there is possibility that private sector jobs will show further increase. Small business is an important source of income in this region. About 37.1% of the Paurashava households get involves in this sector.

3.5 Population

According to BBS 2011, the total population of Nazipur Paurashava was 21,670 and the density of population was 1657 persons/ sq.km with an annual growth rate of 2.50. At Present, Ward 03 is the most densely populated area. The density per sq.km is 4591 in this Ward, followed by 4085 in Ward no. 07 and 3004 for Ward no. 06.

Table 3-1: Population Distribution in Nazipur Paurashava

| WARD NO | Area (in sq. km) | Population 2001 (BBS) | Density (persons/sq.km) | Population 2011 | Density (persons/sq.km) |
|---------|---------------------|--------------------------|----------------------------|--------------------|----------------------------|
| WARD-1 | 1.05 | 1267 | 1207 | 1430 | 1362 |
| WARD-2 | 1.25 | 1917 | 1534 | 1611 | 1289 |
| WARD-3 | 1.03 | 3186 | 3093 | 4729 | 4591 |
| WARD-4 | 2.30 | 1786 | 777 | 2322 | 1010 |
| WARD-5 | 1.35 | 1466 | 1086 | 2092 | 1550 |
| WARD-6 | 1.06 | 2192 | 2068 | 3184 | 3004 |
| WARD-7 | 0.75 | 2411 | 3215 | 3064 | 4085 |
| WARD-8 | 3.03 | 1234 | 407 | 1525 | 503 |
| WARD-9 | 1.26 | 1470 | 1167 | 1713 | 1360 |
| Total | 13.08 | 16,929 | 1294 | 21,670 | 1657 |

Source: BBS, 2011.

Sex Ratio

The average sex ratio (males per 100 females) for the project area is 100: 145, higher than the national average (100:106).

Again, percentage of elderly (65+) male population is much higher than the percentage of elderly female population. In the total population, however, the male population outnumbers the female population. These are some interesting information that can be observed from sample household survey at Nazipur Paurashava.

Marital Status

The percentage of married and unmarried population is almost equally distributed (as per the socio economic survey). A negligible percentage of population is widow or widower. There is no respond of divorce, which is a good social aspect for the Paurashava.

Religious Status

Religious composition of population has various implications for area planning and overall welfare of the population. Almost 92.04 percent people of the study area belong to the Muslim community followed by only 7.95 percent Hindu.

Education

The survey shows the Level of Education of respondents in Nazipur Paurashava. From the field it is seen that about 11.46% respondents have education level of class I-V, 22.78% have education level of class VI-X,21.52% have education level SSC, 11.39% of have education level of HSC,10.13% are of BSS. About 20.38% people are illiterate in Nazipur Paurashava. According to the Paurashava Booklet 2007, literacy rate in Nazipur Paurashava was 60.00%. However, from the socio-economic survey it is found that the literacy rate in Nazipur Paurashava is about 79.62% which is higher than Paurashava record. It can also be mentioned that according to population census 2001, in Patnitala Upazila the literacy rate is only 49.8% (53.1% male and 46.3% female). So it is easily understood that in Nazipur Paurashava the literacy rate is much higher compared to the whole Upazila.




Fig 3-1: Percentage Distribution of Population at Nazipur Paurashava, 6 Years or Above by Education Level

Migration pattern

About 97% of the people have been living in Nazipur Paurashava since their birth. This may be a positive factor for future development as people know themselves since their early life. This will enable the local authority to encourage a participatory approach in development. Only a small percentage of people are migrants from elsewhere, but have been living here for a long time. The survey also reveals that most of the people are not interested at all to move from here in future.

3.6 Physical Infrastructure Development

Buildings and Structures

Nazipur Paurashava has mainly grown following the major transport networks. Buildings and structures developed are based on road network system of the Paurashava. The highest percentage of structures is katcha 49.24%, followed by the semi- pucca structures 31.30%, and the rest 19.45% structures are pucca. It is revealed from the survey that 82.48 percent are residential structure. Highest concentration all types of residential structures (13.22%) are found in the Ward # 3 and the lowest concentration (6.70%) of residential structures are found in Ward # 9.

In Nazipur Paurashava it is found that, in case of Pucca structures, about 74.84% structures are single storied. On the other hand, for commercial structures, most of the structures are pucca and semi-pucca and are distributed over only a few wards. There are only 858 structures that are used for commercial activity.

In this Paurashava it is found that about 0.47% structures (33) are used for Governmental institution. It can be noticed that most of these governmental offices are located in wards 7. Paurashavas education, health, recreation, commercial and automobile facilities are mainly located in the Ward nos. 02, 06 and 07.

Transport and Communication

The four major roads coming from three different directions meet together at the Nazipur Bazar Chowrasta and pass through the town. The roads coming from different places are; Naogoan, Dhamoirhat, Shapahar and Matazi. The physical survey findings of Nazipur Paurashava shows that in Nazipur Paurashava there is about 82.48 km road out of which 27.55 km is Pucca, 26.35 km is Katcha and 28.58 km is Semi-Pucca. In this Paurashava there are some LGED roads. The Paurashava has a formal bus terminal and tempo stand.

3.7 Utility Services

The following paragraphs present the existing condition of utility services in the Paurashava.

Electricity

In Nazipur Paurashava there is electricity connection. The survey finding shows that there are 723 electric poles within the Paurashava area. In Nazipur Paurashava there is no electric substation. Map 3.11 shows the location of electric poles in Nazipur Paurashava. In ward no 2 there is the highest number of electric pole and in ward no 5 there is the lowest number of electric pole in Nazipur Paurashava. The people of the Paurashava complained that they face severe problem of load shedding.

Water Supply

In Nazipur Paurashava, there are mainly two ways of water supply facilities. These are tube-well and piped water supply. In this Paurashava the main source of water supply is tube-well. About 72.27%people use tube-well for their water source. This piped water supply covers Upazila Parishad, Government quarter, market area and households along the main road only. The piped water supply covers only a small portion in the ward 6.

Telecommunication

As a Paurashava, telephone network exists in Nazipur Paurashava. According to survey, the Paurashava accommodates 17 telephone poles. It has been found that that in ward no 2 there is highest number of electric pole and in ward no 1, 3, and 9 there is no electric pole.

Solid Waste Management

Condition of solid waste management at Nazipur Paurashava is very poor. There are only 5 dustbins in the Paurashava area. One waste collection truck and two push carts are used to collect solid waste. Hospital waste is dumped at their own dustbins. Garbage of kitchen markets is dumped at nearby dustbins or vacant places. There is no fixed waste dumping ground in this Paurashava.

Gas Supply

The Paurashava has no gas supply facility at present.

Drains

It has been found that the entire drains of Nazipur Paurashava are Pucca. The field survey indicates that there is moderate amount of drainage in Nazipur Paurashava. In this Paurashava, there is 6.27 km drain.

3.8 Environmental Issues

Surface water of ponds, canals and rivers at Nazipur is observed to be fresh and free from salinity. Water Development Board has taken a project to protect the Paurashava from river erosion by constructing embankment. With the development of a planned drainage system some environmental problem will be minimized.

Paurashava authority has taken initiative to reduce surface water pollution. Very recently Paurashava provided 1300 slabs among the inhabitants to improve sanitation condition. At present, 70% inhabitants of the Paurashava use sanitary latrine.

From the overall survey findings, it has been revealed that the inhabitants of the Paurashava do not face any severe environmental problem. The problems that exist here can be mitigated through proper planning of the Paurashava.

The urban environment of Nazipur Paurashava includes both built and natural environment. Urbanization has some increased hazards on natural environment. Where the built environment overburdens the natural environment urban development cannot be sustainable. The urbanization is vital for country's economic growth. Urban centers concentrate services, infrastructure, labor, knowledge, entrepreneurship and markets. Cities and towns are key generators of economic activities. The urban economies are critically important in national economic growth and of development goal. Urbanization is unavoidable. So in every phase of planning processes, all these environmental issues shall be evaluated and proper measure shall be taken to minimize the adverse environmental impacts on land pollution, water and air quality, biodiversity resources and marine resources by energy usage, transport network, waste management, slum improvement, disaster etc.

The town of Nazipur is no different from other towns of Bangladesh, but as disasters are concerned it is highly vulnerable to at least one disaster, earthquake, due to its location in a particular seismic zone. Geological explorations and extractions make the area more vulnerable to any other town of the country. So care should be taken in construction of buildings in the town. Buildings are needed extra care to make them earthquake resistance to reduce loss of life and property. Special building codes are needed to prepare particularly for this region. Care is also needed to be taken to protect the town from flood vulnerability. So there is urgent need to render the town safer not only against earthquake but also from flooding.

3.9 Institutional Capacity

The implementation of the Master Plan will require strengthening of the capacity of the Paurashava Authority. Although the capacity building is going in different ways by the government, the institutional capacity building for implementing the Master Plan of the Paurashava has not yet been seriously considered. This will be an important task for the government to restructure the organogram and include the required technical staff with appropriate job description for addressing the issues of implementing the Master Plan.

Existing Manpower

According to Paurashava manual, there should have been 89 officials and staff engaged in a "B" class Paurashava to manage the engineering, administrative, health, family planning, and conservancy works within the Paurashava area. In the organogram, Mayor is the head of the institution. Chief Executive Officer coordinates the three major divisions. These divisions are Engineering (headed by Assistant Engineer), Administrative (headed by Secretary), and Conservancy, Health and Family Planning (headed by Health Officer). In this organogram, both full time and contractual officials are included.

Existing manpower scenario of Nazipur Paurashava is not so good. There is acute shortage of manpower in each section of the Paurashava. Paurashava has only 19 officials against 89 officials mentioned in the Paurashava manual organogram. There is no Chief Executive Officer (CEO), Assistant Engineer, Secretary, and Health Officer. Sub Assistant Engineer of Nazipur Paurashava coordinates the engineering and administrative division. The works of the conservancy division is executed by the contractual staffs, health and family planning section is not well established at Nazipur Paurashava.

Paurashava Town Planning and Implementation Capacity of Master Plan

At present, the Paurashava has no town planning section or any appropriate manpower, especially Town planner to prepare or implement town plan. The existing capacity of the Paurashava is seriously inadequate to implement the Paurashava Master Plan. The Paurashava must strengthen its capacity to implement its Master Plan, when it is completed by employing requisite manpower.

Conservancy and Health Services

Conservancy service of Nazipur Paurashava is also very poor. Paurashava has no fixed waste dumping land. The waste collection and dumping is operated in traditional way. Conservancy department of the Paurashava is not established yet. Staffs are recruited on contract basis to convey the work of conservancy service. There is no community based organization (CBO) for introducing house to house waste collection system in the Paurashava.

There is one Upazila Health Complex and other private clinics/hospitals serve this Paurashava. Existing number of staffs of the Upazila Health Complex is 92 against 146 posts sanctioned by the government. Paurashava has only 3 staffs for health and family planning section against 18 staffs proposed in the organogram of Paurashava manual. Future improvement in health services will depend on the recruitment of requisite staff.

Logistic Support/Equipment

According to the Paurashava manual, a "B" class Paurashava should get logistic support/equipment to continue the work properly. This includes one jeep, one road roller (5-7 ton), two trucks/tractors, two motor cycles, three bicycles (according to the needs of the Paurashava), one mixture machine, one type writer machine, one photocopier machine and one duplicating machine. But Nazipur Paurashava has only a garbage truck. Additionally, they have one Computer and printer for official support.

3.10 Urban Growth Area

The direction of physical growth in the town is towards the northern direction. Accessibility is a major driving force behind the physical growth. Another important factor for this growth is flood free high land. Physical growth usually follows major thoroughfare and higher grounds. The general land level of the town is almost uniform everywhere. Therefore, accessibility is the leading factor to direct physical growth. The main thoroughfare of the town is the Nazipur-Charghat Road of LGED from Nazipur to Naogaon via Charghat. This road is running through the market place of the town. The commercial activities are expanded along the road towards the south-eastern side. But as the area around the road is low and in agricultural use, there is less possibility for future development.




Fig 3-2: Future Growth Direction of Nazipur Paurashava

3.11 Catchments Area

It is widely recognized that there is a strong interdependence of social, economic and environmental development between rural and urban areas. The cities and towns play an important role in rural development as markets for their goods and products, and also as the sites for food processing and other agricultural related activities, and as source of non-farm income, especially from wage labour. On the other hand, urban areas rely on rural areas for food production, labour, raw materials for manufacturing and markets for their products. This linkage is stronger in small town like the Paurashavas, primarily due to their proximity to the surrounding rural hinterland. People of the catchment areas can access public service offices and hospitals in the towns with less difficulty than offices in cities, while schools and other facilities serve a large number of the catchment area population, contributing significantly to rural development.

The adjacent Dhamoirhat and Shapahar Upazilas have some influence over Nazipur Paurashava. Other urban areas around the Paurashava are located within the catchment area of the Paurashava. They are all connected physically by roads.

Transport and communication connectivity is an important factor for economic development of an area. Though Nazipur is located at the far western corner of Naogaon and as well as Bangladesh, it has a good road communication network with Naogaon and nearby Upazila towns. The river Atrai flows along the water boundary of the Paurashava provide good opportunity for water transport, but remains unusable during lean season due to the siltation.

3.12 Land Use and Urban Services

The general land uses of the project area are shown in Table 11-1 in Chapter 11. In the land use pattern of the Paurashava, 16 types of land uses are found. It is clearly evident from the table that agricultural land use (almost 56.15%) dominates the Paurashava area, followed by residential (23.82%), water bodies (12.38%), road network and transport and communication (only 0.04%), and government services and educational land use occupy more than 0.50% percentage of land. Nazipur Paurashava has experienced major development along the river Atrai.

Settlements are found particularly in the areas of higher elevation following linear pattern alongside the roads and more specifically around the central bazar. The trend of settlement growth is greater in areas close to the main road. The core part of the Paurashava is the most built up part of the planning area. Apart from core area, in most of the other areas, residential developments have taken place as dispersed settlements on high lands. Dispersed settlements make provision of services difficult.

3.13 Paurashava Functional Linkage with the Regional and National Network

Any development initiative at the local level must relate to the national level plans in order to achieve cohesion and integrity with overall development of the country to attain the national development objectives.

The present system of national level planning hardly links the local level plans. The present system of allocation of resources in national development budget is a top down approach, which is highly influenced by political objectives. As a result, urban sector is not yet considered a priority sector and due to resource constraint, many problems of the Paurashavas remain unresolved. Therefore, it is important to establish a linkage between the local plans and the national development plan so

STRUCTURE PLAN

that aspirations of the people can be realized. National development plans are prepared considering the overall needs and aspirations of the country with respect to different sectors of development.

This necessitates for a bottom up approach of development planning and the budget allocation should be made according to the choice of the local governments who are accountable to the Paurashava people directly. Budget should be allocated according to the priority list of the projects prepared by the Paurashava that is supposed to reflect the needs of the Paurashava people as the list can be prepared by the counsellors and the Mayor who are directly elected by the people.

The aim of the Structure Plan is to prepare a development plan for Nazipur Paurashava with full participation of its stakeholders. In the process of planning, a large number of development projects have been identified in different sectors. Implementation of development projects will improve infrastructure and services and will create an environment for utilization of local resources. This will attract more investment in the locality to generate new employment. New employment will generate income for the poor people and shall improve the poverty situation, which is the main objective of PRSP. New jobs will also be created during implementation of various development projects of the Paurashava prepared under the master plan. New and improved road infrastructure will increase mobility vis-a-vis economic activities of the Paurashava that will help to address the problems of unemployment.

Map 3-1: Communication Network of Naogaon Region showing Connectivity with Nazipur Paurashava

The current program of Paurashava Planning helps to address urban poverty through adequate steps taken up to accelerate urban infrastructure development based on the Nazipur Paurashava plan. The new developments will induce new investments in trade and industry and lead to generation of more employment in the service, construction, transport and informal sectors. This will directly assist in reducing poverty. It will help absorb additional work force of rural areas as a result of natural growth of population. Agricultural sector has limitations in absorbing labor force.

3.14 Role of Agencies for Different Sectoral Activities

The successful implementation of Structure Plan depends upon the efficiency of the stakeholders and the degree of integration and coordination among them. Structure Plan of a town involves a complex affair having numerous stakeholders influencing the decision making process of development.

Care has been taken for all programmes and projects to be developed in a sound manner technically, socially, environmentally and institutionally with full participation of local communities. Due care has been taken so that there have no significant adverse internal or external environmental impacts. Sustainable urban development based on a continuous dialogue between the actors involved in urban development is needed to improve the urban environment. It is expected that after the completion and implementation of the Master Plan and as well as the mentioned projects and programmes of other organizations in Nazipur, this small town will develop with its full potential.

Development Schemes Implemented by the GOs

The recent infrastructure development schemes implemented by the Government includes roads, road lights etc.

Nazipur is an agriculture-based urban area and Upazila Agriculture Office has a significant influence on its agricultural sector. Central Government use subsidy for the betterment of the farmers. Local office distributes fertilizer to the poor farmers with 20 kg per head through the Paurashava. Sometimes, the agriculture office distributes 10 kg per head to balance between demand and allocation of fertilizer. Besides, agriculture office also arranges training workshops for the farmers on modern techniques of cultivation that increase production.

Upazila Fisheries and Livestock Office distribute fish fry and fertilizers for fish and vaccination of poultry and other livestock to the people free of cost. They also arrange training session to train the people. Upazila Parisad sometimes takes initiatives for afforestation and distribution of saplings.

Upazila Health Complex only implements a few activities like vaccination, training on child and mother health etc.

Electrification of Nazipur is operated by Polli Biddutayan Board (Rural Electrification Board- REB) that has a Master Plan to avail 100% electrify in the whole Upazila including the Paurashava area. The Master Plan explains the basis of electrification to the residents and the commercial establishments on a priority.

DPHE recently conducted a survey in 14 villages among the 22 villages to know the arsenic contamination level of Nazipur. It covers Paurashava and its surrounding areas. Main responsibility

STRUCTURE PLAN

of DPHE within the Paurashava is to design water supply network, implement and maintain the network. The authority has prepared water supply network for Nazipur Paurashava, but failed to implement it.

Local Government and Engineering Department (LGED) has an upcoming project of construction of road, culverts and box culverts within the Paurashava. LGED of Nazipur is responsible for maintenance of Nazipur Atgram road within the Paurashava.

Development Schemes Implemented by the NGOs

There is no mentionable infrastructure development project undertaken by the NGO's in the Paurashava. Different NGOs at Nazipur Paurashava provide mainly micro credit service. ASA only provides micro credit service and money transfer service of western union. Grameen bank of Nazipur Paurashava provides microcredit and house loan service for the poor people. BRAC along side micro credit program, provides other type of program for the wellbeing of the local people. These are health program, Adult Education for the local juvenile, establishment of Library, AIDS awareness program, Solar energy program, remittance supporting program, woman health program, social development and human right program to control acid violation (treatment, support of law, rehabilitation) and education. Ongoing programmes are- pure water supply program, secured out migration- financial support.

Development Schemes Implemented by Private Sector

There are a few development works that have been implemented by private sector. Some commercial activities and private schools have been developed by private initiative.

Chapter 4: Critical Issues for Planning

Deficiency in infrastructure and services is one of the major critical problems of the Paurashavas in Bangladesh, and Nazipur is no exception. The reasons for such deficiency may vary, but are mostly linked with the institutional capacity and resource potential of the Paurashavas. The institutional capacity of each similar category Paurashava in terms of manpower and other logistics at present can be same across the country, but their efficiency and performance in practice may vary for a variety of reasons.

Chapter 4 describes the critical issues for planning based on the existing conditions in respect of Socio-Economic and Demographic issues, Transport and Communication, Urban Utilities, Drainage and Environment, related other issues namely disaster, land use control, law and regulation etc. The weaknesses in the present development processes are also taken into consideration to identify the critical issues for planning at Nazipur Paurashava.

4.1 Socio-Economic and Demographic Issues

Most of the Paurashavas in Bangladesh are basically urban centers with direct links to rural areas. There are significant differences in the standard of socio-economic well-being and demographic characteristics of these small towns with large cities in the country. Most of these Paurashava towns have small population, not enough to sustain economic growth to render services and facilities for quality of life needed in an urban environment. As a result, qualities in socio-cultural and demographic matters suffer from inadequacies in their requirements of facilities and services of various kinds. Since Nazipur Paurashava has all such problems and shortcomings, in the preparation of various components of the Master Plan, this aspect of reality in development has to be addressed for sustainable solutions.

4.2 Transportation and Communication

Transportation and communication network plays very important role in the growth pattern of both urban and rural settlements and their socio-economic and environmental development. Houses and other establishments always prefer road side lands to have easy access to different places and functions. The transportation and communication network at Nazipur Paurashava is not yet planned and developed to serve a town. The Paurashava has a very low traffic volume to sustain high cost of development in this sector, particularly in areas of low population density and scattered settlements. However, without planning a transport network for the Paurashava area as a whole, a standard transport network and an efficient traffic management system for the future can not be ensured. The nature of problems and deficiencies are identified below.

a. Unplanned and Narrow Road

Roads in the town are being developed without using any planning standard and network plan. As a result, narrow roads with tortuous pattern are common. Narrow roads and poor maintenance of roads are major problems for traffic movement in some parts of the Paurashava. New houses and other structures are cropping up along these sub-standard narrow roads. This is likely to poise traffic movement problems in the future, when development becomes more intense and density of

population increases. The existing narrow roads require widening and improvements of pavement. Some road segments within the Paurashava are built in an unplanned manner. These segments will require improvement as per future traffic volume and required space for turning lane in the intersections.

b. Traffic Congestion

A very level of vehicular traffic in the streets of the town at present does not pose a threat for congestion in the near future. However, occasional congestions are found to arise from non-motorized traffic at selected locations, where public assembly is profound, especially Nazipur Upazilla Moar intersection. At present such congestions happen due to poor designing of the intersections. The slow moving rickshaws, on street parking and on street loading-unloading of goods are found to be the major sources of traffic congestion.

Manually operated rickshaw is a cozy and cheap traffic mode that can take passengers to their door steps. It is, therefore, a very popular mode that requires special planning attention in the design of transportation network and individual roads. Walking and cycling is encouraged in contemporary town planning practices to create healthy environment for all. Pedestrian safety should be an important element in the design of roads and other related infrastructure. These aspects require special attention in the Master Plan of Nazipur Paurashava.

Reason for Congestion

- Lack of management is the prime reason for traffic congestion. There is a common tendency among the rickshaw pullers to disobey rules. They roam about the busy areas in search of passengers and park rickshaws at critical points leading to congestion.
- There is no proper and adequate space for parking auto-rickshaws and tempos. They are parked on the road. On road waiting for trips by these vehicles is also a source of congestion.
- Local buses often take passengers from wherever they find. In the same way, they
 disembark passengers according to their desires. These practices hamper smooth traffic
 movement.

c. Bus, Truck, and Tempo Terminal/Stand

Nazipur has no formal bus terminal and no designated parking space for tempos and slow moving vehicles, such as rickshaws, van or cart. It has one bus stand at Ward no. 06 along the main R&H road with a capacity to accommodate 20-25 buses at a time and one informal tempo stand near Bazar Intersection. For the planned development of township in the future, these facilities are to be provided at suitable locations.

4.3 Urban Utilities

A key issue related to the sustainable development of planning area providing a minimum quality and standard of living, pertains to the availability of and accessibility to basic infrastructure facilities, viz. water, power, sewerage, drainage and solid waste management. The present state of infrastructure problems in the Paurashava may become a cause of crisis. At present, state of telecommunications and power scenario in Nazipur Paurashava is not so good. There is no water and gas supply system in this Paurashava. Thus critical need of advance action and arrangement is required for adequate provision of physical infrastructure.

4.4 Drainage and Environment

Majority of the population at Nazipur Paurashava is deprived of drainage facility. Uncollected waste is washed out into the roadside drains and natural canals. Blockage of drains by solid waste reduces the carrying capacity of drains and natural canals and become a source of pollution. Paurashava has very limited resources to clean the drains. It has been observed that in some areas, domestic sewage conveys directly to the water channels. Water logging is a problem at some parts of Nazipur Paurashava, causing water logging for 5-7 days each time a heavy rainfall occurs between June and November every year.

The sources of surface water pollution are domestic waste, unhealthy sanitation and extensive use of fertilizer in the agriculture. Condition of solid waste management at Nazipur Paurashava is very poor. There are only 5 dustbins. One truck and two push carts are used to collect solid waste. Hospital waste is dumped to their own dustbin. Garbage of kitchen markets is dumped to nearby dustbins. The present conditions demand substantial improvement to ensure desirable environment.

4.5 Related Other Issues

Nazipur Paurashava is located on the downstream of the proposed Tipaimukh Dam in India. Since the river Atrai is an international river and Bangladesh is the lower riparian country, unilateral withdrawal of water of the river by India may turn the lush-green fertile soil of Nazipur into a sandy dry waste land and remain so for a major portion of the year (Nov-May) disrupting agriculture, irrigation, drinking water supply, navigation etc. It will further lower the ground water level and bring misery to the people inhabiting the region. Scarcity of water may cause siltation on river beds. When high rainfall will occur in the catchments area of the dam, an enormous quantity of sediment laden flood water will be released, which will cause severity of flood in the Atrai channels, which would already be raised for low flow of water during dry months. This will further raise the water level causing floods in the adjoining additional areas. Cautionary measures are to be made available to face such challenges, if that happens ever.

4.6 Disaster Issues

As Nazipur is located along the tectonic plate boundary, the Paurashava is highly vulnerable to earthquake. Mitigation measures following building designs and construction rules are to be suggested in the Plan of the Paurashava town. In the flood of 2004, about 28 percent households were affected by flood at Nazipur Paurashava. About 78.26 percent of these affected households lost crops. In the planning and designing of the drainage system, the aspect of flooding has to be considered seriously. There are reports of fire hazards occurring at Nazipur Paurashava. Frequency of fire hazard is 1 to 2 times in each year. The fire station under construction, may improve the situation.

4.7 Land Use Control

A Land Use Plan of the town was prepared in 1987 by Urban Development Directorate (UDD), but it was never brought into practice due to lack of regulatory measure for implementation. Instead, discretionary decisions are used in case of land use decisions. The Land Use Plan at that time was prepared for the Upazila Headquarters by UDD, but remained under the administrative control of the Ministry of LGRD & C. So conflict and lack of legal basis in implementation prevailed. In the

present context of socio-economic demand and land use dynamics in the country, development of a Paurashava without a Master Plan cannot be imagined. The preparation of Master Plan is mandatory as per Local Government (Paurashava) Act 2009.

4.8 Laws and Regulations

Absence of adequate planning and development control is a problem in all urban areas of Bangladesh and Nazipur is no exception. A number of legislative measures are there to help the administration of urban area, urban development and management. But all of these planning laws cannot be readily enforced and many of them are not adequate in regulating planned development. Due to lack of proper implementation and enforcement, many important laws are mostly not applied by the urban local governments. As a result, weakness in the implementation of planned development in the Paurashava remains to be a critical problem and has to be addressed.

A substantial portion of national resource is invested in building construction in both public and private sectors. In order to ensure optimum return of this investment and to achieve satisfactory performance of the buildings in terms of safety, serviceability, health, sanitation and general welfare of the people, building construction needs to be controlled and regulated. Legislative measure for such control has been provided in the Building Construction Act, 1952 and from time to time, regulations have been promulgated by the government under the Section 18 of this Act. As per law, it is mandatory to get any structure approved from appropriate authority before construction. Permission for building construction in the Paurashava is administered by this authority within its jurisdiction. However, as elsewhere in the country, noncompliance to these rules is also observed here.

a. Weak Local Government

Though Paurashava is a democratically elected urban local government, its authority is limited to work as a local government. In most cases, prior government permission is required before taking any legal action against unscrupulous acts. Section- 66, Section-69 (1) and (2), Section- 72 (4), Section-32 (2) of the Local Government (Paurashava) Act 2009 are few examples. This is one of the reasons that there has been a little progress in decentralization of governance at local level in Bangladesh.

b. Lack of Fund

Local bodies in this country are in constant shortage of funds as is the case in Nazipur. The sources of the Paurashava's income are generally taxes, rates, fees and charges levied by it, and rents and profits accruing from individuals and institutions. The government grants, profits from investments, receipts accruing from the trusts placed with it, loans raised by it and proceeds from other services are the other sources of income for the Paurashava.

The lack of efficient manpower, poor assessment system, and weak legal enforcement for practicing an efficient revenue generation and collection system are the main reasons for the current weakness in the financial management. It is widely accepted that there are also corrupt practices in our public institutions in delivering services, which require to be addressed through institutional and legal reforms.

c. Public Participation in Plan Making Process

The planning and development Acts of earlier times had contained a little scope for the authorities concerned to seek public opinion on their city/town plans prepared before they are sent to the government for final approval. Not having any scope for public participation is against the democratic norms of an elected urban local government like the Paurashava Authority. The authority must involve people by law in the planning and development process, and hear their views, needs and grievances to mitigate problems. This vital aspect should be incorporated in a stronger manner in the law through revision.

d. Coordination of Activities of Public Sector Development Agencies

There are a large number of public sector development agencies working in the town and surrounding areas, but there is lack of coordination among activities of these development agencies. Absence of coordination results wastage of resources and often brings misery to the people. This is commonly evident in our urban development works, for example, as one agency digs the streets for telecommunication network and repairs the streets, another agency starts digging for sewerage ducts. Effective coordination by law in this case is necessary for an integrated approach in development saving time and resources. There should be legal provisions for such coordination by the Paurashava Authority to ensure accountability of the agencies working for their respective jobs in the Paurashava area.

e. New Rules for Practicing Planning Standards

At present, there is no standard for infrastructure, services and facilities provided by the public sector. There is need to formulate standard rules for services and facilities and get incorporated in the Local Government (Paurashava) Act 2009 to secure public interests. A standard has been set in the UTIDP for future land use proposals in the Master Plan of the Paurashava.

f. Betterment fee

Due to failure of execution of the powers of charging betterment fee, all the benefits of land value enhancement due to Paurashava development of infrastructure go to the adjacent landowners or the persons having interest therein. A proper execution of betterment fees will help increase in revenue earning of the Paurashava.

g. Penalty for Violation of Plan Provisions

The penalty for violation of plan provisions provided in the Ordinance (Section 49) is only Tk. 5000/ and for delay Tk.50/day, if violation continues further after notification. This is an extremely low rate of penalty, which should be revised for a substantial increase to prevent any violation effectively. The penalty provision should be more stringent to ensure enforcement of plan provisions.

4.9 Existing Problems and Weaknesses in the Development

The two major problems that currently exist in Nazipur Paurashava include the following:

a) The Paurashava town has a weak economic and revenue base that does not support improvement in the socio-economic well-being of the people. The Paurashava authority for lack of resources, fails to make required investments in the development of physical infrastructure to improve the quality of life of the people living in the town.

STRUCTURE PLAN

b) The Paurashava has also no definite plan for the development of various physical infrastructures in a planned manner. With lack of resources, it also lacks in professionally skilled manpower to carry out development in a planned way.

Thus for making this Paurashava a viable urban center, attention should be paid toward costeffective development of all of its required infrastructure in phases, with the help of professionally skilled manpower and utilizing the newly prepared Master Plan as an important tool for all sorts of development.

Chapter 5: Reviews of Policies, Laws and Regulations

5.1 Introduction

The urban planning and land use regulations per se are essential for municipal development. They impact on land market favorably or unfavorably and result in social benefits and costs depending on their nature and the specific contexts in which they are applied. Policies, regulations and processes that facilitate availability of land and its uses for planned development at affordable costs need to be continued and those lead to contrary results need t00 be eliminated or modified.

5.2 Review of Relevant National Policies

The various existing policies, regulations and laws of the country have direct and indirect effects on the preparation and implementation of Master Plans of the Paurashavas in the country. These are briefly reviewed in this chapter to examine their adherence with the Master Plans of the Paurashavas.

5.2.1 Directives of the Local Government (Paurashava) Act 2009 for Preparing the Master Plan

The Paurashava Ordinances at different times since 1960's till the present time have iterated that a Paurashava as it gets established must prepare its Master Plan for planned development of the municipal town. So far, three ordinances have been made in the year 1967, 1977 and 2008, all suggesting for planned development. The Paurashava Ordinance 2008 was later modified and enacted as Local Government (Paurashava) Act 2009 in the national Parliament on 6, October, 2009.

The Local Government (Paurashava) Act 2009 made provision for having the Master Plan prepared by a Paurashava within five years of its inception. The Master Plan of a Paurashava town is aimed for ensuring planned development, and should include the following:

- Survey of history, detailed statistical information, public service activities and other mentioned subjects of the Paurashava;
- Development, extension and upgradation of any area within the Paurashava; and
- Control and regulation of development of any land, any building construction and renovation within the Paurashava.

Actions Suggested in the Act to Prepare Master Plan

The Local Government (Paurashava) Act 2009 suggests for having qualified Town Planner in it's Organogram of Manpower to undertake the job of preparing the Master Plan of the Paurashava. Until such qualified Town Planner is not available in the Paurashava, the Paurashava may require a competent national government authority to prepare such plan for the Paurashava. The Act also makes it contingent to form a Town Planning Committee within the capacity of it's manpower to execute the Master Plan of the Paurashava Town.

Nazipur Paurashava has no Town Planner and Town Planning Committee at the moment. This makes the Paurashava dependent on having the Master Plan currently being prepared by LGED.

5.2.2 National Land Use Policy 2001

To safeguard the use of its land resources, particularly the valuable agricultural land of the country, the government in 2001 declared the National Land Use Policy. The policy proposed for the preparation of national land use plan, which is very much relevant to the current plan of the Paurashava.

The land use plan is to be based on the criteria of land productivity, land capability and land suitability, use and requirement of land by agriculture, forestry, industrialization, urbanization and housing. Following are the key issues of the national land use plan:

- Execution of coordinated land conservation programs aimed at prevention of desertification and weathering of land, conservation of land fertility, development and conservation of land.
- Prevention of destroying the landscape by earth cutting, excavation and removal of land.
- Formulation and effective execution of Land Use Plan in order to ensure planned use of land.
- Payment of compensation to those who will be affected by land weathering and land acquisition by the government.
- Monitoring, survey and research on desertification, land reclamation, prevention of weathering of land, conservation and development of land and watershed areas.

The policy emphasizes on the planned and the best use of land, and stressed on the most intensive use of this scarce resources of the country. The policy aims to introduce 'land use zoning' based on particular characteristics of land, prevent unplanned expansion of residential areas and control of indiscriminate growth of industrial and commercial activities. In absence of execution, the situation in land use and land management is severely being deteriorated.

5.2.3 National Housing Policy, 1993

The Government of Bangladesh formulated the first ever housing policy of the country in 1993. The priority of the government is to create affordable housing, which might be possible through controlling unplanned and haphazard housing area development. The policy is committed to encourage private developers in land and infrastructure development, and house construction. The policy also made commitment to provide government assistance on participatory housing infrastructure development involving the community, NGOs, CBOs, private developers and social welfare organizations.

The policy declares that in housing activities, the government will continue to remain as a facilitator in housing sector. The government intends to provide housing only to the poor and the rootless classes of the society. The policy makes commitments to encourage private organizations, NGOs and CBOs in housing development, income generation and environmental improvement under local planning. The preparation of Master Plan of the Paurashavas is, therefore, a step forward to address the various development issues including housing for mass people at local level.

5.2.4 Population Policy 2004

Prepared in 2004, the Population Policy of Bangladesh responds to the critical need to deal with the complex national population problem in a holistic way. It aims to build national consensus and synergy among institutions: public, private, civil society and NGOs about the problem.

The objectives of the National Population Policy are to improve the living standard of the people through making a desirable balance between population and development. The Policy proposals can broadly be divided into four sectors, human resources development, decentralization of population activities, participation of NGOs and private sector in population planning. The population policy aims to create a large skilled workforce, emphasizing on education and training strategies.

The policy calls for decentralization of population activities and ensure people's participation through decentralization of services and devolution of power to the local levels. The policy aims to prepare Action Plan through participation of local elites, opinion makers, representatives of poorer section of the society along with the local level government officials. With a view to give a holistic approach, the population policy calls for making the NGOs and private sector as important partners in population activities at various levels.

5.2.5 Transportation Policy 2004

Prepared in 2004, following are the policy objectives of Transport Policy:

- To provide a safe and dependable transport service for all.
- Removal of unnecessary control and formulation of laws and regulations conducive to providing services.
- Fare control and reduction of transport cost of goods for export.
- Determining the roles of the Government sector and the private sector.
- To maintain an economic and environmental balance.
- To ensure maximum utilization of Government funds.
- Expansion of the role of transport in the ever increasing economic activities.
- Growth of traffic commensurate with economic development.
- Introduction of an integrated transport system and provision of alternate transport systems.

The aim is to encourage greater private sector participation with national ownership of road and rail infrastructure. Lease of infrastructure may be allowed on long term basis. The Government is interested to establish a user role within its transport planning process. The Government intends to make arrangements to realize the cost of transport operation and road maintenance from road users through new fiscal policies and protect public interests. The Government will regulate tariffs for passenger and goods both in road and rail transport.

5.2.6 National Environment Policy 1992

Government declared an environmental policy in 1992 with a view to safeguard the national environment. The main objectives of the policy are:

- To promote natural balance and overall development by means of conservation and development of environment.
- To save the country from natural disaster.
- To identify and control all sources of pollution and degradation.
- To ensure environment friendly development in all sectors.
- To ensure sustainable, long term and environment friendly use of all national resources.
- To get involved with all international initiatives on environmental issues.

The comprehensive environmental policy covers as many as 15 sectors of development namely, agriculture, industry, health and health promotion, energy, water resources, flood control and irrigation, land, forest, wild life and biodiversity, fish and animal resources, food, coastal and maritime environment, transport and communication, housing and urbanization, population, education and public awareness, science, technology and research, legal framework, institutional structure. The consultant highlights only those sectors that have relevance to urban development and planning.

Industrial Sector

The following environmental measures are important:

- Potential polluting industries must incorporate control measures in its set up.
- All industries must conduct EIA and take pollution control measures.
- All industries in residential areas to be gradually shifted and new locations to be
- identified for planned industrial development.
- The industries producing pollutants should have their own system of pollution monitoring.
- Recycling of waste in order to reduce the volume of waste.
- Safeguard health of industrial workers.

Health Sector

The following environmental issues are important:

- Supply of safe drinking water in the Paurashava area and introduction of low cost healthy sanitation system.
- Control of pollution in all kinds of water bodies by municipal, industrial and toxic materials.
- Ban on carrying waste during day time and in open garbage trucks.
- Steps to be taken to protect public health and environment from all activities harmful for human health.
- Inclusion of environment in the academic syllabi.

Energy Sector

The following are some relevant policies:

- Large scale for introduction of improved cooker and wide dissemination of the technology to conserve energy and save environment.
- Promotion of biogas, solar energy, mini hydro electric unit and wind mill as sources of energy.

- Take up measures to reduce the amount of harmful elements in fuel including, sulfur in diesel and lead in petrol.
- Care has to be taken so that use and transformation of primary and commercial energy does not create any adverse impact on the environmental balance.
- Appropriate measures have to be taken during extraction and distribution of different natural resources like, oil, gas coal, peat so that they do not create any adverse impact on air, water, land, hydrological balance and the eco-system.
- Care has to be taken during giving fitness certificate to vehicles that emit black smoke.
 Mobile courts will have to be arranged to enforce the relevant legal provisions.

Transport and Communication Sector

The important aspects are:

- Care to be taken to make the road infrastructure development congenial to environment and the development of roads does not impede drainage of water.
- Appropriate measure to be taken so that the passengers and the transport do not endanger public health by indiscriminate throwing of solid waste and defecation.
- The rail, road and water transport must adopt measures to control emission of excessive black smoke.
- Creation of public awareness about the effect of pollution of river water.
- Control on water pollution to be ensured in inland river ports and dockyards.
- Encourage railway rolling stocks that generate less pollution.
- Forestation on both sides of railways and roads.

Population Sector

The important aspects are:

- Conduct study on the impact of population growth on environment and take appropriate measures to mitigate the problems of population growth.
- Prepare manpower utilization plan to make planned and effective use of human resources congenial to environment.
- Emphasize participation of women in environment conservation.
- Appropriate measures are needed to safeguard health of the poor and save them from the adverse effects of environmental degradation.

5.2.7 Industrial Policy 2005

The key aspects of the Industrial Policy 2005 are to:

- set up planned industries considering the real domestic demand, prospect of exporting goods abroad, and discouraging unplanned industries in the light of the past experience.
- accept private initiatives as the main driving force of economic development and uphold the government's facilitating role in creating a favourable atmosphere for private investments.
- take necessary initiatives to establish industries on state initiative in those sectors that are considered very important and essential, where private entrepreneurs are not forthcoming.

- cater to the needs of consumer satisfaction of the local products; measures to be undertaken to: produce quality products, diversify goods, and provide support for enhancing productivity using appropriate and advanced technology.
- provide inspiration for the speedy expansion of cottage industries and SMEs, and for further investment in these sectors so that new employment opportunities are generated, unemployment reduced and poverty alleviation programs made available.
- prioritize the expansion and development of agro-based and agricultural processing industries, and assist in the expansion of poultry, dairy and goat-sheep industry as agricultural industries.
- provide women entrepreneurs with all necessary assistance in establishing industries in various sectors.
- provide all necessary assistance for producing environment-friendly product with the objective to creating a pollution-free environment in the industrial sector.
- Enrich the industrial sector with the proper utilization of various natural and mineral resources.

5.2.8 National Tourism Policy 1992 and 2010

Recognizing the contribution of tourism to the socio-economic development of the country, the government framed the National Tourism Policy in 1992. The government in a gazette notification in May 2010 declared that the government may declare any potential site as a tourist area and if declared so, any development within the area will require formal permission from the government. The attractions of tourism can be varied, and the major policy thrusts for the sector are:

- To create interest in tourism among the people
- To preserve, protect, develop and maintain tourism resources
- To take steps for poverty-alleviation through creating employment
- To build a positive image of the area concerned
- To identify sectors for private capital investment
- To arrange entertainment and recreation
- To strengthen solidarity and integrity among the peoples

5.2.9 Agriculture Policy 1999

Agriculture Policy of Bangladesh was framed in 1999. A new policy is currently under preparation. The following are the important considerations in the 1999 Agriculture Policy.

The major issues dealt within the policy are, seed, fertilizer, irrigation, pest management, agricultural research, extension services, marketing of agro-products, land use, education and training, environment and agriculture, women and agriculture, coordination of various agencies engaged in agricultural development. Most of these issues are not relevant to the current Master Plan. The only relevant issue is the land use. So, review has been carried out on the land use only.

The Policy stresses on all possible steps to ensure optimum use of land. Its use has to be compatible with the overall goals of socio-economic services and utility provisions. The policy targeted to take the following steps to ensure planned utilization of land:

- Land zoning programme will be taken up by the Soil Resources Development Institute (SRDI) on a priority basis. Integrated approach of SRDI will be further strengthened for this purpose.
- To ensure maximum utilization of land, bottom up planning through people's participation will be started from the mouza or village level.
- Measures can be taken to stop fertile agricultural land being used for non-agricultural purposes, such as private construction, house building, brickfield, etc.
- Acquisition of land in excess of requirement for non-agricultural purposes will be discouraged.

About one percent of agricultural lands are being converted into non-agricultural use every year. In a country of constantly growing population, withdrawal of land from agriculture will affect food production. So it is necessary to safeguard farm land from conversion. But this vital issue has been partially addressed in the policy. It states only about fertile land and not agricultural in general.

Government has not framed any effective mechanism to discourage acquisition of land in access of requirement for non-agricultural purpose. To protect agricultural land, immediate steps are necessary to delineate agricultural lands. This issue has not been covered in the policy. It has been found that large areas of agricultural lands are unnecessarily being included within Paurashava. Sometimes, it is about 70% of the total Paurashava area.

5.2.10 Urban Forest Policy 1994

Representing an amendment of the forest policy of 1979, current national forest policy was enacted in 1994 and officially announced on 31st May 1995. The policy was formulated to initiate a 20-year Forestry Master Plan (FMP). The plan provides a framework for optimizing the forestry sector's ability to stabilize environmental conditions and assist economic and social development. Three imperatives were identified: sustainability, efficiency and people's participation. Important objectives are:

- To afforest about 20% of the total area of the country by initiating various a forestation
 programmes in forest lands, fallow lands, lands not useful for agriculture, hinter lands and
 other possible areas to meet the basic needs of the present and future generations and to
 ensure greater contribution of the forestry sector to economic development;
- To enrich biodiversity in the existing degraded forests by conserving the remaining natural habitats of birds and animals.
- To strengthen agriculture by extending assistance to those sectors related with forest development, especially by conserving land and water resources
- To provide for and implement a forestation programmes on both public and private lands.

The policy statements which are most relevant to local participatory forestry are as follows:

- tree growing by communities, local groups or individual families on roadsides, windbreaks, canal/river banks and other public or marginal lands will be promoted through NGOs and relevant state agencies;
- Buffer zones attached to protected areas may be allocated for tree farming and agroforestry on a long term lease basis;

- The State will provide technical assistance and financial support to promote all forms of homestead forestry;
- Cottage and small scale labor intensive industries, which contribute to the local economy and process wood and other forest based raw materials, will be promoted;
- The traditional rights of people living within and adjacent to designated forest areas will be maintained and their forest-related cultural values and religious beliefs will be respected.

5.2.11 National Plan for Disaster Management, 2008-15

National Plan for Disaster Management 2008-2015 is an outcome of the national and international commitments of the Government of Bangladesh (GoB) for addressing the disaster risks comprehensively. The plan is developed to reduce the vulnerability of the poor to the effects of natural, environmental and human induced hazards to a manageable and acceptable humanitarian level. The objectives of this Plan are to:

- Align the strategic direction of disaster management programs with national priorities and international commitments.
- Articulate the vision and goals for disaster management
- Outline the strategic direction and priorities to guide the design and implementation of disaster management policies and programs.
- Create a cohesive and well-coordinated programming framework incorporating government, non-government and private sector.
- Ensure that disaster management has a comprehensive and all-hazards focus comprising disaster risk reduction and emergency response.
- Illustrate to other ministries, NGOs, civil society and the private sector how their work can
 contribute to the achievements of the strategic goals and government vision on disaster
 management.

A holistic approach for disaster management has been emphasized to work together with all the stakeholders and build strategic, scientific and implementation partnerships with all the relevant government departments and agencies, other key non-government players including NGOs, academic and technical institutions, the private sector and the donors. The role of Government is mainly to ensure risk reduction and comprehensive disaster management.

5.2.12 National Plan of Action for Person's with Disabilities (PWDs) as well as Autism, 1995

In line with the Government policy the Department of Social Services under the Ministry of Social Welfare has an enthusiastic vision & mission to address the social issues relating to Person's with Disabilities (PWDs) as well as Autism. The National policy for the persons with disability, 1995 calls for social protection and ensured the rights of the vulnerable groups. In the recent time, dynamic and sustainable steps have been taken for the PWDs. The steps are:

- To establish separate ticket counters in railway station, bus terminals, river ports, steamer terminal, airport and airways office to facilitate easy availability of tickets for the PWDs.
- To maintain reserve seats in the bus, train and water transports for PWDs.

- To fill up 10 percent reserved quota for employment in government jobs by orphans and PWDs.
- To construct a ramp in all the government offices to facilitate easy movement of the PWDs.
- To withdraw the existing restrictions regarding appointment of PWDs in the Govt. class I & class II jobs, and arrange micro-credit for PWDs by all the Nationalized Commercial Banks (NCBs).

5.2.13 Review of Relevant Laws and Regulations

5.2.13.1 The Act (36 of 2000) for Conservation of Play field, Open space, Park and Natural Water Reservoir in Mega City, Divisional Town, District Town and Paurashavas of Bangladesh

According to the section 5 of the Act, any land having such use as play field, park and natural reservoir cannot be changed or cannot be used for any other purpose(s). However, in absence of Paurashava Master Plan, the Act cannot be properly applied. This emphasizes upon having Master Plan for each Paurashava.

In the existing provision of the Act, any person violating the Act may be liable to punishment up to 5 years of imprisonment or Tk. 50,000 fine or both. The Act makes a provision for appeal, however, and any land owner having any land with above mentioned use may apply to the appropriate authority to have permission to change the use. The authority shall convey the results of appeal within 60 days of the appeal.

5.2.13.2 Bangladesh National Building Code (BNBC) 1993

The Bangladesh National Building Code (BNBC) 1993 was formulated in 1993, but given legal status in 2008. The purpose of Bangladesh National Building Code (BNBC) is to establish minimum standards for design, construction, quality of materials, use and occupancy, location and maintenance of all buildings in order to safeguard within achievable limits, life, limb, health, property and public welfare. It aims to insure public safety, health, and general welfare in so far as they are affected by the construction, alteration, repair, removal, demolition, use or occupancy or buildings, structures of premises, through structural strength, stability, means of egress, safety from fire and other hazards, sanitation, light and ventilation. The BNBC suggests for conservation and restoration of historic buildings.

5.2.13.3 The Building Construction Act 1952

This Act was prepared in 1952 to prevent haphazard construction of buildings and excavation of tanks that are likely to interfere with the planning of certain areas in Bangladesh. The Act is usually exercised in areas under the urban local governments. The Act sets some conditions regarding construction of buildings in urban areas, where the Act will be in execution.

Preparation of Master Plan

The Act calls for preparation of a Master Plan of the urban area concerned before approval of building plan. The Master Plan shall show the future land use of the area through land use zoning. The buildings will be approved according to the land use provisions of the zoning plan. Having a Master Plan prepared, a Paurashava has the scope of exercising the following provisions/actions:

Building Construction Rules

The Act in its Section 18 keeps provision for preparation of Building Construction (BC) rules to ensure healthy and environment friendly building development. The last BC Rules were prepared in 1996. However, due to special characteristics of building development in Dhaka city a separate set of BC Rules was prepared for Dhaka City in 2008 under the same Act.

Power to Removal of Construction (Section 3B)

The Act gives special power to plan approval authority to remove any building that did not follow the specified rules of the Act or take action against any building owner who constructs building violating the rules after approval of the building plan.

Restriction on Cutting of Hills (Section 3C)

The Act forbids cutting of any hill without prior permission of appropriate authority.

Removal of Unauthorized Building (Section 7)

The Act empowers the authority to remove any building that has been built violating the BC rules. On failure to do so, the authority itself shall dismantle it and the entire cost shall be recovered from the owner as public demand.

Appeal

The Act, however, keeps provision for appeal, if the owner finds himself aggrieved due to any action by the authority.

Observation on the Building Construction Act

For appropriate execution of the Act, there is necessity of having Master Plan for a Paurashava. At the moment, there is serious lack of monitoring of disobedience of rules by the builders. Once the Master Plan is made for a Paurashava Town, the Paurashava Authority will be able to follow the rules properly.

5.3 Applicability of the Acts, Regulations and Policies in the Paurashava Master Plan

The key aspects of the policies presented in this Chapter have both direct and indirect relationships with the preparation of Master Plan of Paurashava Town in general, and Nazipur Paurashava in particular. The Local Government (Paurashava) Act 2009, the Building Construction Act 1952, the BNBC, the Conservation Act 2000, Agriculture Policy etc. have serious stakes in the execution of Paurashava Master Plan. The other policies also have relevance in the preparation of Master Plan for an Urban Centre. As a result, the relevant aspects of the Acts, rules, and policies are mentioned in this chapter and are taken into consideration in the preparation of the Master Plan for the Paurashava. The key aspects that are most relevant with the preparation of Paurashava Master Plan are shown in **Table 5.1**.

Table 5-1: Important provisions of different Acts, Policies and Rules having relevance with the preparation of Paurashava Master Plan

| Act/Ordinance, Policies, Rules | Relevance with Paurashava Master Plan |
|--|--|
| Local Government | Makes provision for having a Master Plan of the Paurashava Town. |
| (Paurashava) Act 2009 | Provides legal basis for the preparation and implementation of Paurashava Master Plan. |
| | Suggests on the content and structure, and other relevant issues, such as provision for qualified Town Planner in the Paurashava staff. |
| National Land Use Policy 2001 | Formulation and effective execution of Land Use Plan in order to ensure planned use of land. Suggests for afforestation, conservation and development of land maintaining landscape. |
| National Housing Policy, 1993 | To create affordable housing through controlling unplanned and haphazard housing area development. To encourage private developers in land and infrastructure development, and house construction. Participatory housing infrastructure development involving the community, NGOs, CBOs, private developers and social welfare organizations. |
| Population Policy 2004 | To improve the living standard of the people through a desirable balance between population and development. The proposals are divided into four sectors - human resources development, decentralization of population activities, participation of NGOs and private sector. The policy aims to create a large skilled workforce providing education and training. |
| Transportation Policy 2004 | To provide a safe and dependable transport service for all. Removal of unnecessary control and formulation of laws and regulations conducive to providing services, determining the role of public and private sectors, maintaining an economic and environmental balance, maximum utilization of Government funds and introduction of an integrated transport system and provision of alternate transport systems. |
| National Environment Policy 1992 | To promote natural balance and overall development by means of conservation and development of environment, save an area from natural disaster, identify and control all sources of pollution and degradation, ensure environment friendly development in all sectors, ensure sustainable, long term and environment friendly use of all national resources, and get involved with international initiatives on environmental issues. |
| Industrial Policy 2005 | To set up planned industries considering the real domestic and export demand discouraging unplanned industries, provide necessary assistance for producing environment-friendly products with the objective of creating a pollution-free environment, and enrich the industrial sector with the proper utilization of various natural and mineral resources. To prioritize the expansion and development of agro-based and agricultural processing industries, and assist in the expansion of poultry, dairy and goat-sheep industry as agricultural industries; and provide women entrepreneurs with all necessary assistance in establishing such industries. |
| National Tourism Policy 1992 and 2010 | To create interest in tourism among the people, preserve, protect, develop and maintain tourism resources, take steps for poverty-alleviation through creating employment, build a positive image of the area concerned, arrange entertainment and recreation, identify sectors for private capital investment, and strengthen solidarity and integrity among the peoples. |

| Act/Ordinance, Policies, Rules | Relevance with Paurashava Master Plan |
|--|---|
| Agriculture Policy 1999 | To strengthen land zoning program, ensure maximum utilization of land through bottom up planning and people's participation, stop fertile agricultural land being used for non-agricultural purposes, and discourage acquisition of land in excess of requirement for non-agricultural purposes. |
| Urban Forest Policy 1994 | To afforest about 20% of the total area of the country by initiating various afforestation programs in forest lands, fallow lands, lands not useful for agriculture, hunter lands and other possible areas to meet the basic needs of the present and future generations and to ensure greater contribution of the forestry sector to economic development; enrich biodiversity in the existing degraded forests by conserving the remaining natural habitats of birds and animals; To strengthen agriculture by extending assistance to those sectors related with forest development, especially by conserving land and water resources; and implement afforestation programs on both public and private lands. |
| National Plan for Disaster Management, 2008-15 | To align the strategic direction of disaster management programs with national priorities and international commitments, articulate the vision and goals for disaster management, outline the strategic directions and priorities to guide the design and implementation of disaster management policies and programs, create a cohesive and well-coordinated programming framework incorporating government, non-government and private sector, and ensure that disaster management has a comprehensive and all-hazards focus comprising disaster risk reduction and emergency response. |
| National Plan of Action for Person's With Disabilities (PWDs) as well as Autism, 1995 | To establish separate ticket counters in railway station, bus terminals, river ports, steamer terminal, airport and airways office to facilitate easy availability of tickets for the PWDs, fill up 10 percent reserved quota for employment in government jobs by orphans and PWDs, construct a ramp in all the government offices to facilitate easy movement of the PWDs, and withdraw the existing restrictions regarding appointment of PWDs in the Government Class I & class II jobs. |
| The Act (36 of 2000) for Conservation of Play field, Open space, Park and Natural Water Reservoir in Mega City, Divisional Town, District Town and Paurashavas of Bangladesh | To protect the existing use of land such use as play field, park and natural reservoir, and ensure punishment for conversion of such lands by any person/authority without proper permission from the appropriate authority |
| Bangladesh National Building Code (BNBC) 1993 | To establish minimum standards for design, construction, quality of materials, use and occupancy, location and maintenance of all buildings in order to safeguard within achievable limits, life, limb, health, property and public welfare. It aims to insure public safety, health, and general welfare in so far as they are affected by the construction, alteration, repair, removal, demolition, use or occupancy or buildings, structures of premises, through structural strength, stability, means of egress, safety from fire and other hazards, sanitation, light and ventilation. The BNBC also suggests for conservation and restoration of historic buildings. |

STRUCTURE PLAN

| Act/Ordinance, Policies, Rules | Relevance with Paurashava Master Plan |
|--------------------------------|--|
| The Building | The Act calls for preparation of a Master Plan of the urban area concerned before |
| Construction Act 1952 | approval of building plan. The Master Plan shall show the future land use of the area through land use zoning. The buildings will be approved according to the land use provisions of the zoning plan. To ensure healthy and environment-friendly building development. To empower special power to remove any building that did not follow the specified rules of the Act. To take action against any building owner who constructs building violating the rules after approval of the building plan. To forbid cutting of any hill without prior permission of appropriate authority. To keep provision for appeal, if the owner finds himself aggrieved due to any |
| | action by the authority. |

Chapter 6: Projection of Future Growth by 2031

The future growth projection is helpful to draw mechanisms for improving and guiding long-term development strategies, identifying existing problems and future demand and making possible suggestions, to formulate viable projects for urban development and increase management capabilities of the concerned authority.

6.1 Projection of Population

Indicators of development are directly or indirectly related to the size and structure of the population. Projections are based on the assumption that the past trends will continue to operate in the future. The reliability and usefulness of projections depend on the assumptions and their closeness to reality. Projections are conditional statements about the future and thus, when an element of judgment is added to the projections, it becomes a forecast. Forecasts enjoy the advantage of being based upon the assumption or a set of assumptions which are likely to be realized in the near future and can yield a relatively more realistic picture of the future. In general, population projections are treated as predictions and are never to be termed as final population. They should be reviewed frequently in order to determine the degree to which they agree with recent demographic changes. If the discrepancies between the projections and the ultimate events are significant, it should be found out whether it is due to the quality of input data or due to the methodology adopted.

It is a difficult task to collect detailed information of population for a recently declared Paurashava in Bangladesh. Perhaps no single factor is more important for planning than the size and composition of a region's population and the way it changes in the future. Estimation of future population for a specific period of a particular area is one of the most difficult tasks in the planning process. For Bangladesh, population projection is a very difficult task as the required data are not available for the particular area of a Paurashava and same is the case for Nazipur. The population figures collected from secondary sources, especially for the Paurashava were very much ambiguous. So for the final projection, several discussions were made with experts and BBS officials. Following the annual growth rate for the study area available from the 2001 Population Census, the projection up to the year 2031 with five years interval has been made. The data found from several sources is arranged in different formats according to their requirement and analysis. So, comparison of data between different sources is very difficult. As a result, projection with various sources of information on population shows variable results in the calculation.

Migration information is not available in population census by BBS as it only considers the natural growth rate. But actual population projection requires both natural growth rate and migration rate. For this unavailability of migration rate, population projection becomes very difficult. To avoid this problem, population estimation has been made here as alternate of population projection.

6.1.1 Basis of population projection/Method used

All population projections are subject to some degree of uncertainty, because it is impossible to exactly predict future trends, particularly the future level of migration. Here is no exact of predicting the future population in a particular area, nor is there any way of determining the direction that the future development may follow.

STRUCTURE PLAN

There are various methods of projecting population (mathematical, economic and component methods). Some are very sophisticated and rigorous while others are simple and less sophisticated. Normally, population in future is governed by the following equation:

Pn Po + Number of Births (B) - Number of Deaths (D) + Net Migration (Nm)

For the projection of population, base year population (Po) in 2001, the number of births and deaths between 2001 and 2011 and net migration is required. Keeping in view that though population in the base year (2001) is available but, in details of information like number of births, deaths and migration is not available for Paurashava level population projection. In-migration and out-migration, net migration may be either positive or negative to be projected which is not possible.

Therefore, the module discusses simple and easy-to-handle methods of population projections given the purpose. A slightly improved method is the compound rate of growth method, which can be computed with the help of the following formula.

```
Pn = Po (1+R/100) 10-----(i)
Where,
R= Annual Growth Rate
Pn= Population in the Year of 2011
```

By the formula population in any requisite year can be projected using the following equation which

P0= Population in the Year of 2001

is also known as Geometric Progression Method.

As projections are based on the assumption that the past trends will continue to operate in the future, population of current year (according to BBS, 2011) have been taken to estimate the future population. The existing population of Nazipur Paurashava is 21,670 (according to BBS, 2011) in 2011 within an area of 3239.11 acres. With an annual growth rate of 2.50%, the forecasted population of Nazipur Paurashava will be-

Pn = Po (1+R/100) ^n Pn = 21,670(1+2.50/100) ^20 Pn= 35,507 Where, R= Annual Growth Rate Pn= Population in the Year of 2031 P0= Population in the Year of 2011

6.1.2 Assumptions

As projections are based on the assumption that the past trends will continue to operate in the future, population of current year (according to Nazipur Paurashava, 2011) have been taken to estimate the future population. And the growth of urban area of Nazipur upazila has been taken as the growth of the Paurashava on the assumption that Nazipur Paurashava is only the urban area of Nazipur Upazila.

First using the base year population, a projection of the study area population in the year 2031 has been made on the basis of some assumptions. In general, the projection is made on the basis of trends in population growth observed in the past, and looking ahead the development prospects in future.

The important issues to be considered are;

- The natural growth;
- Composition of the population, particularly the age breaks; and
- Net migration.

6.1.3 Projected population by ward

On the basis of the above formula (i) ward wise population of Nazipur Paurashava has been projected up to the year 2031. Population projection on the basis of growth rate 2.50% which have been calculated by formula (i) has been presented in the following table.

Table 6-1: Population Projection with Density for Nazipur Paurashava Up to 2031

| | Projected Population and Density (*P/A) | | | | | | | | | | | | |
|-------|---|---------|------------|---------|------------|---------|------------|---------|------------|---------|--|--|--|
| Ward | 2011 | | 2016 | | 2021 | | 2026 | | 2031 | | | | |
| | Population | Density | Population | Density | Population | Density | Population | Density | Population | Density | | | |
| 1 | 1430 | 6 | 1519 | 6 | 1614 | 6 | 1715 | 7 | 1822 | 7 | | | |
| 2 | 1611 | 5 | 1477 | 5 | 1354 | 4 | 1241 | 4 | 1138 | 4 | | | |
| 3 | 4729 | 19 | 5761 | 23 | 7019 | 28 | 8552 | 34 | 10419 | 41 | | | |
| 4 | 2322 | 4 | 2648 | 5 | 3019 | 5 | 3442 | 6 | 3925 | 7 | | | |
| 5 | 2092 | 6 | 2499 | 7 | 2985 | 9 | 3566 | 11 | 4260 | 13 | | | |
| 6 | 3184 | 12 | 3837 | 15 | 4625 | 18 | 5574 | 21 | 6718 | 26 | | | |
| 7 | 3064 | 16 | 3454 | 19 | 3894 | 21 | 4390 | 24 | 4948 | 27 | | | |
| 8 | 1525 | 2 | 1695 | 2 | 1885 | 3 | 2095 | 3 | 2329 | 3 | | | |
| 9 | 1713 | 5 | 1849 | 6 | 1996 | 6 | 2155 | 7 | 2326 | 7 | | | |
| Total | 21,670 | 7 | 24,517 | 8 | 27,739 | 9 | 31,383 | 10 | 35,507 | 11 | | | |

Source: BBS, 2011

The existing population according to BBS 2011 of Nazipur Paurashava is 21,670 in 2011 within an area of 3239.11 acres. According to 2001 Population Census, the population was 16,929. With an annual growth rate of 2.50%, the forecasted population of Nazipur Paurashava will be 35,507 in the year 2031. The gross density of the area will be 11 ppa (person per acre). Due to the maximum concentration of residence in Ward no. 03, the density of population will also be higher (41 ppa) in this area.

6.2 Identification of Future Economic Opportunities

The contribution of the small towns to the economic development of their hinterlands depends largely on the urban development in these urban centers. Depending on transport, communication and storage facilities, this Paurashava can play a vital role in linking rural farmers to the urban market. For instance, development of road network between this small town and its rural hinterlands may greatly benefit rural farmers as it enables them to transfer their agro produces to bigger markets. The industrial development in the Paurashava will have significant impact on the demand for raw materials that are required for the industrial production. All sorts of production materials, like brick, wood, bamboo etc. are produced in the countryside, serving as supply centers for urban demand. To support urban industries and related activities, it requires adequate infrastructure, such as urban rural transfer routes, communication and information structures. Investments in these projects result in enhanced productivity in both urban and rural areas.

The labour market is one of the most important mechanisms for transmitting the benefits of economic growth to different groups in society. Economic activity covers all market production and certain types of non-market production, including the processing of primary products for own consumption, own-account construction and the production of fixed assets for own use. It excludes unpaid activities such as unpaid domestic activities and voluntary community services. The following table shows the main activity pattern of the local people of Nazipur Paurashava.

Table 6-2: Main Activity Pattern of Local Population (10 years and Over)

| Total | Not Working | Looking for Work | House hold Work | Agriculture | Industry | Water, Electric & Gas | Construction | Transport | Hotels & Restaurant | Business | Service | Others |
|-------|-------------|---------------------|--------------------|-------------|----------|--------------------------|--------------|-----------|------------------------|----------|---------|--------|
| 17337 | 5120 | 230 | 6099 | 2513 | 156 | 8 | 110 | 324 | 23 | 1530 | 84 | 1140 |
| % | 29.53 | 1.33 | 35.18 | 14.50 | 0.90 | 0.05 | 0.63 | 1.87 | 0.13 | 8.83 | 0.48 | 6.58 |
| Total | 66.04% | | | | | | | 33.96% | | | | |

Source: Community Series (Zila: Naogaon), Bangladesh Population Census-2001

From the BBS- 2001, it is revealed that the economically active age group of population (10 to 59 years age-group) 72.55 percent (BBS, 2001) of the total population in the project area. Among the economically active age group of population, 33.96% are found engaged directly in Employment activities while 66.04% are found not engaged in employment activities. Not working population found about 29.53%, whereas looking for work found 1.33% and 35.18% of population found engaged in house hold work.

The major occupations found are farming, fishing, business and trading, services in government, non-government and private organizations, day-laboring in agriculture. From the Household Survey it is revealed that the small business activities are the dominant occupation class in the town. The percentage of the people engaged in this occupation is 26.38%, where there is no female participation. The next highest occupation agri labor 24.13%. Most of the households' earning members often adopt a secondary occupation which indicates that under-employment is very much prevalent in the project area.

In the project area, most of the economically active population whose age is 10 years and above are involving in agriculture (farming), small business and transport sector.

To raise the rate of employment and reduce poverty, employment opportunities in the town have to be increased.

6.3 Projection of Land use

Projected land use is a critical component to a comprehensive plan. The forecast determines the amount of land needed to accommodate future growth, and includes the land required for residential, commercial and industrial uses. In some instances, a community may have enough vacant lands within its boundary to accommodate its forecasted population increases and land use demands. In other instances, there may be a need to consider land outside a community's boundaries to accommodate this increase. According to land use projection it is reveals that there is no land required for residential purpose in the year 2031. The Consultants estimates about

STRUCTURE PLAN

355.07 acres of land for residential uses with a net residential density of 100 people per acre. Including existing commercial activities, the total commercial land in 2031 has been fixed at 50.55 acres. Again need of educational land for projected population will be 52.59 acres and 13.7 acres of land for community facilities. A huge land (81.33 acres) will require for open space and recreational facilities covering play field, park, neighborhood, park and stadium. The projection and demand on land requirements as per the planning standard approved by the PMO office of UTIDP project are discussed in Chapter-10 and Section 10.1.2.

Chapter 7: Landuse Zoning Policies and Development Strategies

This chapter sets land use policies and development strategies for planning area. It classifies the Structure Plan area into categories and also includes strategies for optimum use of urban land resources, plans for new area development and areas for conservation and protection.

7.1 Zone of Structure Plan Area

To guide long term growth within the Structure Plan Area by means of demarcation of the future growth areas and indication of potential locations of major development zones are broadly classified into seven categories. **Table 7-1** shows the Structure Plan area zones, its area and percentage coverage. Details of the description of structure planning zones are given in the following paragraphs. **Map 7-1** and **Appendix-1** shows the structure plan of Nazipur Paurashava.

Table 7-1: Structure Plan Policy Zoning

| Zoning | Description of the Zone | Area (acre) | % |
|----------------------|---|----------------|-------|
| Core Area | This area is also known as built-up area. This is defined as the area which has the highest concentration of services; it also has the highest population concentration and density. It will absorb most population growth during the Land use Plan (2011-2031) period. | 188.24 | 5.81 |
| Fringe Area | This zone is developing areas which will take further decades to reach the population densities of the urban core area. Low initial densities in these areas do not justify supply of a full range of services as they will initially be underused. However, it is essential that planning and reservation of rights of way, at least for primary networks, be undertaken soon to enable provision when justified by increased density levels and allowed by resources. | 649.94 | 20.06 |
| Peripheral Area | This is the zone where a slow trend of urbanization is continuing in unplanned manner. The area identified in the Structure Plan as the likely choice for new urban development beyond the core area. Ideally, it might be reasonable to provide primary infrastructure networks in this area to foster development and encouraged to enable a more rapid urbanization in a planned way. | 128.18 | 3.95 |
| New Urban Area | This zone will be the required additional area for future planned urban development as per population projection. New facilities and services like road, drains, footpath, waste transfer station and other civic services will be provided. This area is proposed to grow within 2031. | 85.81 | 2.65 |
| Agriculture | Agricultural land (also agricultural area) denotes the land suitable for agricultural production, both crops and livestock. It is one of the main resources in agriculture. The land under annual crops, such as cereals, other technical crops, potatoes, vegetables, and melons; also includes land left temporarily fallow; land under permanent crops (e.g., fruit plantations); areas for natural grasses and grazing of livestock. | 1491.84 | 46.05 |
| Water body | Water body containing an area equals to or more than 0.25 acres excluding those of khal, irrigation canal and river will be treated as this category. | 386.80 | 11.94 |
| Major Circulation | Major circulation contains major road network and railways linkage with regional and national settings. | 308.32 | 9.51 |
| Total | | 3239.16 | 100 |

Map 7-1: Structure Plan Map of Nazipur Paurashava

7.1.1 Core Area

Total 188.24 acres of land, which covers 5.81% of Structure Plan area, is declared as Core Area (Map 7.1 and Figure 7.1). It is located mostly with in Ward nos. 2, 3, 6 and 9. It includes the highest concentration of services area for an example upazila health complex, upazila complex, schools, post office, police station, Nazipur Bazar area etc. and it has the highest potentiality of development. Because the town developed based on the Nazipur Bazar and a major road namely Nazipur-Shapahar Road. Within this area, there are differences in levels of provision, particularly between the formally developed and planned areas and the majority of unplanned areas. Levels of provision should be maintained in the planned areas. Since these areas are forecasted to show density increase and increased demand and therefore will require regular upgrading. The main thrust to improve services should be in the unplanned zones, particularly where the deficiencies already are great and quality of life will sharply decline when the services also have to cater for the additional population.




Fig 7-1: Total Core Area of Nazipur Paurashava

7.1.2 Fringe Area

A total of 649.94 acres of land covering 20.06% of Structure Plan area is declared as Fringe Area. Maximum fringe are of proposed structure plan is located mainly middle part of the Paurashava. It covers large portion area of Ward nos. 3, 4, 5 and 7. This area mainly proposed, where a slow trend of urbanization is continuing in unplanned manner. The area is identified in the Structure Plan as the likely choice for new urban development beyond the core area. Ideally, it might be reasonable to provide primary infrastructure networks in this area to foster development encouraging a more rapid urbanization in a planned way.

7.1.3 Peripheral Area

STRUCTURE PLAN

A total of 128.18 acres of area, which covers 3.95% of Structure Plan area, is declared as Urban Peripheral Area. Maximum peripheral area is in Ward nos. 1, 5, 6 and 8 the Paurashava. This zone is developing areas that will take a longer time to reach the population densities of the urban core area. Low initial densities in these areas do not justify supply of a full range of services as they will initially be underused. However, it is essential that planning and reservation of rights of way, at least for primary networks, be undertaken soon to enable provision when justified by increased density levels and allowed by resources.

7.1.4 New Urban Area

Total 85.81 acres of land covering 2.65% of Structure Plan area is declared as New Urban Area (Map 7.1 and Fig. 7.2.)




Fig 7-2: New Urban Area beside Upazila Complex, surrounded by Core Area and Fringe Area

New urban area mainly proposed on Ward no. 1 and 2. Most of the new urban lands in Ward nos. 6 and 8 will be used to meet the extra pressure of development trend for this for this reason. A large portion of Land in Ward no. 02 will be used to establish industry and rest of the land will be use to future planned urban development as per population projection.

7.1.5 Agriculture

Total 1491.84 acres of land covering 46.05% of Structure Plan area is declared as Agriculture Area (**Map 7-1**). North portion of the area mostly declared as agriculture area.

7.1.6 Water body/Retention Area

Total 386.80 acres area, which covers 11.93% of Structure Plan area, is declared as water body (Map 7-1). It includes more than 0.25 acres and all the canals and river within the Paurashava. More detail information is provided in drainage and environmental plan.

7.1.7 Major Circulation Network

It contains major road network with Naogoan & other neighbor urban center & also in/cd the major road way network required for maintaining existing internal communication. Total 308.32 acres land which cover 9.51% of total structure plan area. **Map 7-1** shows major circulation network.

7.1.8 Optimum use of Urban Land Resources

7.2 Strategies for optimum use of Urban Land Resources

With a limited land mass, Bangladesh is the most densely populated country in the world. The land area of the country remains static amid continuously increasing population. Such a situation calls for strict regulation to utilize its scarce land resources for non-agricultural purposes. Increase in urban population means more demand for houses, roads, schools, hospitals, factories, bazars, shops, business centres, offices, other service facilities etc. Providing all these facilities require land and that is at the cost of valuable agricultural land, as the country has hardly any fallow land to accommodate all these land uses. Nazipur Paurashava is surrounded by valuable fertile agricultural land. Any urban expansion will cost net deduction of agricultural land that will consequently affect local food and cash crop production. Practice of thriftiness on land utilization is, therefore, essentially needed in plans and development proposals. Such practice should start through adoption of conservative and rational standards of space use and their proper application in planning, designing & development. **Table 7-2** shows the optimum use of urban land resources.

Table 7-2: Policy for optimum use of urban land resources

| Policy | Justification | Means of Implementation | Implementing Agency |
|--|--|---|-----------------------|
| | Keeping large land areas | Control: Imposition of tax on the | - Nazipur Paurashava; |
| Land Resources | | land remaining vacant for | - Willistry Of Land |
| | | a long time can be tried to | |
| | town is not logical. Such a tendency might cause | | |
| not compact in Nazipur. | valuable agricultural land | Measures should be | |
| | out of use. There is a need to economize the | | |
| | | sector agencies. Policies | |
| | scarce resource against | , , , | |
| Paurashava area and beyond. Infilling of these | an expanding population in the country | land acquisition for development by the public | |
| lands should be promoted | · - | sector can be tried. | |
| and encouraged to | | Promotion: | |
| optimize use of land. | | The public sector should develop infrastructure | |
| | | facilities and services in | |
| | | deprived areas to enable the land owners for | |
| | | development. | |

| Policy | Justification | Means of Implementation | Implementing Agency |
|--------|------------------------|---|-----------------------------------|
| | purpose. Instead of | by Paurashava that falls under different development proposals under the current | -Ministry of Land -DC, Naogaon |
| | development proposals, | Paurashava can later on hand over the land to the concerned authority that will implement the particular development proposals. | |

7.2.1 Plans for New Area Development

Table 7-3 shows policy to develop new urban area. It includes justification of new area development, means of implementation and agencies for implementation.

Table 7-3: Policy for new area development

| Policy | Justification | Means of Implementation | Implementing Agency |
|---------------------|---|--|---------------------|
| INITIATIVES FOR NEW | growing stage offer excellent opportunity for organized development with little or no compensation cost for eviction and less hindrances in motivation of the local residents in favor of organized | supported by innovative ideas of spatial development. Long motivational activities will have to be carried out for this purpose. Public sector | - DPHE |

7.2.2 Areas for Conservation and Protection

To ensure liveable environment in the planning area, different areas are conserved in various forms, namely agricultural land, low land, pond and natural drainage, green belt, historic and heritage areas, etc. Details are given in **Table 7.4**.

Table 7-4: Area for conservation and protection

| Type of Land | Means of Implementation | Implementing Agency |
|---------------------------------|--|----------------------|
| Loss of Productive Agricultural | The EIA Guidelines of DOE emphasized on the | - Nazipur Paurashava |
| Land: | avoidance of productive agricultural land for any | - DOE |
| The Master Plan area has a | development project. Therefore, it will be wise to | |
| vast agricultural land in the | consider more economical use of land to avoid | |
| northern side of this project. | fertile lands. The town expansion and land | |
| After implementation of the | acquisition should be based on the growth rate | |
| project, environment of | of population. According to population projection | |
| agriculture will be converted | for the year 2031, the present residential land | |
| into non-productive urban and | use area will grow with increasing density. So a | |
| semi-urban area. | large share of agricultural land can be spared at | |
| | least for the time being. | |

| Type of Land | Means of Implementation | Implementing Agency |
|--|---|-----------------------|
| Low Land, Pond and Drainage | This area is declared as water body in the | - Nazipur Paurashava |
| Path: | Master Plan. As per the guideline of Wetland | |
| | Conservation Act 2000, this area will be | Board |
| 1 | conserved as water body. According to | |
| | population projection for the year 2031, the | |
| I | present residential land use area can be | |
| , , | developed with increasing density up to this | |
| 1 ' | year. So a large share of water body can be | |
| given. Paurashava should | · | |
| acquire these ponds at suitable time to use them for retention | | |
| | | |
| and emergency use. | This case is declared as success bold in the Master | Nasia ya Dayya ah aya |
| Green Belt: | This area is declared as green belt in the Master | - Nazipur Paurasnava |
| The Bank of the Atrai river is | Plan. | |
| declared as green belt. This area will be used for | | |
| area will be used for aforestation and recreational | | |
| purposes for conservation of | | |
| environment and creation of | | |
| opportunity for tourism | | |
| development in this town. | | |

7.3 Policies for Development

This section of the chapter sets forth strategies and policies for various components of the Master Plan on sectoral basis.

7.3.1 Policies for Socio-economic Sector

Population

Controlling population should be given utmost importance nationally, as because of the uninterrupted population growth, the country's economic problems are being accentuated, pressing on its resources. It makes poverty reduction difficult, which is the key to overall national development. It is, therefore, necessary to enhance population control drive. The people at the grassroots can play an effective role in this regard. An efficient, well trained and well paid grassroots level work force can help profoundly in achieving the targets of population control policy of the government. Side by side, promotion of education can be very effective in the creation of awareness about small family size. The Paurashava may undertake relevant measures in line with national objectives to strengthen its own position in population planning.

Strategy

Raise the level of education among mass people and emphasize more on grassroots level family planning workers' services with effective delivery of birth control services.

Table 7-5: Policy for Population Sector

| Policy | Executing Agency |
|--|-------------------------|
| Popu/1: | -Ministry of Planning |
| Declaring population as one of the most critical sectors of national development | -Ministry of Health and |

| Policy | Executing Agency |
|---|-------------------------|
| Justification: | Family Planning |
| Per capita national growth is being eaten up by constantly growing population. By | |
| controlling population, national benefits earned from economic growth can be | |
| shared in a better way, raising the level of living standard of the people. | 1= |
| Popu/2: | -Ministry of Education |
| Putting more efforts and resources in raising the level of education. | -Ministry of Planning |
| Justification: | -Ministry of Health and |
| Education would not only create awareness among the masses about the | Family Planning |
| benefits of small family size, it will also help secure better job with higher pay that would reduce poverty. | |
| Popu/3: | -Ministry of Planning |
| Creation of well paid and well trained grassroots level family planning workers for | -Ministry of Health and |
| motivational work. | Family Planning |
| Justification: | |
| Grassroots level workers can give door to door motivational services and | |
| distribute birth control materials in a better way. To get good services they must | |
| be efficient and well paid. | |

Economic Development and Employment Generation

Economic development of any place is associated with generation of employment. The generation of employment depends on the rate of investment in various sectors of an economy. An urban economy of any town starts building up with investment in the basic sector that leads to the building up of the non-basic sector. Investment in basic sector is not very bright in Nazipur as it is a very small town with a very small size of population. However, the Paurashava must ensure that any foreseeable opportunity in economic development is given due attention for its own growth and economic benefits.

Strategy:

 Creating basic sector investment climate and leading the local economy forward through promotion of Small and Medium Enterprises (SME).

Table 7-6: Policy for Economic Development and Employment Generation

| Policy | Executing Agency |
|---|-------------------------|
| Econ/1: | -Ministry of Industries |
| Provision of bank loans on easy terms to attract prospective investors in the SME | -Ministry of Commerce |
| Justification: | |
| Easy loans would encourage and attract prospective investors for investment in | |
| small scale industries. | |
| Popu/2: | -Ministry of Industries |
| Taking of measures to channelize remittance to value adding productive sectors. | -Ministry of Commerce |
| Justification: | |
| Larger amount of remittance is being diverted to land purchase, which is | |
| considered as the safest investment. This huge capital may be diverted to | |
| productive sectors to help create more employment. | |

| Policy | Executing Agency |
|--|---|
| Popu/3: Arranging entrepreneurship training programmes for prospective investors. | -Ministry of Industries -Ministry of Commerce |
| Justification: There are many potential investors who are ignorant of the ways and means of investment and operation of an enterprise. The training can help them get educated in these lines. | William of Committee |

Housing

As the town has low level of population, housing is yet to become a problem here. Housing policy and programmes are provided and executed by the national government. There is no local office of the National Housing Authority to execute housing programmes at Upazila level. As a local government, Paurashava can facilitate housing area development by means of providing road infrastructure, drainage, water supply, etc in designated housing zones. The consultant supports the prevailing national housing policy and advocates its execution at all levels, which at the moment is highly lacking.

No slums are observed in this small town, the way they are exposed in large cities. So no slum and squatter related problems are there in the town. This provides a better scope for planned housing development in the Paurashava.

Strategy:

 Upholding the role of Paurashava, as a facilitator to provide all necessary infrastructure and services to enable housing by people in general. As a least cost approach, involvement of the land owners can be encouraged in housing area development on a public-private partnership basis.

Table 7-7: Housing and Slum Improvement

| Policy | Executing Agency |
|--|------------------------|
| Policy House/1: | - National Housing |
| Provision of necessary services and facilities to promote housing at private | Authority |
| Justification: | - Ministry of LGRD & C |
| It is more difficult to provide housing on public sector initiatives, as it involves | - Nazipur Paurashava |
| funding and land acquisition that takes a long time. By providing infrastructure | |
| and services, general people can be encouraged to build their own houses. | |
| Policy House/2: | - National Housing |
| Housing zone land owners can be involved in a participatory development | Authority |
| approach, where Paurashava will provide infrastructure and the cost will be | - Ministry of LGRD & C |
| shared by land owners. | - Nazipur Paurashava |

Social Amenities and Community Facilities

Social amenities and community facilities include, education facilities, health facilities, open space recreation facilities like, park and playground, amusement park and community centre. For comfortable and healthy urban living, these facilities are the fundamentals. Since these are social services, they must be provided by the public sector agencies as public good. For education and

health facilities, the national governments have policies and there are separate ministries and their agencies to execute the policies through programmes and projects. There are also Upazila level offices of the concerned agencies to take care of the execution of national education and health policies and programmes. For providing amenities like, park and playground and community centre, the responsibility lies with the Paurashava.

For park and playground, the Paurashava may secure local khas land. The open space recreation is difficult to provide as population expands and land price goes higher. Once time is lost, vacant lands are also lost. Amid soaring land price and absence of vacant land, it becomes extremely difficult to provide open space recreation. So, it is better to secure vacant lands for open space before density of population increases and land becomes scarce and pricier. For community center, intensive use of land should be made by making multiple use of the same space, for example, providing community center, ward councilor's office, clinic or any other use in the same building.

Strategy:

 Exploring khas /public land within the Paurashava and using the unused/vacant land for providing amenities, before density of population increases and land becomes scarce and dearer.

Table 7-8: Social Amenities and Community Facilities

| Policy | Executing Agency |
|--|------------------------|
| Policy-Amenity/1: | -Ministry of Land |
| Procurement of khas and other public land for park, playfield, community centre. | -DC Office, Naogaon |
| Justification: | - Ministry of LGRD & C |
| Since above facilities are non-revenue earning, they should be procured at least | - Nazipur Paurashava |
| cost. | |
| Policy-Amenity/2: | -Ministry of Land |
| Land should be procured for open space facilities as quickly as possible, because | -DC Office, Naogaon |
| when land value will be higher, cost of providing the facilities will also be very | - Ministry of LGRD & C |
| higher. Besides, with the growth of population, vacant land will disappear gradually, | - Nazipur Paurashava |
| so no land will be available at strategic locations for providing open space facilities. | |

7.3.2 Physical Infrastructure Sector

Transport

By far, transport is the most important means to revitalize an urban center. Intra and inter urban transportation facilities create economies of scale for prospective investors and enables easy and comfortable mobility of the residents. Easy and cheaper transportation of raw materials and finished goods create good investment climate for manufacturing enterprises that lead to development of the service sector firms. New employment generates and the non-basic sector expands leading to thriving urban center. To create transportation facilities, quality inter-Upazila and inter-District road network will have to be created that makes movement faster and easy. With good transport infrastructure, economic development may become attractive. Besides, quality of local roads will have to be upgraded to encourage people live in the town. Once population starts

increasing, it will expand local consumer market and will attract new investments in consumer goods production.

Strategy:

 Creation of efficient inter-city and intra-town communication for easy transportation of goods and passengers.

Table 7-9: Policy for Transport Sector

| Policy | Executing Agency |
|---|-----------------------------|
| Policy-Transport/1: | - Roads & Highways |
| Development of efficient inter-city road network with standard road. | Department (RHD) |
| Justification: | |
| Increased inter-city mobility will increase business transactions and | |
| generate investment and employment. | |
| Policy-Transport/2: | - Bangladesh Road Transport |
| Promotion of efficient road transport facilities between urban centers. | Authority (BRTA) |
| Justification: | - Naogaon District |
| Not only that communication is needed between urban centers, but to | |
| attract investment, emphasis must be laid on quality of roads built. | |
| Policy-Transport/3: | - Nazipur Paurashava |
| Development of local road network through participatory approach. | - Local Government |
| Justification: | Engineering |
| Development of roads will involve huge cost. Participatory development will | Department (LGED) |
| enable cost sharing, which will reduce cost of road construction | |
| substantially. | |

Utility Services

Utility services are the most essential parts of urban life. To make an urban center livable, there must be adequate provision for utility services. Utility services include water supply, solid waste management, power supply, sanitation and drainage. Except power supply, the rest are the responsibilities of the Paurashava.

Strategy:

 Attainment of self reliance in revenue collection and adoption of participatory approach to service provision to ensure better services and facilities to the people.

Table 7-10: Policy for Utility Services

| Policy | Executing Agency |
|--|----------------------|
| Policy-Utility/1: | - LGED |
| Exploration of alternative sources of water to ensure sustainable supply. | - Nazipur Paurashava |
| Justification: | |
| Justification: Amid constant rise of urban population, it is time to explore alternative | |
| sources of water like, rain water harvesting and surface water supply. | |
| Policy-Utility/2: | - Nazipur Paurashava |
| Involvement of beneficiaries in solid waste management. | |

| Policy | Executing Agency |
|--|----------------------|
| Justification: | - NGOs and CBOs |
| Involvement of beneficiaries in solid waste management will make the operation | |
| more effective and reduce financial responsibility of the Paurashava. | |
| Policy-Utility/3: | - Nazipur Paurashava |
| Exploring re-use and recycling of waste materials to extract resources. | - NGOs and CBOs |
| Justification: | |
| Re-use and recycling of waste materials will produce resources and reduce cost of | |
| waste management. | |
| Policy-Utility/4: | - LGED |
| Publicity on the benefits of hygienic sanitation to motivate people and enable | - Nazipur Paurashava |
| people to have easy access to sanitary materials. | - NGOs and CBOs |
| Justification: | |
| Motivation will encourage people to adopt healthy sanitation and reduce health | |
| Policy-Utility/5: | - LGED |
| Protection of natural drainage system and preparation of hierarchical drainage | - Nazipur Paurashava |
| network. | |
| Justification: | |
| Natural drainage systems are being grabbed and filled up, which increases the risk | |
| of water logging. Well planned hierarchical drainage network helps smooth | |
| drainage of storm and waste water. | |

7.3.3 Environmental Issues

From environmental point of view Nazipur Paurashava is not yet badly affected. There are some issues that must be taken care of. The issue of sanitation has already been dealt within the utility services section. Except cyclone, there is no natural hazard. There is no mentionable air, water or soil pollution in the Paurashava from any mentionable sources at present.

Natural Resources

The Paurashava is not endowed with many natural resources that can be conserved. Among the meagre natural resources that are available, 330 numbers of ponds and natural drainage canals can be mentioned. Out of the total ponds 300 with an area equal to or more than 0.25 acres and the natural khals need to be protected and conserved to ensure sustainability in drainage and water supply of the Paurashava.

Strategy:

All khas land and canals should be vested with Paurashava for use in community interest.

Table 7-11: Policy for Natural Resources

| Policy | Executing Agency |
|--|----------------------|
| Policy-Nature /1: | - Ministry of Land |
| All khas lands within the Paurashava must be assessed and handed over to the | - Nazipur Paurashava |
| Paurashava for use in community interest. | |
| Justification: | |
| This will prevent misuse of khas lands by political and powerful local people. | |

STRUCTURE PLAN

| Policy | Executing Agency |
|---|---|
| Policy-Nature /2: | - Ministry of Land |
| All natural canals within the Paurashava must be vested with the Paurashava for maintenance and proper use as drainage canal. | - Nazipur Paurashava - NGOs and CBOs |
| Justification: This will help prevent unauthorized occupation and filling of natural drainage. | |

Chapter 8: Implementation Issues

This chapter deals with the issues of implementation of the Master Plan. Here, recommendations have been made about capacity bldg & resource mobilization for the implementation of the plan.

8.1 Institutional Capacity Building of the Paurashava

In the present context of spatial and legal jurisdiction of the Paurashava for planned development of its area, some recommendations are made here. Also, observing the financial and Institutional strength of individual stakeholders in relation to their liabilities and identifying their shortages and absence of any perfect coordinating body, some suggestions have been made as remedial measures as a whole.

- All urban local governments including Upazila level Paurashavas must be given more independence and autonomy to perform their responsibilities. At the same time, their accountability to the government and people regarding their performance has to be ensured. For this purpose the legal framework of the urban local governments has to be reviewed and updated. The legal provisions have to be consolidated and simplified and make them compatible to changing circumstances. Opportunities must be created in the Act allowing scope for privatization of service providing activities.
- To avoid duplication of development functions, there should be clear line of separation between central government and the urban local government.
- A double entry cash accounting system has to be introduced to modernize the accounting system. For this purpose, massive training programme has to be arranged for the relevant municipal staff.
- To improve revenue collection, the urban local governments should be given more power and responsibilities. Measures should be taken for strengthening the Paurashava administration for municipal development.
- Section-50 of the Local Government (Paurashava) Act 2009 needs to be revised and more power should be given to the Executive Officer for appointment of employees.

It cannot virtually function effectively as a Paurashava under such a stringent financial condition. To function, effectively, it must raise its revenue earning. But it is reported that the Paurashava cannot collect all its holding tax from the citizens. Holding tax is the most important source of its own revenue earning. It must take care to ensure 100% recovery of holding tax. The Paurashava cannot function effectively depending upon government grant only. The existing manpower position of the Engineering, Development control and Accounts should be substantially raised to handle future volume of work. Moreover, additional staff especially for the implementation of Master Plan will soon be required.

The present plan package imposes a large number of development projects on Nazipur Paurashava for implementation. Paurashava will not only be the custodian of the plan, it will also directly implement much of the development projects. Besides, it will also be responsible for monitoring and implementation of the development projects by other urban development and service giving agencies. This situation calls for strengthening of the existing capability of Paurashava.

8.1.1 Staffing and Training

As a traditional system of the Paurashava, 1st class and 2nd class officer are appointed by ministry and the rest are appointed by the Paurashava. In Nazipur Paurashava, the revenue income is too low. That's why it is not capable to pay the salary of all the officials and staffs. The salary is recovered from the government grant and BMDF allocation. This is the main reason for under staffing of the Paurashava.

There is no proper arrangement for staff training. As a result, the staffs are mostly unskilled. They cannot deliver proper service to the citizens. Besides, most of them are not qualified enough to render proper services.

8.1.2 Lack of Automation

Most works in the Paurashava are done manually. Such practice delays works and deprives the citizens from services. This is also a source of mal-practice and corruption. Modern office and working equipment should be installed. Use of modern technology will increase efficiency in planning and record keeping, finally expedite decision making process.

8.1.3 Town Planning Capacity

8.1.3.1 Institutional Framework

To rearrange the institutional framework for the Paurashavas recently the government has made a committee to reform the organogram of all the Paurashavas of Bangladesh. According to the clause no. 72-78 (Paurashava Officer & staff, provident fund etc) of Paurashava Act, 2009 and on the basis of the type and category of works, the committee suggested appropriate section/units/divisions within the Paurashava framework. Planning unit or division will be necessary to set sequentially as the authority can perform it's mandatory responsibility 'town development and control' well and serve the inhabitants presently as well as in the future. The planning unit/division may have some sections that are as follows:

Planning unit/Division: a) IT Section

b) Planning Section

c) Beautification and recreation Section

According to the division and it's relevant sections, what so ever appropriate with the necessity and capacity over time, it is recommended to set up necessary manpower for each category of Paurashava. Possible scope of proposed planning unit/division is given bellow:

TOWN PLANNING DIVISION

Information & Technology Section

Planning Section

Recreational Section

Activities of Information Technology

-Information and Technology Management

Task to Execute Information and Technology Management

- -Establishment of network system among all the divisions of the Paurashava
- -Providing assistance and technical support (software and hardware support) for accounting, tax assessment, tax collection, preparing water supply bill etc.
- -Establishing, marinating and updating of Paurashava website.
- -Providing support for MIS.
- -Establishing GIS set up and database for practicing in Paurashava activities.

Planning Functions

- -Master Plan
- -Planning Development Projects
- -Land Development Projects
- -Building Control
- Social Development Plan
- -Commercial Projects

Steps to execute the functions

Master plan:

- -Preparation of Master Plan, establishing legal basis of the Master Plan and execution of development control on the activities as per Master Plan
- -Review of Master Plan on a regular interval.
- -Controlling development projects in excess of land earmarked in the Master Plan.
- -Preparing and implementing phase-wise development projects, social development projects, commercial projects etc.
- -Undertaking development projects and controlling implementation of those projects in terms of transport network planning and drainage Master Plan and initiation of updating those projects on a regular basis each year.

Building Control

- -Approval of design for construction/reconstruction of buildings and collection of fees as per the rules.
- -Implementation of control system related to inspection of building construction and completion and change in building design.

Functions Concerning Recreation

- -Govt. wetland, govt. fishing grounds, pond and low lands;
- -Tree Plantation, Afforestation;
- -Park, Playground, open spaces;
- -Beautification (Landscaping)

Task to execute the works

Water Bodies and Low Lands:

- -Take initiatives to establish infrastructure and facilities for recreational purpose by using govt. wetland, fishing ground, pond and ditch within the Paurashava.
- -Hand over the responsibility to the appropriate private sector management and fix proper charge/ fee and ensure its collection which is require for maintaining and operational management of wetland facilities.

Landscaping

- -Construction and maintaining aesthetic beautiful substance, sculpture, fountain etc in suitable place of the town which express the local heritage, art, culture, history and education.
- -Take beatification activities, implementation and maintenance of road side area, major intersection, open space, Paurashava office premise area, in front of important establishment and open space in front of different govt. organizations.
- -Initiate the activities for agreement with different private bank, insurance, mobile company and other different organizations for the beatification of the town.

<u>Environmental Preservation, Park etc.</u>

- -Arrange tree plantation program each year within the Paurashava, afforestation, arrange tree exhibition and take initiatives and implementation for inspiration of tree plantation within Paurashava.
- -Take initiative and preserve park, playground and open space within the Paurashava.

Fig 8-1: Scope of Work for Planning Division

8.1.3.2 Lack of Paurashava Town Planning Capacity

At present, the Paurashava has no town planning section or any appropriate manpower to prepare and implement the Master Plan. For proper implementation of the Master Plan for each Paurashava under UTIDP, establishment of a separate planning unit is indispensable. The Paurashava must strengthen its capacity to implement its Master Plan when it will be completed. It will otherwise be in trouble for implementation, monitoring and updating the Master Plan.

Nazipur is a 'B' class Paurashava. For the 'B' class Paurashava Government approved an organogram/ manpower requirement. If we compare the existing manpower with the approved organogram we find that there is a huge gap between the two. Many positions have been vacant since the inception of Paurashava. Out of total 75 numbers of allocated positions only 20 numbers are filled up. However, strengthening of the Town Planning Unit is a pre-requisite for successful implementation of the Structure Plan. Following organogram of the Town Planning Unit is proposed for staffing capacity building of this Unit.

8.1.4 Legal Aspects

STRUCTURE PLAN

The drive to establish strong urban local governance in the Paurashava is yet to be legalized. The governance programs at present are operated project wise based on the formulated policies of the implementing agencies of the national government. The Laws that the country inherited are mostly prepared during the colonial rule to serve its own interests. Even after independence from the British, the issue of good governance was not infused into the new Acts formulated.

8.1.5 Good Governance in Legal Provisions

There is hardly any Act where the elements of good governance are clearly visible. The consultant has identified some Acts, where some elements of good governance can be traced.

The Paurashava/Municipal Act/Ordinances prepared at different times since 1960's have iterated for the preparation of Master Plan by the Paurashava/Municipality for its planned development. So far urban local government Ordinances/Acts made in 1967, 1977, 2008 and 2009, all suggested for planned development. The Local Government (Paurashava) Act 2009 has made the provision of having a Master Plan prepared by a Paurashava within five years of its inception. The function of the Paurashava also includes that it ensures planned development following the rules of the Ordinance. But there is no provision for public participation in the Paurashava Ordinance 2009. In all these legal documents, people's role has been ignored which is the violation of the norms of good governance.

The constitution of the Peoples' republic of Bangladesh clearly spells out that the Government should work to minimize the gap between urban and rural areas. A planned Paurashava development in that pursuit can provide necessary services to improve quality of life in both urban and rural areas within the Upazila.

8.1.6 Financial Issues

Governance in Nazipur Paurashava

Financial governance refers to transparency and accountability of financial matters. All financial matters must be transparent to all. People must know about the policies and programs of the Paurashava, how much revenue is collected each year and the amount of expenditure made on annual development. They must also be answerable to the people on how the public money is being spent and accounts being maintained.

The Ministry of LGRD & C and Cooperative has undertaken a number of projects in respect of establishing governance in upgrading Paurashava accounts system, like, UGIIP, STIFPP. Computer and accessories are supplied under these projects for automation of the accounts system. Besides, trainings are also offered to the Paurashava accounts staff for enabling introduction of automation in accounts system. But all these services have not yet reached Nazipur Paurashava.

Revenue Management

The Paurashava still follows a traditional management system in tax collection and revenue management though a scheme of computerized automotive financial system has already been introduced in this Paurashava. Assessment section is responsible to asses the tax of the

Paurashava and tax collection, and license and bazar section are responsible to collect the tax of the Paurashava. The public is mainly informed about tax collection during the presentation of annual budget. They may, however, get information from the councillor or Paurashava accounts office.

Paurashava's Financial Capacity and Plan Execution

The main focus of Paurashava financial governance is to establish automation in entire financial management. This includes computerization of accounts system, holding tax management, and billing of different service charges. Software for above functions have been supplied and installed in the Paurashavas covered by financial automotive projects. The projects also provided training to the relevant staffs for functioning of the systems. With the implementation of these projects people can now instantly know about the status of their tax payment, bill payment, and licensing. This has not only made the functions of the Paurashava easy, but also has freed the citizens for paying bribe, and experiencing hassle.

The size of annual budgets of the Paurashavas indicates the poor financial status of the Paurashavas. With low income, Nazipur Paurashava will have to depend substantially on the government funding for implementing the development projects. But the government has limitations of its resources. In such a situation, if the Paurashava cannot raise its own revenue adequately, it will not be able to execute much of the development projects under the Master Plan.

8.1.7 Monitoring, Evaluation and Updating

Monitoring and evaluation is a very important part of plan implementation. Monitoring helps check if the plan is being implemented properly. It also measures the level of implementation of the plan. If the plan implementation is not on track, corrective measures can be taken to put execution on the track. After expiry of any plan, evaluation is made about the errors and omissions. Such evaluation helps take corrective measures in the next plan. Such monitoring and evaluation must be carried out from within the Paurashava. But Nazipur Paurashava is not equipped with qualified manpower to make such evaluation. Monitoring and evaluation of a plan is essentially, the responsibility of qualified and experienced planners. As there is no planner in the Paurashava, monitoring of plan implementation will be seriously affected. However, plan evaluation can be accomplished by means of out sourcing as and when it is required.

8.1.8 Periodic Review and Updating

The plan package needs to be updated regularly to make it respond to the spatial changes over time. But such updating would require relevant technical professionals and requisite fund that are highly lacking in Nazipur Paurashava. As there is no planner or planning section in the Paurashava, review and updating of the Master Plan will require service of senior level planners that Paurashava might not be able to provide. This service will have to be procured by out sourcing and the Paurashava is not even capable to accomplish this financially either. This will create problem when the plans or its components gets obsolete or need to be changed. Another problem

would arise when the duration of plans ends. It is necessary that the entire plan document (including all planning and land use proposals) should be reviewed every 4th year of the plan period and will come into execution from the 5th year. The aim of the review will be to analyze the status of implementation of plan provisions, the changing physical growth pattern, infrastructure development, and the trend of public and private physical development including growth direction.

A new set of plans will have to be prepared replacing the old ones. This problem, however, can be overcome by undertaking another planning project by LGED. So, for regular updating and changes, and plan implementation monitoring, the Paurashava should immediately set up a planning section with a number of planners and other staff. The section will not only look after planning, but will also be responsible for development control, estate management, and project preparation. Since the planners would be qualified and skilled in computer operation, they can also help achieving automation of the Paurashava functions.

8.2 Resource Mobilization

Resource mobilization will be one of the most challenging tasks in implementing the current plan package. Though the development proposals are said to be executed by a large number of development agencies, but it is beyond doubt that the heaviest burdens will have to be shouldered by the Paurashava. As a local government agency, it suffers from resource constraint due to low level of urbanization and investment by both public and private sectors. The land value will maintain perpetually low growth rate in the town. Therefore, prospect of mobilization of substantial resource from sale of serviced land is extremely meagre. For the same reason, revenue earning from betterment fee, planning permission and other sources may also remain low. Paurashava is heavily dependent on the government for executing its development projects as it is unable to collect sufficient revenue from its tax and non-tax sources. Therefore, it is clear that execution of development projects under the current plan will depend heavily on the government response to supply adequate fund. This situation calls for increasing revenue earning by generating new revenue sources.

8.3 Concluding Remarks

From the past experience, it has been observed that plans are prepared for organized development, but development control has been subject to negligence. In most cases, execution has been piece-meal. It is unfortunate that town planning has not yet become a part of our urban development culture. Individuals develop lands and construct buildings with a little respect for planned development, and the concerned authority is also unable to exercise full control on development. Some strict measures are necessary to make stakeholders follow up plans and development rules. Awareness is to be built among the people to follow the Master Plan provisions and plan. Government agencies must be compelled to follow plans. Existing laws in this regard must be updated incorporating provisions of plan execution.

Chapter 9: Urban Area Plan

This is the first chapter of Part- B that starts with Urban Area Plan. Urban Area Plan is the midlevel plan that covers the existing Paurashava. It lays down the land use zoning plan and infrastructure development proposals at the town level. Land use planning is an important part of Master Plan ensuring that land is used efficiently for the benefit of economy, society and environment of Nazipur Paurashava. This planning means the scientific, aesthetic, and orderly disposition of land, resources, facilities and services with a view to securing the physical, economic and social well-being of urban communities.

9.1 Goals and Objectives of Urban Area Plan

Urban Area Plan is the first phase illustration of the Structure Plan intended to be implemented over a time span of 10 years that includes 1st phase (1st-5th year) and 2nd phase (6th-10th year) of development programs. The Urban Area Plan has been prepared within the policy framework of the Structure Plan and aims to attain the overall project objectives. So there is a hierarchical relationship between the two. In fact, Urban Area Plan is the first phase detailed illustration of the policies and strategies of the structure plan.

The preparation of Master Plan for Nazipur Paurashava is aimed towards its future development, and covers the areas that are likely to become urban in future. The Urban Area Plan is aimed to:

- determine the present & future functional structure of the town, including its land uses; and
- provide infrastructure proposals for improving & guiding development of future urban area.

9.2 Methodology and Approach to Planning

The base map supporting for land use survey was obtained from the physical feature survey that contained all categories of physical features within the planning area (Chapter 3 of Survey Report). During physical feature survey, all structures and the functions of principal buildings were picked up and depicted on the map. The physical features were superimposed on a mouza map and printed for land use survey on the map. The map was carried to the field by investigators for detailed plot to plot land use survey (Chapter 4 of Survey Report). The field investigators carrying the map visited each and every plot and the structures therein and noted their uses in writing and marking them on the map with colour pencil. They also verified the land uses and put during the physical feature survey. Back in the office, the common land uses of plots were delineated in the map as per land use format given in the ToR. The delineated zones were then digitized and a new land use map was prepared for the entire planning area. After land use demarcation, field checking was done to correct possible errors.

Urban Land Use Plan is aimed to guide the physical development of Nazipur town including its economic and social activities. This plan adheres to the policy directives spelled out in the Structure Plan. The current Urban Area Plan is akin to the traditional Master Plan approach prevalent in the country that designates plot-to-plot use of land apart from infrastructure development proposals. Thus it will also serve as a development control mechanism/instrument. The Urban Area Plan is, therefore, more rigid than Structure Plan. Making a land use plan on a cadastral map makes the Urban Area Plan more rigid. Once the plan on a cadastral map is drawn

and accepted by the government and formalized, it gains a formal status and thus becomes a binding for all concerned.

The objectives of the Urban Area Plan have been attained through:

- · orderly location of various urban land uses;
- location of appropriate transportation and drainage network; and
- orderly location of services and facilities.

9.2.1 Delineation of Planning Areas

For delineation of Master Plan area, it is necessary to identify the possible future urban growth locations. The objective of project area demarcation is to determine the boundary of the area and mark it on the map as well as in the field. Logic behind the delineation of the Planning area of Nazipur Paurashava for the year 2031 has been done on the basis of the gazette notification of the Paurashava and after the reconnaissance survey within the area, the discussions with all group of stakeholders, analyzing the present trend of developmental growth of the town. Cooperation of the Paurashava was more important in delineating the Paurashava area in the cadastral map and the future planning area boundary (Detail was given in Chapter 2, Section 2.4 of Survey Report). As conversant with local conditions and the future trend of development, valuable advices were received from the Poura Mayor and its engineers and other staffs. **Table 9-1** presents the detail about the mouzas, within the 9 wards of the Paurashava.

Table 9-1: List of Mouza Maps of Nazipur Paurashava

| SI No | Paurashava | Mouza Name | J.L No | Sheet No | Mouza Type | Source |
|-------|------------|--------------|--------|----------|------------|--------|
| 1. | Nazipur | Nazipur | 217 | 217_00 | RS | DLRS |
| 2. | Nazipur | Hori-rampur | 218 | 218_00 | RS | DLRS |
| 3. | Nazipur | Chadpur | 219 | 219_00 | RS | DLRS |
| 4. | Nazipur | Chokhnirkhin | 222 | 222_00 | RS | DLRS |
| 5. | Nazipur | Chakshibram | 245 | 245_00 | RS | DLRS |
| 6. | Nazipur | Chokjoyram | 248 | 248_00 | RS | DLRS |
| 7. | Nazipur | Puya | 213 | 213_00 | RS | DLRS |
| 8. | Nazipur | Bad-Puya | 214 | 214_00 | RS | DLRS |
| 9. | Nazipur | Palsha | 215 | 215_00 | RS | DLRS |
| 10. | Nazipur | Rajpath | 185 | 185_00 | RS | DLRS |
| 11. | Nazipur | Mamud pur | 221 | 221_00 | RS | DLRS |
| 12. | Nazipur | Duhangar | 221 | 221_00 | RS | DLRS |
| 13. | Nazipur | Pathichora | 223 | 223_02 | RS | DLRS |

Source: DLRS, 2009.

9.2.2 Content and Form of Urban Area Plan

The Urban Area Plan is presented in both map and textual format. The plan map is presented in 1:1980 or 1 inch to 165 feet scale, superimposed on latest cadastral/revenue map having plot boundaries within mouzas. The plan is accompanied by an explanatory report supported by necessary figures, maps and data. The report explains the various plan proposals and other components of the plan. At present, the Urban Area Plan covers the total area of Structure Plan area of 3239.16 acres with a present population of 21,670 of Nazipur Paurashava.

URBAN AREA PLAN

The Urban Area Plan of the Master Plan of Nazipur Paurashava contains several components. These are:

- i) Land Use Plan;
- ii) Transportation and Traffic Management Plan;
- iii) Drainage and Environmental Management Plan and
- iv) Proposals for Urban Services.

URBAN AREA PLAN

Chapter 10: Landuse Plan

The Land Use Plan is the main part of the Urban Area Plan and is planned for the period of first 10 years. The proposals in the Land Use Plan will be implemented through the 1st and 2nd phase development programs of the Master Plan. The 1st phase development projects are identified as priority projects and are listed in the Ward Action Plan for implementation within the first five years of the Master Plan.

10.1 Existing and Projected land use

This section describes the analysis of existing and proposed land uses and at the same time mentions estimation on the requirement of land for different land uses. It also lays down the land use zoning plan and infrastructure development proposals at the town level.

10.1.1 Existing Land Use

Map 10-1 illustrates how the land uses are distributed at present in the Paurashava area. The information helps the preparation of Master Plan providing background information for selection of areas of different land uses.

The existing land uses of the project area are shown in **Table 10-1**. In the land use pattern of the Paurashava, 17 types of land uses are found. It is clearly evident from the table that agricultural land use (56.15%) dominates the Paurashava area, followed by residential area (23.82%), water bodies (12.38%), circulation network and transport and communication (only 1.96%) and government services and educational land use occupy same percentage of land (more than 0.50%).

Table 10-1: Existing Land use Classification of Nazipur Paurashava

| Landuse | Sum of Area | % | |
|-----------------------------|-------------|--------|--|
| Agriculture | 1818.82 | 56.15 | |
| Circulation Network | 63.51 | 1.96 | |
| Commercial Activity | 42.12 | 1.30 | |
| Community Service | 6.47 | 0.20 | |
| Education and Research | 16.02 | 0.49 | |
| Governmental Services | 27.28 | 0.84 | |
| Industrial | 43.84 | 1.35 | |
| Miscellaneous | 3.26 | 0.10 | |
| Mixed Use | 17.08 | 0.53 | |
| Non Government Services | 1.34 | 0.04 | |
| Recreational Facility | 2.96 | 0.09 | |
| Residential | 771.48 | 23.82 | |
| Service Activity | 10.27 | 0.32 | |
| Transport and Communication | 1.45 | 0.04 | |
| Urban Green Space | 12.20 | 0.38 | |
| Waterbody | 401.05 | 12.38 | |
| Grand Total | 3239.16 | 100.00 | |

Source: Land Use Survey, 2011

Map 10-1: Existing Land Use Map of Nazipur Paurashava

10.1.2 Land Requirement Estimation

This section proposes land use zoning plan for different land uses of the future town. The estimations have been made according to the Planning Standard approved by the client. The category wise land allocations are provided below.

Housing

Housing is the most significant segment of urban development scenario. The future housing area need to be based on a recommended planning standard of 100-150 persons per acre. With this standard, the estimation shows, the maximum land required to accommodate total projected population (35,507) in the year 2031 will be 355.07 acres (for 100 persons/acre) or 236.71 acres (for 150 persons/acre). Existing residential land (both rural and urban area) of Nazipur Paurashava is 771.48 acres and net residential density of 28 persons per acre. **Table 10-2** shows the detail.

Table 10-2: Estimation of Housing Land Requirement

| Recommended | | Land in Acre | | |
|---------------------|------------------|--------------|---------------|-----------------------------------|
| Use/Facility | Standard | Estimation | Existing Land | Addl. Requirement |
| | 150 persons/acre | 236.71 | | |
| General Residential | 100 persons/acre | 355.07 | | Existing land is more than enough |
| | 75 persons/acre | 473.43 | | more than enough |

The consultant, therefore, retrains the 355.07 acre of land for the projected population of the Paurashava in 2031(net density will be 100 persons per acre) and other 416.41 acre of land will be used for other landuse.

Commerce and Shopping

Market facilities are usually provided privately on commercial basis depending on the trend of sale of goods. So it is not possible to fix a standard or project actual area for these services. The standard for commercial use can only be applied if ever these facilities are provided by the Paurashava. However, for the sake of current planning, we can earmark land as per standard at appropriate location, where commercial facilities may be developed privately or publicly. Including existing commercial activities, the total commercial land in 2031 has been fixed at 50.55 acres. **Table 10-3** shows the detail.

Table 10-3: Estimation of Land Requirement for Commerce and Shopping

| 11 /F ::: | | Land in Acre | | |
|------------------------------|--------------------------------------|--------------|---------------|-------------------|
| Use/Facility | Recommended Standard | Estimation | Existing Land | Addl. Requirement |
| Wholesale market | 1.00 acre/ 10000 population | 3.55 | 2.55 | 1.00 |
| Neighborhood/Local market | 1.00 acre/per neighborhood Market | 9.00 | 4.52 | 4.48 |
| Retail Sale Market | 1.0 acres/ 1000 population | 35.50 | 31.39 | 4.11 |
| Super Market | 1.50 – 2.50 acres/per super | 2.50 | 3.66 | Not Required |
| | Total: | | | 9.59 |

Industry

According to approved planning standard, the total land for industries is estimated to be 88.77 acres with 53.26 acres for small scale industries and 35.50 acres for cottage industries. **Table 10-4** shows the details.

Table 10-4: Estimation of Land Requirement for Industries

| 11 /E 'I' | | Land in Acre | | |
|---------------|-----------------------------|--------------|---------------|-------------------|
| Use/Facility | Recommended Standard | Estimation | Existing Land | Addl. Requirement |
| Small scale | 1.50 acres /1000 population | 53.26 | 20.28 | 32.98 |
| Cottage/Agro- | 1.00 cares /1000 penulation | 35.50 | 23.56 | 11.94 |
| Based | 1.00 acres /1000 population | 35.50 | 23.30 | 11.94 |
| Total: | | 88.77 | 43.84 | 44.92 |

Education

Estimation of land according to standard indicates that there will be a land requirement of 52.59 acres to accommodate educational facilities by the year 2031. If we deduct the already available 16.02 acres of existing land uses under various education facilities, there will be need of additional 36.58 acres of land for education facilities will be required as shown in **Table 10-5**.

Table 10-5: Estimation of Land Requirement for Education Facilities

| 11/5114 | Recommended Standard | Land in Acre | | |
|---------------------------------|-------------------------------|--------------|---------------|-------------------|
| Use/Facility | | Estimation | Existing Land | Addl. Requirement |
| Nursery | 0.5 acre/10,000 population | 1.77 | 0.46 | 1.31 |
| Primary School/ kindergarten | 2.00 acres/5000 population | 14.20 | 5.92 | 8.28 |
| Secondary/High School | 5.00 acres/20,000 population | 8.87 | 5.99 | 2.88 |
| College | 10.00 acres/20,000 population | 17.75 | 2.31 | 15.44 |
| Vocational Training Centre | 5 - 10 acres / Upazila | 5.00 | 1.34 | 3.66 |
| Other | 5.00 acres/ Upazila | 5.00 | 0 | 5.00 |
| | Total: | 52.59 | 16.02 | 36.57 |

Health

There already exists an upazila health complex on an area of 4.30 acres, though according to the proposed standard, it would be 10 acres. In future, as the population and density increases, demand for local health facilities other than Health Complex will increase which currently use only 4.30 acre. So the Paurashava requires additional 5.70 acres of land for the Health center/Maternity clinics in future. **Table 10-6** shows the detail.

Table 10-6: Estimation of Land Requirement for Health Facilities

| /E | D 110/ 11 | Land in Acre | | |
|------------------|-----------------------------------|--------------|---------------|-------------------|
| Use/Facility | Use/Facility Recommended Standard | | Existing Land | Addl. Requirement |
| Upazila Health | 10 -20 acres/Upazila HQ | 10 | 4.30 | 5.70 |
| Complex/ | | 10 | 4.50 | 3.70 |
| Health Center/ | 4.00 / 5.000 / 5.00 | 7.10 | 1.36 | 5.74 |
| Maternity Clinic | 1.00 acre/ 5,000 population | 7.10 | 1.30 | 5.74 |
| Total: | | 17.10 | 5.66 | 11.44 |

Administration

URBAN AREA PLAN

Estimation of land according to standard indicates that there will be a land requirement of 28.00 acres to accommodate administrative facilities by the year 2031. But existing land under various administrative facilities are exceed the level which is 31.08 acres. There is no fixed place for pourashva building which requires additional 3.00 acres of land. **Table 10-7** shows the details.

Table 10-7: Estimation of Land Requirement for Administration

| 11 /E ''' | 5 10 10 | Land in Acre | | |
|-------------------|----------------------|--------------|---------------|-------------------|
| Use/Facility | Recommended Standard | Estimation | Existing Land | Addl. Requirement |
| Upazila complex | 15.00 acres | 15.00 | 16.75 | Not Required |
| Paurashava office | 3 – 5 acres | 3.00 | 0 | 3.00 |
| Jail/Sub-Jail | 10 acres/Upazila HQ | 10.00 | 0 | 10.00 |
| Others | | | 10.53 | |
| | Total: | 28.00 | 27.28 | 18.00 |

Community Facilities

For various community facilities, the total land requirement has been fixed at 13.07 acres. About 1.93 acres have been earmarked for mosque; 0.75 acres for eidgah, no land for Paurashava provided community center. No additional land is required for mosque, church and temple. A total of 1.77 acres have been reserved for 2 police boxes, 2.00 acres of land is required for fire station including an additional 0.88 acres for post office. **Table 10-8** shows the details.

Table 10-8: Estimation of Land Requirement for Community Facilities

| 11/5114. | December ded Otem dend | Land in Acre | | е |
|------------------|------------------------------|--------------|---------------|-------------------|
| Use/Facility | Recommended Standard | Estimation | Existing Land | Addl. Requirement |
| Mosque/Church/ | 0.5 acre /20,000 population | 0.88 | 1.93 | Not Required |
| Temple | | 0.00 | 1.00 | rtot rtoquilou |
| Eidgah/Graveyard | 1.00 acre/20,000 population | 1.77 | 0.31 | 1.46 |
| Community | 1.00 acre /20,000 population | 1.77 | 0 | 1.77 |
| Center | | 1.77 | 0 | 1.77 |
| Police Station | 3 – 5 acres/Upazila HQ | 3.00 | 3.04 | Not Required |
| Police | 1.00 acre/ 20,000 population | 1.77 | 0 | 1.77 |
| Box/Outpost | | 1.77 | 0 | 1.77 |
| Fire Station | 3 – 5 acres/Upazila HQ | 3.00 | 1.00 | 2.00 |
| Post office | 0.5 acre /20,000 population | 0.88 | 0.19 | 0.69 |
| | Total: | 13.07 | 6.47 | 7.69 |

Open Space

Field survey shows no public park or play field in the town, except play grounds in the premises of educational institutions. The total land required for various open space and recreation facilities recommended by consultant stands at 81.33 acres. The facilities include, play field/ground, parks of various categories and stadium/sport complex. **Table 10-9** shows the detail.

Table 10-9: Estimation of Land Requirement for Open Space

| 11/F:::: | D | Land in Acre | | | | |
|------------------|------------------------------|--------------|---------------|-------------------|--|--|
| Use/Facility | Recommended Standard | Estimation | Existing Land | Addl. Requirement | | |
| Play field/Urban | 3.00 acres/20,000 population | 5.32 | 4.40 | 0.92 | | |
| Green Space | 3.00 acres/20,000 population | 5.52 | 4.40 | 0.92 | | |
| Park | 1.00 acre /1000 population | 35.50 | 4.50 | 28.04 | | |
| Neighborhood | 1.00 acre /1000 population | 35.50 | 3.30 | 32.20 | | |
| Stadium/sports | F 10 cores/Upozilo HO | 5.00 | | 5.00 | | |
| complex | 5 - 10 acres/Upazila HQ | 5.00 | 0 | 5.00 | | |
| | Total: | 81.33 | 12.20 | 66.16 | | |

Utilities

A number of utility establishments are required in a town to run services properly. The consultant, according to approved standard, has earmarked 1.77 acres for water supply installations, like, pump stations and other establishments related to water supply; and 1.77 acres have been fixed for gas related facilities. A dumping site is proposed to be developed over an area of 5.00 acres for final disposal of the solid waste. The total land requirement for dumping site is 1.77 acres. **Table 10-10** shows the details.

Table 10-10: Estimation of Land Requirement for Utilities

| | D | Land in Acre | | | |
|---------------------------|------------------------------|--------------|---------------|-------------------|--|
| Use/Facility | Recommended Standard | Estimation | Existing Land | Addl. Requirement | |
| Water supply | 1.00 acre /20,000 population | 1.77 | 1.18 | 0.59 | |
| Gas | 1.00 acre /20,000 population | 1.77 | 0 | 1.77 | |
| Solid waste disposal site | 5.00 acre /Paurashava | 5.00 | 0 | 5.00 | |
| Waste transfer station | 0.2 acres/Ward | 1.80 | 0 | 1.80 | |
| Electric sub- station | 1.00 acre /20,000 population | 1.77 | 0 | 1.77 | |
| Telephone exchange | 1.00 acre/20,000 population | 1.77 | 0 | 1.77 | |
| Fuel Station | 0.5 acre /20,000 population | 0.88 | 0 | 0.88 | |
| | Total: | 14.76 | 1.18 | 13.58 | |

Transport and Communication

Estimation of land according to standard indicates that there will be a land requirement of 14.42 acres to accommodate transport and communication facilities by the year 2031. If we deduct the already available 0.90 acres of existing land uses under various facilities, an additional 14.42 acres of land is required for this category of land use. **Table 10-11** shows the details.

Table 10-11: Estimation of Land Requirement for Transport and Communication

| 11/5 | D d - d Ot d d | Land in Acre | | | | |
|--------------------------|--------------------------------------|--------------|---------------|-------------------|--|--|
| Use/Facility | Recommended Standard | Estimation | Existing Land | Addl. Requirement | | |
| Bus terminal | 1.00 acre /20,000 population | 1.77 | 0.25 | 1.52 | | |
| Truck terminal | 0.50 acre /20,000 population | 0.88 | 0 | 0.88 | | |
| Launch/steamer terminal | 1.00 acre /20,000 population | 1.77 | 0 | 1.77 | | |
| Railway station | 4.00 acre / per Station | 4 | 0 | 4 | | |
| Baby taxi/tempo stand | 0.25 acre /one baby taxi/tempo stand | 2 | 0.90 | 2 | | |
| Rickshaw/van stand | (1) 25 acre /one Rickshaw/yan stand | | 0.30 | 3.70 | | |
| | Total: | 14.42 | 1.45 | 13.87 | | |

10.2 Land Use Proposals

Bangladesh is the most densely populated country in the world. The land area of the country remains static amid continuously increasing population. Such a situation calls for strict regulation to utilize its scarce land resources for non-agricultural purposes. Increase in urban population means more demand for houses, roads, schools, hospitals, factories, bazars, shops, business centers, offices and other service facilities. Providing all these facilities require land and that is at the cost of valuable agricultural land, as the country has hardly any fallow land to accommodate all these land uses. Nazipur Paurashava is surrounded by valuable fertile agricultural land. Any urban expansion will cost net deduction of agricultural land that will consequently affect local food and cash crop production. A conservative and rational standard of space use and their proper application in planning, designing and development is, therefore, followed in the land use proposals.

10.2.1 Designation of Future Land Use

Designation of the future land uses in the Land use Plan is an important task of planning as it will ensure the compliance with the Structure Plan guidelines and provide the details of land use pattern along with transport and drainage network and utility lines. The existing uses and new proposals of land uses for future development have been identified and designated on the map for compliance by law. The land use categories with quantity of land required are based on the sectoral needs for now and in future. The implementation of the plan will require cooperation and collaboration of relevant authorities and agencies, and the Paurashava being the custodian of the Plan will safeguard the status of the Plan.

10.2.2 Land Use Zoning

Development control is an essential part of urban planning. For development control certain procedures have to be followed for approval of designs of various categories of structures, establishments and land uses. The first condition is to secure land use permit according to approved zoning plan followed by approval of the design of proposed building/structure.

10.2.2.1 Types of Land Use Zoning

In land use zoning, the entire area of a town is divided into suitable land use zones to create congenial and liveable environment and thereby enhance land value. In Bangladesh such land use zoning is incorporated as a part of the master plan / land use plan/urban area plan. Before submitting building plans for approval an applicant must secure land use permit from the Paurashava. For land use permit, an applicant's prospective use of structure must be compatible with the approved land use zone of the site. Land use zoning limits activities that can or cannot function on a land parcel by establishing a range of development options. Land use zoning is a legal instrument by application of which a Paurashava can control,

- i) The height of building/structure,
- ii) The area of a land parcel that must be left vacant, and
- iii) The use of a buildings and land.

Zoning can be of three types, area zoning, density zoning and height zoning.

Area Zoning

By area zoning an area is divided into zones suitable for that particular area. The main objectives of such zoning are done mainly from environmental point of view that accrues other social benefits.

Density Zoning

The aim of the density zoning is to limit the size of population in any particular area by means of density control. The size of population has bearing on the capacity of designed utility facilities and amenities and traffic volume and crowding, especially in the residential areas. Such zoning is done to ensure a healthy and enjoyable community living.

Height Zoning

Height zoning restrict the height of buildings structures in any particular area. This zoning is aimed to promote the proper and sound development of areas. Height zoning is of particular importance in airport areas to ensue take off and landing of aircrafts.

Considering the existing level of development and development prospects, the consultant recommends to follow the area zoning only. Zoning is only a part of development control regulations. A prospective developer in a Paurashava has to comply with other rules and regulations, like, Building Construction Rules, 1996 under Building Construction Act 1952, Bangladesh National Building Code 1993 and other conditions of construction method, building safety and associated issues.

10.2.2.2 Classification of Land Use Zoning

After a detailed consultation between the consultant and the consultants of the project, the land use classification for the Paurashava Master Plan is finalized as shown in **Table 10-12**. **Map 10-2** and **Appendix-2** shows the Land Use Plan of Nazipur Paurashava.

Table 10-12: Proposed Land Use Categories for Urban Area Plan of Nazipur Paurashava

| SI. # | Land Use Category | Remarks | Area (acre) | % |
|-------|------------------------------|---|----------------|-------|
| 1. | Urban Residential Zone | Urban Residential area is a land use in which housing predominates. These include single family housing, multi-family residential, or mobile homes. Zoning for residential use may permit some services or work opportunities or may totally exclude business and industry. It may permit high density land use. | 377.55 | 11.61 |
| 2. | Rural Settlement | Rural settlement includes the low dense residential area which is scattered and rural in nature. It may permit only low density uses. Aiming to control the growth in this zone, less service and facilities will be provided. | 208.72 | 6.45 |
| 3. | Commercial Zone | The land used for commercial activities is considered as commercial land use. These activities include the buying and selling of goods and services in retail businesses, wholesale buying and selling, financial establishments, and wide variety of services that are broadly classified as "business". Even though these commercial activities use only a small amount of land, they are extremely important to a community's economy. Commercial land includes established markets and areas earmarked for markets. | 46.21 | 1.72 |
| 4. | Mixed Use Zone | Mixed land use refers to the area without a dominant land use (Residential, commercial, industrial etc.). | 91.61 | 2.80 |
| 5. | General Industrial Zone | Green and Orange A categories as per The Environment Conservation Rules, 1997 | 67.80 | 2.09 |
| 6. | Heavy Industrial Zone | Other toxic and pollutions Industries (Orange B and Red categories as per The Environment Conservation Rules, 1997) | 0 | 0 |
| 7. | Government Office | All Government Offices except large scale service based offices as Civil Surgeon Office, DC Office, Police Box, Police Fari, Police Station, LGED Office, Paurashava Office, Settlement Office, Union Parishad Office, Upazila Headquarter, BADC Office, Fisheries Office, Ansar/VDP Office, Agriculture Office, Zila Parishad Office, Post Office ,Telephone Exchange Office and Other Government Offices. | 27.53 | 0.55 |
| 8. | Education & Research Zone | All kinds of educational institutes like Primary/ secondary/other Schools/ Colleges etc are mentioned to calculate the land use for education and research purpose. | 40.57 | 1.25 |
| 9. | Agricultural Zone | Agricultural land denotes the land suitable for agricultural production, both crops and livestock. It is one of the main resources in agriculture. It includes productive land (single, double and triple cropped), seed bed, fisheries, poultry farm, dairy farm, nursery, horticulture etc. | 1492.13 | 46.11 |
| 10. | Water body | Equal or More than 0.25 acre and justification by the consultant and wet land will merge with water body | 386.65 | 11.92 |
| 11. | Open Space | Playground, Botanical Garden, Stadium, Zoo etc. (Facilities without or with minimum building structure) | 87.20 | 2.68 |
| 12. | Recreational Facilities* | Facilities other than those mentioned to Open Space and indoor based facilities with designated building structure i.e. Cinema Hall, Theater Hall etc. | 2.38 | 0.06 |
| 13. | Circulation Network | Road and Rail communication | 308.25 | 9.54 |

| SI. # | Land Use Category | Remarks | Area (acre) | % |
|--------|---------------------------------|--|-------------------|------|
| 14. | Transportation Facilities | Under transport and communication land use both transport and communication services are considered. This category includes airport, bus terminal/ stand, ferry ghat, filling station, garage, launch terminal, post office, passenger shed, telephone exchange, ticket counter, transport office etc. | 10.05 | 0.30 |
| 15. | Utility Services | Utility services include Overhead Tank ,Power Office/Control Room, Public Toilet, Sewerage Office, Waste Disposal ,Fire Service, Water Pump House, Water Reservoir, Water Treatment Plant etc. | 10.18 | 0.40 |
| 16. | Health Services | This land will be used to provide health facility. | 14.46 | 0.44 |
| 17. | Community Facilities | All community facilities including funeral places and other religious uses | 13.17 | 0.31 |
| 18. | Historical and Heritage Site | The entire mentionable historical and heritage site. | 0 | 0 |
| 19. | Restricted Area | A Restricted Area is an area where no one but certain people can enter. Here the areas which are not accessible for the general public except some high ranked personnel are considered as restricted area. | 0 | 0 |
| 20. | Overlay Zone | If the consultant justify any area that should not be defined as other given definitions but the facility(s) may not be avoidable, they may use this category | Not applicable | |
| 21. | Urban Deferred | Optional depending on the Paurashava and the Consultant's judgment | 54.62 | 1.68 |
| 22. | Forest | Designated Forest Area | Not applicable | |
| 23. | Beach | Sea Beach | Not applicable | |
| 24. | Miscellaneous | Any other categories which are not related to above 23 categories. | Not applicable | |
| Total: | | | 3239.16 | 100 |

According to the proposed land use zoning categories shown in table 10.12, the amount of land for each land use category was calculated.

In the sections below, the general definition of the use and description of associated permitted and conditionally permitted uses under each land use zone have been provided. The uses that are not listed here in any of the categories shall be treated as Miscellaneous Use for the corresponding land use category and shall not be permitted unless unanimously decided otherwise by the appropriate authority. In such situations, the use shall get permission in the category of New Use. The following is a short description of recommended land use zones. Land use plan of Nazipur Paurashava is given in **Map 10-2**.

Urban Residential Area

Urban residential zone refers to all categories of urban residential areas, including exiting ones and the residential land use proposed under the present Master Plan. In total, this zone covers 377.55 acre (11.61%) acres of land delineated up to the year 2031, considering standard provided by LGED. Table A.1, Annexure- A shows the permitted use of urban residential area and

conditional permission will be given to a number of other land uses as specified in Table A.2, Annexure-A.

Table 10-13: Proposed Land Use Categories for Low Income Housing Project and Resettlement Area

| | | | | | Phase | Phase-wise development | | |
|----------------------------------|--|---------------------------|--|-----------------------------|--|------------------------------|-------------|--|
| Type of Facilities | of Facilities Ward No. Mouza Plot No. Area in Acre | | | First Phase (1st to 5th yr) | Second Phase (6 th to 10 th yr) | Beyond 10 th year | | |
| Low Income Housing Project | 1 | Mamudpur 185_00 | 2-62, 100-114, 123-125, 134, 154-159 | 18.48 | Land acquisition and developed basic infrastructure | | Ensure full | |
| Resettlement Area | 8 | Chak Shibram 245_00 | 644-654, 659-660, 667-668 | 4.25 | | | of area | |

Rural Settlement

Most of the Paurashava has some rural characteristics. So in Urban Area Land use category for UTIDP Master Plan the residential settlements within the agricultural belt are categorized as rural settlements. These settlements have usually temporary type of structures. Nazipur Paurashava is mostly rural in character. About 50% existing land use is in agriculture practice and most of the settlement situated surrounding or within this agricultural land. So in a manner to develop control of Nazipur Paurashava huge portion of land declare as rural settlement. This settlement occupies 208.72 acres of land, which comprises more than 6.45% of the total land. The areas of rural settlement have some restrictions for non-agricultural development. Table A7, Annexure-A shows the permitted land use of rural settlement and Table A8, Annexure-A conditionally permitted use in this zone.

General Industry

General Industrial Zone is intended to provide locations, where manufacturing and processing industries can be set up and function without creating hazards to surrounding land uses. There is scope to establish Green and Orange-A category industry as per mentioned in The Environmental Conservation Rule, 1997.As a small urban center, it is unlikely that any major industrial development will take place here in the near future. According to **(Table 10-1)** there is 43.84 acre of land used in industrial purpose. Due to allocating several parts of this land in various development proposals, it decreases to 35.60 acre. Total estimated area stands at 88.77 acre (**Table 10-14**) according to the future population projection. Though as per the planning standard provided by PMO office Nazipur Paurashava require 88.77 acre for small scale industrial lands. But the town has no such potentiality to develop such industrial estate in terms of basic infrastructure, utility connection, raw materials, market of the products, labor force and unavailability local entrepreneur to establish industry. Now this zone has an area of 67.80 acres (2.09%) in comprises of proposed new industrial area (32.20 acre) (**Table 10-14**) which proposes at south-west side of Nazipur Paurashava near the Atrai River and reformed existing industrial area (35.60 acre) designated up to 2031.

Table 10-14: New Industrial Zone Proposal

| Type of | Ward | Mouza | | Area in | Phase-wise development | | |
|--------------------|------|-------------------|----------------------|---------|--------------------------------|---|---------------------------------|
| Facilities | No. | Name | Plot No. | Acre | First Phase (1st to 5th yr) | Second Phase (6 th to 10 th yr) | Beyond 10 th year |
| New | _ | Rajpat 216_00 | 71-178 | 22.86 | Land acquisition and developed | Establish | Ensure full |
| Industrial Zone | 2 | Nazipur 217_00 | 1227- 1273 9.35 i | | basic infrastructure | Industry | functioning of industrial area |
| Total | | | | 32.20 | | | |

Again, since there is no industrial agglomeration within the town, the industrial zone will be meant for new industries. In this zone, a complex line of industrial and supporting non-industrial land uses will be permitted as per Table A.3, Annexure- A and conditional permission will be given to a number of other land uses as specified in Table A.4 and Annexure- A. **Table 10.14** shows new industrial area proposal for this type of activity in Nazipur Paurashava. This land will be provided in the general industrial area.

Map 10-2: Land use Proposal for Nazipur Paurashava

Commercial Zone

The commercial zone is intended to provide locations, where commercial activities including retails and wholesale can be set up and function without creating hazards to surrounding land uses. According to **(Table 10-1)** there is 42.12 acre of land used in commercial purpose. Due to allocating several parts of this land in various development proposals (such as road improvement etc.), it decreases to 41.32 acre. The consultant proposes the additional 9.25 acre of land for the extension of the existing Nazipur bazar area nearby the Nazipur- Dhamoirhat road chowmatha moar according to the decision of final consultation meeting with poura authority and in total 6.38 acre of land for ward wise neighbourhood market for next 20 years and zone will allow commercial uses as listed in Table A.5, Annexure- A, and conditional uses as listed in Table A.6, Annexure- A. Now this zone has an area of 46.21 acres (1.72%) designated up to 2031 in comprises of the reformed existing commercial area (41.32 acre) and ward wise neighbourhood market place (5.40 acre).

Table 10.15 shows new commercial land proposal for this type of activity in Nazipur Paurashava.

Table 10-15: New Development Proposal for Commercial Use

| | | | | | Phase-w | se devel | opment |
|--------------------------|-------------|----------------------------|---|--------------------|---|---|--|
| Type of Facilities | Ward No. | Mouza Name | Plot No. | Area in Acre | First Phase (1 st to 5 th yr) | Seco nd Phas e (6 th to 10 th yr) | Beyond 10 th year |
| Neighborhood Market-1 | 1 | Mamudpur (185_00) | 466,467,472,476,478,53 | 0.75 | | | |
| Neighborhood Market-2 | 2 | Nojipur (217_00) | 1061,1180,1206,1210,12 11,1212,1213,1214 | 0.65 | | | |
| Neighborhood Market-3 | 3 | Nojipur (217_00) | 388,389,391 | 0.98 | | | Ensure full functioni ng of area |
| Neighborhood Market-4 | 4 | Palsa (215_00) | 148,149 | 0.65 | Land acquisitio n and | | |
| Neighborhood Market-5 | 5 | Puiya (213_00) | 499,500 | 0.63 | developed basic | | |
| Neighborhood Market-6 | 6 | Chok Joyram (248_00) | 634,689,690,691,692 | 0.65 | infrastruct ure | | |
| Neighborhood Market-7 | 7 | Horirampu r (218_00) | 531,543,544,545,546 | 0.65 | | | |
| Neighborhood Market-8 | 8 | Patichora (223_02) | 1573,1576,1577,1667,16 68,1669 | 0.72 | | | |
| Neighborhood Market-9 | 9 | Chandpur (219_00) | 502,503,504,505,507,508 ,713,736 | 0.67 | | | |
| | Total | | | | | | |

Mixed Use Area/Mixed Use Zone

Mixed use zones have been recommended to allow some flexibility in development. In a small town like Nazipur, as the trend shows, an exclusive commercial land use is unlikely to function.

This land use will allow flexibility of development, instead of restricting development. Total area for mixed uses has been put to 91.61 acres, including both, existing and proposed land uses. Ward center will be multistoried building to facility social, recreational, commercial, health and administrative facilities through establishing councilor office, community center, community clinic, shops, playfield, neighbourhood park, post box, police box, club and social organization and other facilities as per the requirement of the locality. This zone will allow residential structures together with commercial uses as listed in Table A.11, Annexure-A, and conditional uses as listed in Table A.12, Annexure- A. And **Table 10.16** shows the proposed ward center of Nazipur Paurashava.

Table 10-16: Proposed Ward Centre of Nazipur Paurashava

| | | | | | Phase-wise | development | |
|--------------------|-------------|------------------------|--|-----------------|-----------------------------------|---|--|
| Type of Facilities | Ward No. | Mouza Name | Plot No. | Area in Acre | First Phase (1st to 5th yr) | Secon d Phase (6 th to 10 th yr) | |
| Ward Centre-1 | 01 | Mamudpur (185_00) | 312, 314, 319 | 0.74 | | | |
| Ward Centre-2 | 02 | Nojipur (217_00) | 1196,1197,1198,1199,1202,1203,120 4,1205,1206,1207,1208 | 1.15 | | | |
| Ward Centre-3 | 03 | Nojipur (217_00) | 389,391,1407,1408 | 0.93 | Land | Maintaining | |
| Ward Centre-4 | 04 | Palsa (215_00) | 252,421,425,426,427,428,435,436, | 0.70 | | | |
| Ward Centre-5 | 05 | Puiya (213_00) | 495,496,497,498,956 | 0.79 | acquisition and establishm | the playground and improve | |
| Ward Centre-6 | 06 | Horirampur (218_00) | 947,948,949,951 | 0.88 | ent | facilities. | |
| Ward Centre-7 | 07 | Horirampur (218_00) | 641,642,643,644,645,646,647,648 | 0.87 | | | |
| Ward Centre-8 | 08 | Patichora (223_02) | 1576,1577,1667 | 0.76 | | | |
| Ward Centre-9 | 09 | Chandpur (219_00) | 1078 | 0.70 | | | |

Governmental Services

Administrative zone covers all kinds of government and non-government offices in the town. The permitted uses in this zone are presented in Table A.15, Annexure- A and conditional uses as listed in Table A.16, Annexure- A. According to **(Table 10-1)** there is 27.53 acre of land used in govt. service purpose. Due to proposal of a hudge land (9.25 acre) of Roads and Highway Department as the extension area of existing Nazipur Bazar according to the decision of final consultation meeting with poura authority, the total area under this use has been proposed as 18.04 acres (0.55%) in comprises of existing upazila headquarter area (16.75 acre), proposed poura office area (1.00 acre) and other existing govt. service (0.30 acre). The consultant proposes

1.00 acre of land near exis ting temporary poura office for established permanent Paurashava office premise in Nazipur Paurashava.

Education and Research Zone

Institutional zone refers to mainly education, health and other social service facilities as listed in Table A.13, **Annexure-A**, and conditional uses as listed in Table A.14, **Annexure-A**. As per the discussion of consultation meeting, the existing location of educational institutions (such as primary school and high school) is more than enough for present population. The poura authority proposes the vertical development of existing land for this category. Though, the consultant proposes some educational institutions for future development in this category. The total area under this use has been determined as 40.58 acres in comprises of proposed educational institution area (24.56 acre) and existing area (16.02 acre). Detail new land proposal for education and research is shown in **Table 10-17**.

Table 10-17: New Land Proposal for Education and Research

| | | | | | Phase-v | vise devel | opment | |
|-------------------------|-------------|--------------------------|---|-----------------|---|--|--|-----------|
| Type of Facilities | Ward No. | Mouza Name | Plot No. | Area in Acre | First Phase (1 st to 5 th yr) | Second Phase (6 th to 10 th yr) | Beyond 10 th year | |
| Primary School- 1 | 1 | Mamudpur (185_00), | 209,210,211,212,213,214,215,21 6,217,219,220,221,222,223,224, 225,227,306 | 0.91 | | | | |
| Primary School- 2 | 3 | Nojipur (217_00) | 268,270,271,272,273,274 | 0.98 | | | | |
| Primary School- 3 | 4 | Palsha (215_00) | 382,384,471,479 | 1.18 | | | | |
| Primary School- 4 | 6 | Chok Joyram (248_00) | 698,699,700,701,702,703,704,70 5,706,707,709,723,725,727 | 1.30 | Land Continue acquisitio furthe n and developme establish institute and | | ther ment of | |
| Primary School- 5 | 7 | Horirampur (218_00) | 742,745,746,747,753,754,755,75 9,779,780,781,784 | 1.27 | COMMISSI | | | effective |
| Primary School- 6 | 8 | Chok Nirkhin (222_00) | 211,212,213,215,216,217,256,25 7,258,260 | 1.76 | | | | |
| Primary School- 7 | 8 | Chok Shibram (245_00) | 467,468,469,470,471,472,475,47 7,478,479,480,481,482,483,484, 485,488,489,497,498,499,608 | 1.16 | | | | |
| Primary School- 8 | 9 | Chandpur (219_00) | 937,938,941,943,944,946 | 1.00 | | | | |
| High School- | 3 | Nojipur (217_00), | 182,183,268,269 | 1.15 | | | | |
| High School- | 4 | Palsa (215_00) | 358,360,361,362,364,365 | 2.06 | | | | |
| Agricultural College | 8 | Dohanagar (221_00) | 425,426,427,428,429,430,431,43 2,433,434,435,436,437,438,439, 440,441,442,443,444,445 | 5.55 | - | - | Land acquisiti on and establish | |

| Type of Facilities | Ward No. | Mouza Name | Plot No. | Area in Acre | Phase-v First Phase (1 st to 5 th yr) | Second Phase (6 th to 10 th yr) | Beyond 10 th year |
|-----------------------|-------------|--------------------------|---|-----------------|---|--|--|
| | 4 | Badpuiya (214_00) | 879,880,884 | | - | - | Land acquisiti on and |
| Vocational College | 4 | Puiya (213_00) | 553,555 | 3.72 | | - | Land acquisiti on and |
| | 5 | Puiya (213_00) | 548,549,550,551,552,553,554,55 5,556,557,558,559,560,575,576, 577 | | - | - | Land acquisiti on and |
| | | Chok Nirkhin (222_00) | 335 | | - | - | Land acquisiti on and establish |
| Degree College | 7 | Horirampur (218_00) | 576,577,580,581,582,583 | 3.57 | - | - | Land acquisiti on and establish |
| Extension | 8 | Chok Nirkhin (222_00) | 334,335,336,337,338,339,340,34 1,342,343,344,345,346,347,348, 349,350,351,352,353,354,518,51 9,522,523,524,525,526,99999 | | | | |
| | | Horirampur (218_00) | 576,582 | | | | |
| | | Total | | 24.56 | | | |

Agriculture Area/ Agricultural Zone

The Paurashava has a vast area of agricultural land that demands formation of a separate zone of, agriculture. Agriculture zone is primarily meant for agriculture; land uses related to it and land uses that support it. Detail of land use is presented in Table A.17, Annexure-A and conditional uses as listed in Table A.18, Annexure-A. The total area under this use has been estimated as 1492.13 acres that include existing and proposed land uses.

Water Body

The plan suggests preserving most of these water bodies for two purposes, first, to serve as source of water, second to serve as water retention area during monsoon. The ponds with an area equal to or more than 0.25 acres (386.65 acre area) will be preserved as the water retention ponds. There will be permitted uses in this zone as stated in Table A.23, Annexure-A and some other uses may conditionally be permitted as stated in Table-A.24, Annexure-A. Annexure-D shows the planning schedule of Waterbody Area in Nazipur Paurashava.

Open Space

This zone has been provided to meet the active and passive recreational needs of the people and at the same time, conserve the natural resources. According to **(Table 10-1)** there is 12.20 acre of land used in open space purpose. Due to unplanned placement and allocating several parts of this

land in various development proposals, it decreases to 7.73 acre. Though 81.33 acre of land is estimated for this landuse according to the future population projection (**Table 10-9**), the consultant proposes the total area of open space stands at 87.20 acres (2.68%) for betterment of the environmental quality. There is 87.20 acre of land proposed in different recreational purpose. Total 87.20 acre of land is estimated for open space. The details of permitted and conditional permits have been presented in Table A.19 Annexure-A, and conditional uses as listed in Table-A.20, Annexure-A. **Table 10-18** shows the detail of new land proposal for open space proposal in Nazipur Paurashava.

Table 10-18: New Land Proposal for Open Space

| | | | | | | se-wise opment |
|-------------------------|-------------|------------------------------|---|--------------------|-----------------------------|---|
| Type of Facilities | Ward No. | Mouza Name Plot No. | | Area in Acre | First Phase (1st to 5th yr) | Seco nd Phas e (6 th to 10 th yr) |
| Central Park | 1 | Mamudpur (185_00) | 37-40, 63-90, 161-182 | 35.14 | | |
| Contrain and | 9 | Chandpur (219_00) | 85-141, 450-473, 766-789 | 22.01 | | |
| Stadium | 8 | Chok Nirkhin (222_00) | 218,219,220,221,222,223,224,225,228,2 29,230,231,232,233,235,236,237,238,23 9 | 5.50 | | |
| Indoor Stadium | 6 | Chok Joyram (248_00) | 726,728,729,730,846,847,848,849,850,8 51,852,854,921 | 1.60 | | |
| Neighbourhood Park-1 | 3 | Nojipur (217_00) | 833,834,835,937,938,939 | 1.87 | | |
| Neighbourhood Park-2 | 4 | Palsa (215_00) | 221,222,252 | 1.18 | Land acquisiti | Maintainin g the |
| Neighbourhood Park-3 | 5 | Puiya (213_00) | 252,253,254,258,443,444,451 | 1.97 | on and establish ment | playground and improve |
| Neighbourhood Park-4 | 6 | Chok Joyram (248_00) | 195,196,197,198,199,203,205,206,210,2 11,212,213,214,215 | 1.04 | | facilities. |
| Neighbourhood Park-5 | 7 | Horirampur (218_00) | 688,689,719 | 1.55 | | |
| Neighbourhood | 8 | Chok Nirkhin (222_00), | 419,420,421,422 | 1.32 | | |
| Park-6 | | Patichora (223_02) | 1785,1792,1793,1794,1795,1796,1797 | | | |
| Playfield-1 | 1 | Mamudpur (185_00), | 467,468,469,470,471,472,473,474 | 1.94 | | |
| Playfield-2 | 2 | Nojipur (217_00) | 637,650,652,653,654,655,656,657,658,6 59 | 1.17 | | |

| | | | | | | se-wise opmer | |
|--------------------|-------------|----------------------------|---|--------------------|--|---|--|
| Type of Facilities | Ward No. | Mouza Name | Plot No. | Area in Acre | First Phase (1 st to 5 th yr) | Seco nd Phas e (6 th to 10 th yr) | Bey ond 10 th year |
| Playfield-3 | 3 | Nojipur (217_00) | 205,206,207,208,209,218 | 1.50 | | | |
| Playfield-4 | 4 | Badpuiya (214_00) | 688,689,833,842 | 1.20 | | | |
| Playfield-5 | 5 | Puiya (213_00) | 252,253,444,491,506,507,508 | 1.04 | | | |
| Playfield-6 | 6 | Chok Joyram (248_00) | 72,73,217 | 2.33 | | | |
| Playfield-7 | 7 | Horirampur (218_00) | 680,681,682,683,684,685,686,747,748,7 49,750 | 1.11 | | | |
| Playfield-8 | 8 | Patichora (223_02) | 1332,1333,1339,1382,1383,1384 | 2.62 | | | |
| Playfield-9 | 9 | Chandpur (219_00) | 696,699,700,701,702,703,704 | 1.08 | | | |
| | | Т | otal | 87.17 | | | |

Circulation Network

The road network is mainly considered as circulation network. National highway, pucca/ semi-pucca/ katcha road, footpath, flyover, over- bridge, underpass, bridge, culvert, railway, railway bridge all are include in circulation network. Total 308.25 acre land which covers 9.54% of total planning area of Nazipur Paurashava.

Transportation Facilities

Transportation facilities incorporate transport and communication services. For an example airport, bus terminal/ stand, ferry ghat, filling station, garage, launch terminal, post office, passenger shed, telephone exchange, ticket counter, transport office etc. According to (Table 10-1) there is 1.45 acre of land used in this landuse. Total 8.33 acre of land are estimated for various proposal of transportation facilities. Total 10.05 acres land (0.30% of total area) in comprises of proposed 8.33 acre and existing 1.45 acre of land will be used for this purpose. Table 10-19 shows the new transportation facilities for Nazipur Paurashava.

Table 10-19: New Transportation Facilities

| | | | | | | hase-wis evelopme | - |
|--------------------------------|-------------|----------------------------|--|-----------------|--|--|-------------------------------------|
| Type of Facilities | Ward No. | Mouza Name | Plot No. | Area in Acre | First Phase (1 st to 5 th yr) | Second Phase (6 th to 10 th yr) | Beyon d 10 th year |
| | 3 | Nojipur (217_00) | 1436,1438 | | | | |
| Bus Terminal | | Palsa (215_00) | 494 | 1.87 | | | |
| | 4 | Palsa (215_00) | 492,493,494,495,513 | | | | |
| Truck Terminal | 2 | Rajpat (216_00) | 168,174,175,176,177,178 | 0.75 | | | |
| Rail Station | 8 | Patichora (223_02) | 1655,1656,1657,1658,1659,1660,1 661,1662,1663,1664,1665,1694,16 95,1696,1697,1698,1699,1700,170 1,1702,1703,1704,1766,1767,1774, 1775,1776,1777,1778,1779,1780,1 781,2018 | 3.20 | | | |
| | 2 | Badpuiya (214_00) | 2,68 | | | | |
| Boat Ghat | 2 | Rajpat (216_00) | 53,54 | 0.98 | | Land acquisit | Mainta ining and |
| | 4 | Badpuiya (214_00) | 2,3,4,5,6,7,8,30,31,32 | | | ion and establis hment | improv e facilitie |
| Rickshaw/ Tempo Stand- 1 | 1 | Mamudpur (185_00) | 308,313,314,315,465 | 0.18 | | Timent | S |
| Rickshaw/ Tempo Stand- 2 | 2 | Nojipur (217_00) | 1206,1209,1210 | 0.29 | | | |
| Rickshaw/ Tempo Stand- 3 | 3 | Nojipur (217_00) | 389,1408,1409 | 0.24 | | | |
| Rickshaw/ Tempo Stand- 4 | 4 | Palsa (215_00) | 427,428 | 0.21 | | | |
| Rickshaw/ Tempo Stand- 5 | 5 | Puiya (213_00), | 495,956 | 0.26 | | | |
| Rickshaw/ Tempo Stand- 6 | 6 | Chok Joyram (248_00) | 469,475 | 0.24 | | | |
| Rickshaw/ Tempo Stand- 7 | 7 | Horirampur (218_00) | 644 | 0.22 | | | |
| Rickshaw/ Tempo Stand- 8 | 8 | Patichora (223_02) | 1643,1644,1645,1646,1648 | 0.23 | | | |
| Rickshaw/ Tempo Stand- 9 | 9 | Chandpur (219_00) | 1055,1076,1077 | 0.18 | | | |
| | | Tot | al | 8.85 | | | |

Utility Services

It incorporated all utilities and service facilities except the health service. For an example water treatment plant, water reservoir, water pump house, public toilet, fire service, waste disposal, sewerage office, power office or control room and over head tank. In survey stage this type land use was define as service activity. The consultant proposes total 10.18 acres land in comprises of proposed 9.00 acre of land for different utility service proposal and the existing Borendra Water Pump House area (1.18 acre) for this landuse, which covers 0.40% total area of Nazipur Paurashava.

Table 10-20 shows the new utility services for Nazipur Paurashava.

Table 10-20: New Utility Services

| | | | | Area in Acre | Phase | -wise de | velopment |
|--------------------------------|-------------|--------------------------|---|-----------------|---|--|------------------------------|
| Type of Facilities | Ward No. | Mouza Name | Plot No. | | First Phase (1 st to 5 th yr) | Second Phase (6 th to 10 th yr) | Beyond 10 th year |
| Water Supply Pump-1 | 2 | Nojipur (217_00) | 793,794,808,809,814 | 0.80 | | | |
| Water Supply Pump-2 | 7 | Horirampur (218_00) | 462,471,472,473,474,475,4 76,477,481,482,483,484,48 5,486,487,488,489 | 0.65 | | | ue the further lopment of |
| Solid Waste Disposal | 2 | Rajpat (216_00) | 45,46,47,48,49,50,56,57,58 ,59,60,62 | 5.25 | | | e and make it e effective |
| Waste Transfer Station-1 | 1 | Mamudpur (185_00) | 374,465 | 0.22 | | | |
| Waste Transfer Station-2 | 2 | Nojipur (217_00) | 820 | 0.23 | | | |
| Waste Transfer Station-3 | 3 | Nojipur (217_00) | 388 | 0.27 | Land acquisitio n and | | |
| Waste Transfer Station-4 | 4 | Palsa (215_00) | 485,486,487,488 | 0.18 | establish | | |
| Waste Transfer Station-5 | 5 | Puiya (213_00) | 228 | 0.22 | | | |
| Waste Transfer Station-6 | 6 | Chok Joyram (248_00) | 322,337,402,404,405 | 0.20 | | | |
| Waste Transfer Station-7 | 7 | Horirampur (218_00) | 516,517,518,519,520,521 | 0.20 | | | |
| Waste Transfer Station-8 | 8 | Chok Nirkhin (222_00) | 413,414,418 | 0.20 | | | |
| Waste Transfer Station-9 | 9 | Chandpur (219_00) | 976,977,978,979,984,985,9 86,990,991,1146,1275 | 0.72 | | | |
| | | Total | | 9.14 | | | |

Health Services

This land will be used to provide health facility. According to (**Table 10-6**), the existing area of this landuse category is 5.66 acre. The consultant proposes 8.80 acre of land for different types of new health service proposal. Total 14.46 acre of land in comprises of proposed 8.80 acre and existing 5.66 acre of land will be used for this purpose. Along with this community based health facilities ill be provided at ward center. Ward center is given in mixed use category in land use plan proposal.

Table 10-21 shows the new health services for Nazipur Paurashava.

Table 10-21: New Helth Services

| | | | | | | e-wise deve | elopment | | |
|---|-------------|----------------------------|--|-----------------|---|--|---------------------------------|--|--|
| Type of Facilities | Ward No. | Mouza Name | Plot No. | Area in Acre | First Phase (1 st to 5 th yr) | Second Phase (6 th to 10 th yr) | Beyond 10 th year | | |
| Upazilla Health Complex Extension | 9 | Chandpur (219_00) | 1204,1205,1218,1219,1 220,1221,1222,1225,12 38,1239,1240,1241,124 2,1243,1244,1245,1246, 1251,1253 | 4.75 | | | | | |
| Neighbourhood Clinic-1 | 1 | Mamudpur (185_00) | 292,293,325,327 | 0.48 | Land | | | | |
| Neighbourhood Clinic-2 | 2 | Nojipur (217_00) | 712,713,718,719,720,74 | 0.45 | acquisiti on and establis | Continue the furthe development of institute and make | pment of | | |
| Neighbourhood Clinic-3 | 3 | Nojipur (217_00) | 877 | 0.43 | h | more e | effective | | |
| Neighbourhood Clinic-4 | 4 | Palsa (215_00) | 336,337,338,340,391,39 2 | 0.62 | | | | | |
| Neighbourhood Clinic-5 | 5 | Puiya (213_00) | 251,252,507,510 | 0.50 | | | | | |
| Neighbourhood Clinic-6 | 6 | Chok Joyram (248_00) | 234,235,236,237,238,23 | 0.32 | | | | | |
| | | Horirampur (218_00) | 692,693,694,695,696 | | | | | | |
| Neighbourhood Clinic-7 | 7 | Horirampur (218_00) | 104,105,106,108 | 0.45 | | | | | |
| Neighbourhood Clinic-8 | 8 | Chok Nirkhin (222_00) | 31,32,33,59 | 0.43 | | | | | |
| Neighbourhood Clinic-9 | 9 | Chandpur (219_00) | 525,526,550,551,552,55 3,554,555,556 | 0.47 | | | | | |
| | | Total | | 8.9 | | | | | |

Community Facilities

Community services include community centre, club house, fire service, health facilities, religious centres, other community services etc. In additionally all funeral places and other religious uses incorporated in this category. According to (**Table 10-1**), existing area of this landuse is 6.47 acre. Different types of community services proposal (6.70 acre) have been proposed. Total 13.17 acres land (in total of proposed 6.70 acre and existing 6.47 acre) which covers 0.31% of total planning area will be used for this purpose.

Table 10-22 shows the new community facilities for Nazipur Paurashava.

Table 10-22: New Community Facilities

| | | | | | Phase-w | ise development | |
|---------------------------|-------------|-----------------------------|---|-----------------|---|--|--|
| Type of Facilities | Ward No. | Mouza Name | Plot No. | Area in Acre | First Phase (1 st to 5 th yr) | Phase (6 th to 10 th yr) Beyond 10 th year | |
| Community Centre | 7 | Horirampur (218_00) | 172,173,193,194,195,196 | 1.87 | | | |
| Crematorium | 9 | Chandpur (219_00) | 926 | 0.92 | | | |
| Graveyard | 6 | Chok Joyram (248_00) | 660,665,682,683,684,685, 686,687,920 | 1.33 | Land acquisitio | Continue the further development of | |
| Police Box- 1 | 4 | Palsa (215_00) | 422,423,424 | 0.26 | n and establish | institute and make it more | |
| Police Box- 2 | 8 | Chok Nirkhin (222_00) | 284,285,286,287,288,289, 290,295 | 0.80 | | effective | |
| Fire Service Extension | 3 | Nojipur (217_00) | 251 | 1.40 | | | |
| | | Total | | 6.56 | | | |

Urban Deferred

The Urban Deferred refers to lands lying outside of the urban growth boundary and identified as Urban Reserve. The total area under this use has been proposed as 54.62 (1.68%) acres that include existing and proposed land uses. The following are permitted Uses within the Urban Reserve (UR) Zone:

- Agriculture, Livestock based
- Agriculture, Vegetation based (mushroom farms shall not be permitted)
- Existing facilities up to the date of gazette notification of the Master Plan. Condition is that, no further extension will be permitted.

10.2.3 Land Use Permission

One of the major purposes of land use zoning is to restrict an area for a particular use meant for the zone. This is intended to maintain a disciplined land use distribution and development. But there are many uses other than the use meant for the zone that are considered for permit in the zone. Sometimes such applications are accommodated to support or assist the area, with conditions imposed in giving land use permit, sometimes strict restrictions are maintained by refusal of applications. Detailed lists of permissible and conditionally permissible uses have been provided in Annexure- A according to land use categories. The list has been developed with ideas borrowed from the recommendations made by the consultants under the recently completed DAP Project of RAJUK. It is required that permit procedures mentioned in **Annexure-A** are officially adopted through incorporation in the Building Construction Rules under Section 18 of the Building Construction Act 1952.

10.3 Plan Implementation Strategies

This section deals with the issues of implementation of land use plan. Discussion is made on development regulation and recommendation on implementation, monitoring and evaluation of urban land use plan.

10.3.1 Land Development Regulations to implement the Land Use Plan

Urban planning regulations are necessary for the smooth functioning of land use plan. The land use regulations impact on planned development and result in social benefits and costs depending on their nature and the specific contexts in which they are applied. Careful reforms of these regulations can result in a lower cost for urban development and for housing. An additional benefit could be in terms of a more functional spatial organization of the town. Regulations and processes that facilitate land availability and uses for planned development at affordable costs need to be continued. Regulatory and process reforms can lead to

- more compact towns, containment of urban sprawl, more efficient urban forms,
- less costly urban infrastructure,
- more market-friendly development of urban land;
- more intensely used central areas, better efficiency of public transportation systems and decrease in trip length and transportation costs;
- less violations in zoning, sub-division and building regulations, and reduction in nonconforming and non-compatible uses and slums;
- reduction in difference between what is allowed under regulations and what is financially feasible due to land use reforms leading to reduced opportunities for corruption;
- generally lower land prices in city/town but higher prices in some prime commercial and business districts driven by market forces;
- average urban population densities likely to stay constant as more efficient land use consumption.

The following measures of Land Development Regulations should strictly be followed for the proper implementation of the Land use Plan.

a. Restriction on Use of Land Contrary to the Master Plan

No person shall use any land for any purpose other than that laid down in the land use zoning of the Master Plan approved by the Government. All future developments and constructions, both public and private within the area of Structure Plan shall be in conformity with the Master Plan approved by the Government. No compensation shall be payable to any person owing to demolition of any construction developed in violation of the Master Plan provisions.

b. Building Permission and Construction Approval

Development control mechanism will be one of the major plan implementation instruments to be carried out through the Building Construction Rules under Section 17 of the BC Act 1952 and the land use provisions of the Master Plan.

c. Building Permission in Proposed Development Areas

The Master Plan proposes a number of development projects. Many of the lands under these development projects are under private ownership. No development in these lands by their owners will be allowed. They will remain in the present form till they are taken over by the respective authority for development or the development project is abandoned.

d. Parking in Commercial and Mixed Use Areas

For parking, BC Rules, 1996 has specific provisions for housing and commercial areas. But no provision has been suggested for mixed use areas. According to the rules for commercial area, 23 sq.m areas, has to be reserved for every 200 sq.m of commercial space. The consultant suggests that for mixed areas, BC Rules, 1996 meant for commercial area should also be applied to the mixed areas under the current plan.

f. Rules for Realization of Betterment Fee

The Ordinance enables Paurashava to charge betterment fees on land owners or any other person having interest in it for an increase in land value due to execution of any development scheme by the Authority. The Authority should develop appropriate procedures in this regard and get them approved to start charging betterment fee. Due to failure of execution of the powers of charging betterment fee, all benefits of land value enhancement due to Paurashava development projects goes to the land owner at the cost of the community. So it is not irrational for the road developer to demand a share of the benefit accruing to the land owner following road development.

g. Planning Rules for Real Estate Companies

With the increase in population, there will be further rise of land based real estate activities. But there is no provision in the Paurashava Ordinance to control the activities of real estate companies. It is needed that infrastructure and services provided in the housing plans of the real estate projects be standardized to secure interest of the buyers. Strict vigilance is needed against any fraudulent practices that might affect public interest.

However, any control imposed on the housing companies must be imbued with a positive approach, so that it does not affect the housing promotion activities of the private sector. The intention would be to allow them function under certain control that would secure public interest and at the same time will not discourage private investment in housing. The infrastructure, services and facilities provided in a housing project must be standardized. Road width and the land allocated for community facilities must be adequate to meet requirements of the future inhabitants. The infrastructure provided therein must follow minimum standard as someday these housing estates would become parts of the future town and the infrastructure provided therein would be used by a wide range of population of the town.

URBAN AREA PLAN

To control apartment development, the national rules under BC Act 1952 will be applied. The rules for land based real estate projects exist for Dhaka only. In anticipation of expansion of real estate projects, there is an urgent need to prepare a set of rules for small towns. The real estate companies seeking approval for their housing project layout plan must fulfill certain conditions as set in the rules. The set of rules is clearly described in the Private Residential Land Development Rule-2004.

h. Minimum Road Width

Building Construction Rules, 1996, should be amended in the following way by incorporating the minimum road width standard.

To ease future traffic movement, it is necessary to keep provision for wider roads in the present plan. It is an uphill task to widen roads after development has taken place along the road. So it is wiser to reserve wider right of way for new roads now. Building Construction Rules, 1996 has determined the minimum road width as 12 ft. or 3.65 meter for roads in general and approximately 10 ft. for private roads. The consultants feel that this standard is not enough in view of future increase in population density and traffic. For safeguarding and easing future traffic movement the consultants have set the minimum width for any road for common use as 20 ft. or 6 meter and 16 ft. or 4.77 meter for private roads. However, in the built up areas, where development has already blocked the scope for developing such wide roads, the consultant recommends the minimum road width provisions of BC Rules, 1996. The new road width provision will be applicable in new areas. In the areas, where there already exist roads of less than 20 ft., the land owners on either side of the road will equally share the space needed to increase the road width to 20 ft. The land owners must leave the space vacant for taking it over by the Paurashava for widening of the road at some later date. No proposal for construction should be permitted on the vacant space reserved for road widening though the land will remain under its current ownership till it is taken over by the authority. In the light of the above recommendations, necessary amendment will have to be brought in the BC Rules, 1996 applicable to the secondary and small towns only.

i. Low Land, Pond and Drainage Path

No low land that retains water for certain period of the year can be filled up and no obstruction to natural or man made drainage system shall be allowed. Prior permission of Nazipur Paurashava will be required for filling up of any low lands. The Paurashava shall accord such permission based on prevailing laws. All ponds should not be allowed to be filled up as they are a good source of urban water supply as well as serve as open space. As per the Wetland Conservation Act 2000, the use of these water bodies cannot be changed without prior permission of the authority.

j. Security Areas - Cantonment, BDR, Police Stations

BDR, Police, etc. areas have to be safe guarded from any possible incompatible development.

k. Radio, Television, Water Treatment and Pump Station and Power Station Sites

The key point installations including radio, television, water treatment and pump station and power station sites will have to be safeguarded from any possible undesirable development around these areas that can endanger their security. No building except vegetation should be allowed within 183 meters around the transmission towers.

10.3.2 Implementation, Monitoring and Evaluation of the Land Use Plan

Monitoring and evaluation is a very important part of plan implementation. Monitoring helps check if the plan is being implemented properly. It also measures the level of implementation of the plan. If the plan implementation is not on track, corrective measures can be taken to put the execution on track. After expiry of any plan, evaluation is made about the errors and omissions. Such evaluation helps take corrective measures in the next plan. Such monitoring and evaluation must be carried out from within the Paurashava. But Nazipur Paurashava is not equipped with qualified manpower to make such evaluation. Monitoring and evaluation of a plan is essentially, the responsibility of qualified and experienced planners. As there is no planner in the Paurashava, its monitoring of plan implementation will be seriously affected. However, plan evaluation can be accomplished by means of out sourcing.

Updating of Plans

The plan package needs to be updated regularly to make it respond to the spatial changes over time. But such updating would require relevant technical professional and fund that are highly lacking in Nazipur Paurashava. There is no planner or planning section in the Paurashava. Updating would require service of senior level planners that Paurashava would not be able to provide. This service will have to be procured by out sourcing and the Paurashava is not even capable to accomplish this financially either. This will create problem when the plans or its components gets obsolete or need to be changed. Another problem would arise when the duration of plans ends. A new set of plans would have to be prepared replacing the old ones. This problem, however, can be overcome by undertaking another planning project by LGED. So, for regular updating and changes and plan implementation monitoring, the Paurashava should immediately move for setting up a planning section with planner(s) and other staff. The section will not only look after planning, but will also be responsible for development control, estate management and project preparation.

Chapter 11: Traffic and Transportation Management Plan

11.1 Introduction

11.1.1 General

Traffic and transportation planning and design help to shape an area's economic health and quality of life. Transportation and Traffic Management Plan is an advanced document that sets out the long-term direction for transport in a particular area. The plan guides development of a town's transportation system. It covers the movement of people by mode, for example, public transport, car, walking and cycling, and freight by road, railway and waterway as appropriate to an area.

It is useful for defining the direction of transport-related issues in a particular area. It can recognize the links between transport and land use and urban form and set objectives and policies to address these linkages.

The road network of Nazipur Paurashava was developed and established according to the growing demand, following the development pattern and meeting short term need. Thus, most of the cases road network is established after the development of infrastructure resulting poor layout of road network, narrow road, pedestrian problem, utility services problem, emergency services problem etc. The road network and hierarchy within the Paurashava boundary is poorly established. Most new development is taking place without any coherent road system. Most of the areas lack in internal road network and suffer from lack of alternative access facilities within the town. More or less all the wards are facing accessibility problem. It is found from the field survey and observation that ward no 3, 4, 5 and 6 are facing serious accessibility problems. Some local roads become inundated during a little rainfall. The conditions of the katcha roads are also remarkable.

Nazipur Paurashava has direct transport communications with the Dhaka. However, the regional connectivity of the Paurashava is considerably good. It has good connection with the nearer districts and regional centres like Joypurhat, Naogaon and Dhamoirhat. The road network and hierarchy within the Paurashava boundary is at moderate level. Most new development is taking place with coherent road system. However, most of the areas lack in internal road network and suffer from lack of alternative access facilities within the town. The areas towards the Nazipur bazaar road are predominantly urban and with little commercial development along the road. Better urbanization is taking place along this road and this road is experiencing rapid change with development of residential settings. There is only one thoroughfare (Nazipur-Dhamoirhat) in this Paurashava.

In Nazipur Paurashava there is about 82.48km road out of which 27.55km is Pucca and 26.35km is Katcha and 28.58 roads is Semi-Pucca.

In this Paurashava there is no road which is owned and maintained by the Roads and Highway Departments.

In this Paurashava there are several LGED roads.

11.1.2 Approach and Methodology

Transport study provides special attention to urban transportation planning as it greatly influences the location decisions and travel behavior of people, goods and services. Transportation is critical for the efficiency of towns contributing to their productivity and economic growth. A good network of roads and other transportation mode coupled with an efficient transport management system makes a substantial contribution to the "working efficiency" of cities and towns and enables them to become catalysts for social and economic development. On the other hand, the impact of a poorly designed urban transport system is manifested in terms of traffic congestion, delays, accidents, high energy consumption, high pollution of the environment and inequitable access to services. A well-planned transportation system results in orderly urban growth, greater use of urban public transport, lower vehicular pollution, and shorter auto trips.

Standard methodology was followed for traffic study in the project area. An introduction meeting was held at Paurashava and the Paurashava authority recommended Wednesday as local Hat day and others as regular day to conduct transport survey. With reference to their observations, survey time was set from 6:00 AM to 12:00 PM for those two days when traffic movements were frequent.

In order to identify the major causes of the congestion and the nature of the problem on transportation networks, a number of tasks were undertaken. Those tasks included traffic volume counting at both directions, speed and delay studies, Origin-Destination (O-D) survey at major traffic generating intersections and consultation with the stakeholders regarding the generated problems. The volume and movement pattern of people and goods within the planning area were collected through a series of volume and O-D surveys.

In addition to collect information on volume and pattern of traffic movement by traffic survey, the Consultant accommodates certain important questions regarding people's attitude and preferences.

The volume counts were conducted at four points in a node. For this, Manual counting method was followed to conduct the traffic volume survey and data was recorded in prescribed formats.

The methodology of the study could be illustrated through five-step process for the assessment of Transportation and Traffic Management Plan. These five steps are showed in (**Fig 11-1**).




Fig 11-1: Flow Chart of the Methodology

11.2 Existing Conditions of Transportation Facilities

11.2.1 Roadway Characteristics and Functional Classification

The road network of Nazipur Paurashava was developed and established according to the growing demand, following the development pattern and meeting short-term need. Thus, most of the cases road network is established after the development of infrastructure resulting poor layout of road network, narrow road, pedestrian problem, utility services problem, emergency services problem etc. The road network and hierarchy within the Paurashava boundary is poorly established. Most new development is taking place without any coherent road system. Most of the areas lack in internal road network and suffer from lack of alternative access facilities within the town. More or less all the wards are facing accessibility problem. It is found from the field survey and observation that ward no 3, 4, 5 and 6 are facing serious accessibility problems. Some local roads become inundated during a little rainfall. The conditions of the katcha roads are also remarkable. Some katcha roads are very poor.

Nazipur Paurashava has direct transport communications with the Dhaka. The people have the direct access with Dhaka and other nearer regional centers like JOypurhat, Naogaon etc. The road network and hierarchy within the Paurashava boundary is at moderate level. Most new development is taking place with coherent road system. However, most of the areas lack in internal road network and suffer from lack of alternative access facilities within the town. The areas towards the Nazipur bazaar road are predominantly urban and with little commercial development along the road. Better urbanization is taking place along this road and this road is experiencing rapid change with development of residential settings. There is no thoroughfare in this Paurashava.

Table 11-1: Major Regional Center Routes from Nazipur

| Route | Approx. Distance in km | Fare per person (in taka) | |
|-------------------|------------------------|---------------------------|--|
| Nazipur-Naogaon | 45 | 50 | |
| Nazipur-Joypurhat | 38 | 40 | |

Source: Transportation Survey of Nazipur Paurashava by AQUA, 2010.

11.2.2 Roads in Paurashava

The following table shows the status of road in Nazipur Paurashava. In Nazipur Paurashava, there is about 82.48 km road out of which 27.55 km is Pucca and 26.35 km is Katcha. In this Paurashava there is 28.58 km Semi-Pucca Road.

Table 11-2: Road Status in Nazipur Paurashava

| Road Type | Length (Km) |
|------------|-------------|
| Pucca | 27.55 |
| Semi-Pucca | 28.58 |
| Katcha | 26.35 |
| Total | 82.48 |

Source: Transportation Survey of Nazipur Paurashava by AQUA, 2010.

11.2.3 Important Local Roads

The Paurashava has so far developed many roads within its area with different length and width. They are also responsible for maintaining the roads. The Paurashava has named many of these roads after renowned local personalities. **Table- 11-3** shows list of the important Paurashava roads.

Table 11-3: Inventory of Major Road Network at Nazipur Paurashava

| Name | Туре | Length (Km) | Width (m) |
|---------------------------------|-------|-------------|-----------|
| Aatrai River Road | | 0.47 | 3.54 |
| Chandpur Road | | 0.95 | 3.07 |
| Chok Joyram Road | | 1.23 | 3.22 |
| Harirampur Road | | 0.51 | 2.97 |
| Hospital Road | | 1.69 | 3.37 |
| Kashipur Road | | 0.96 | 3.23 |
| Late Shohidul Dada Smrity Sorok | Pucca | 0.19 | 2.51 |
| Mataji Road | | 1.04 | 4.41 |
| Naogaon-Dhamoirhat Road | | 3.48 | 6.11 |
| Old Bazar Road | | 1.27 | 6.37 |
| Palsa Road | | 3.06 | 0.61 |
| Puia Road | | 0.61 | 3.06 |
| Kashipur Road | | 0.96 | 3.23 |
| Sapahar Road | | 1.87 | 5.96 |

| Name | Туре | Length (Km) | Width (m) |
|--------------|------|-------------|-----------|
| Shibpur Road | | 0.72 | 6.02 |

Source: Transportation Survey of Nazipur Paurashava by AQUA, 2010.

11.2.4 Mode of Transport

Among all the modes, the road transport is only available in Nazipur Paurashava. The types of transport that generally used in that mode are:

- Car
- Jeep
- Micro bus
- Autorickshaw/tempo
- Motor cycle
- Nosimon
- Bus
- TruckMini-bus
- Rickshaw
- Rickshaw van
- Animal/push cart and
- Bi-cycle

11.2.5 Intensity of Traffic Volume

In most important intersections, traffic surveys were conducted. Considering office time from 9:00 AM to 5:00 PM, intersection traffic flow were presented during morning peak period 9:00-10:00 AM, evening peak-period 5:00-6:00 PM and noon 1:00-2:00 (13:00-14:00) PM.

The Traffic Volume survey was conducted on the following Upazilla Complex moar node that is very important considering the locational importance as these locations do not only cover the inter-Upazila traffic but also provide accurate view of the local traffic. The following figure shows details of the traffic node. Motorized traffic flow occurs in West-North direction according to diagram, especially only for bus services A general overview of the traffic flow has been given in the following **Fig 11-2**. It is found that traffic movement in general occur mainly Nazipur-Charghat link. A significant number of vehicle trips are also attracted towards southern corner of the node where the bazar is located.



Fig 11-2: Nazipur Bazar Chowmatha Moar Intersection Flow Diagram

11.2.6 Level of Service: Degree of Traffic Congestion and Delay

Level of Service (also called Quality of Service or Service Quality) refers to the speed, convenience, comfort and security of transportation facilities and services as experienced by users. Level-Of-Service (LOS) ratings, typically from A (best) to F (worst), are widely used in transport Planning to evaluate problems and potential solutions. Because they are easy to understand, Level-Of-Service rating often influences transport planning decisions. Such ratings systems can be used identify problems, establish Performance Indicators and targets, evaluate potential solutions, compare locations, and track trends.

Traffic generation centers at Nazipur Paurashava are very limited. The Upazila complex is the main Traffic generation center. Besides, different governmental offices, cinema hall, shopping centers, educational institutions etc. are also generate traffic.

Traffic generation centers are mostly Bus Stand, Upazila Complex, Police Station, Different Educational Institutions, Different Markets, Katcha Bazars, Land Office and Different Govt. Offices. Traffic generation centers are mostly Bus Stand, Upazila Complex, Police Station, Different Educational Institutions, Different Markets, Kutcha Bazars, Hospitals, Land Office and Different Govt. Offices. The bazaar areas are the most congested areas in Nazipur Paurashava. Major congested areas are Nazipur-Charghat main road.

The transportation services are also very limited in Nazipur Paurashava. Wikipedia rates the Roadway Level-of-Service (LOS) by using speed survey data (**Table 11-4**).

Table 11-4: Roadway Level-Of-Service (LOS) Ratings of Wikipedia

| LOS | Description | Speed (mph) |
|-----|---|----------------|
| А | Traffic flows at or above the posted speed limit and all motorists have complete mobility between lanes. | Over 60 |
| В | Slightly congested, with some impingement of maneuverability. Two motorists might be forced to drive side by side, limiting lane changes. | 57-60 |
| С | Ability to pass or change lanes is not assured. Most experienced drivers are comfortable, and posted speed is maintained, but roads are close to capacity. This is often the target LOS for urban highways. | 54-57 |
| D | Typical of an urban highway during commuting hours. Speeds are somewhat reduced, motorists are hemmed in by other cars and trucks. | 46-54 |
| Е | Flow becomes irregular and speed varies rapidly, but rarely reaches the posted limit. On highways this is consistent with a road over its designed capacity. | 30-46 |
| F | Flow is forced; every vehicle moves in lockstep with the vehicle in front of it, with frequent drops in speed to nearly zero mph. A road for which the travel time cannot be predicted. | Under 30 |

[N.B. This table summarizes roadway Level of Service (LOS) rating. These only account for motor vehicle traffic speeds and congestion delay. Other impacts and modes are often ignored.]

The LOS for different roads of Nazipur Paurashava is demonstrated here on the basis of Wikipedia ratings (**Table: 11-5**).

Table 11-5: Existing Level of Service (LOS) of major roads of Nazipur Paurashava

| SI. | Name of | | | | Speed (| mph) | | | 1.00 |
|-----|--------------------------------|-------|-------|------------------|------------------|------------|-----------------|---------|------|
| # | Roads | Truck | Bus | Car/ Microbus | Auto Rickshaw | Motorcycle | Other (Nosimon) | Average | LOS |
| 1 | Naogaon- Dhamoirhat Road | 10.45 | 13.57 | 16.56 | 12.25 | 20.84 | 10.10 | 13.96 | F |
| 2 | Sapahar Road | 9.72 | 10.48 | 15.23 | 10.43 | 16.46 | 11.58 | 13.42 | F |
| 3 | Mataji Road | 8.45 | 9.29 | 17.68 | 12.71 | 19.52 | 10.85 | 15.19 | F |
| 4 | Nazrul Islam Road | - | - | 16.43 | 11.67 | 18.94 | 12.49 | 14.88 | F |
| 5 | Old Bazar Road | - | - | 15.82 | 13.49 | 17.62 | 11.48 | 14.60 | F |
| 6 | Palsa Road | - | - | 12.26 | 10.28 | 15.57 | 10.29 | 12.10 | F |

Source: Traffic and Transportation Survey Data of Nazipur Paurashava by AQUA, 2011

11.2.7 Facilities for Pedestrians

Most of the public generally considers pedestrian facilities to be limited to sidewalks; however, they encompass a much broader scope of services and facilities. Pedestrian facilities include, but are not limited to, traffic control devices, curb ramps, grade separations (overpasses and underpasses), crosswalks, and design features intended to encourage pedestrian travel (such as traffic calming devices including speed bumps or center refuge islands). In general, these facilities parallel the roadway system and provided as part of the public right-of-way. Pedestrian facilities or "pedestrian lanes" provide people with space to travel within the public right-of way that separated from roadway vehicles. It improves mobility for pedestrians and provides access and an alternative means of travel to and from home, work, parks, schools, shopping areas, and transit stops. It also provides places for children to walk, run, skate, bike, and play, where no walkways are provided, or where walkways are in poor repair or have missing sections. It is obligatory to mention here that, at present there is no pedestrian facilities available at Nazipur Paurashava.

11.2.8 Analysis of Existing Deficiencies

Like any other Upazila town, Nazipur has also transportation deficiencies, which are identified from two different sources. Firstly, by reconnaissance survey of the town, field observation interview of passenger and operator and secondly, by means of household sample survey.

11.2.8.1 Roadway Capacity Deficiencies

Primary Road (Regional Road)

The Naogaon-Dhamoirhat Road is known as primary road as per Nazipur Paurashava, length is 3.48 km and average width 6.11 meter. Road standard (ROW) recommended is 100 feet to 150 feet or 25-30 meter, proves that the ROW of the existing primary road in the Paurashava is lower than the standard (ROW) recommended. Moreover, in hat day and non-hat day, highest volume of traffic flows on the primary road and it is about 411 to 548 PCU/hours.

Secondary Road:

There are three major secondary roads are in the Paurashava named Shapahar road, length is 1.87 km and average width 5.96 meter, Mataji road, length is 1.04 km and average width 4.41 meter and Old Bazar road, length is 1.27 km and average width 6.37 meter.

Road standard (ROW) recommended is 60 feet to 100 feet or 20 meter, proves that the ROW of the existing secondary roads in the Paurashava is lower than the standard (ROW) recommended. Moreover, in hat day and non-hat day, highest volume of traffic flows on those secondary roads is about 250 PCU/hour.

Access road:

Road standard (ROW) recommended may be imposed on access road and it is 20 feet to 40 feet or 6 to 10 meter. In the Paurashava, all access roads are less than 12 feet and most of them are using as footway. Non-motorized vehicles named Van sometimes use those walkways.

Narrow Road Width

Narrow widths of roads and poor maintenance have marked by most respondents as major road problems in the town. From the survey, it has found that there are various problems in connection with transport such as problem of narrow road, roads are flooded and damaged during rainy season etc. This will cause traffic on the street will rise and will create serious traffic congestion on the narrow streets. There is little chance that the authority will be able increase the road width in highly built up areas- especially in the crossing point of main bazaar area, as there will be high cost involvement and social-pressure on any attempt to demolition will be very high.

The project area is served by 82.48 kilometers of roads. Out of the total length of roads 27.55 km are pucca, 28.58 km are semi-pucca and 26.35 km are katcha. When asked about the problem of roads, they pointed to narrow width of roads, poor condition of roads due to lack of maintenance, traffic congestion at particular points of the town.

The following **Table 11-6** shows the details about the road width deficiencies of Nazipur Paurashava.:

Table 11-6: Width of some Major Roads in Nazipur Paurashava

| Road Type | Name | Туре | Length (Km) | Width (m) |
|-------------------|-------------------------|----------------|----------------|-----------|
| Primary Road | Naogaon-Dhamoirhat Road | | 3.48 | 6.11 |
| | Mataji Road | | 1.04 | 4.41 |
| Secondary Road | Old Bazar Road | | 1.27 | 6.37 |
| rtodd | Sapahar Road | Pucca | 1.87 | 5.96 |
| | Aatrai River Road | rai River Road | | 3.54 |
| Access Road | Chandpur Road | | 0.95 | 3.07 |
| | Chok Joyram Road | | 1.23 | 3.22 |

Source: Transportation Survey of Nazipur Paurashava by AQUA, 2010

Map 11-1: Existing Road Network Map of Nazipur Paurashava

Traffic Conflict

Traffic conflict is common and frequent in towns where there is admixture of transport vehicles – slow and fast – in the streets. Areas of conflict occur at point where the intensity of traffic movement is high. The consultant studied the traffic movement in all over the town and identified one main point where the traffic conflict is highest, which is Nazipur Upazilla Morr Intersection. At this point the slow moving vehicles, like, rickshaw and vans come in conflict with motor vehicles, creating traffic congestion. As the slow mobbing vehicles are higher, the conflict is usually frequent.

The identified reasons for traffic conflict are improper intersection design, parking of vehicles on the street, waiting of operators on the roads looking for possible passengers, absence of traffic signal, disobedience of traffic rules etc.

11.2.8.2 Operational, Safety, Signal and other Deficiencies

Like any other Upazila town, which is beyond the regional and national movement directly, Nazipur Paurashava has no traffic management system. There is no traffic point and traffic islands including road dividers, no signal posts. That is why operational and road safety is not existed.

11.2.9 Condition of other mode of transport (Rail/Water/Air)

There is no railway network in Nazipur Paurashava and there is also not any waterway network in Nazipur.

There is no air transport facility in Nazipur, for air travelling the people of Nazipur depending upon the Capital City Dhaka.

11.3 Future Projections

11.3.1 Travel Demand Forecasting for Next 10 Years

Travel demand occurs as a result of thousands of individual travellers making individual decisions on how, where and when to travel. These decisions are affected by many factors such as family situations, characteristics of the person making the trip, and the choices (destination, route and mode) available for the trip.

Before forecasts are made of travel, it is necessary to determine how the community will look in the future. Transportation is directly linked to land use. Trips are assumed to follow future land use patterns. If land use is changed, there should be a change in travel.

The travel forecasting process is at the heart of urban transportation planning. This process is used to estimate the number of trips that will be made on a transportation systems alternative at some future date. Many assumptions need to be made about how people make decisions, the factors they consider and how they react a particular transportation alternative.

Travel demand is expressed as the number of persons or vehicles per unit of time that can be expected to travel on a given segment of a transportation system under a set of given land-use, socioeconomic, and environmental conditions.

Three factors affect the demand for urban travel:

- Location and intensity of land use
- Socioeconomic characteristics of people living in the area; and
- Extent, cost, and quality of available transportation services

Land use characteristics are a primary determinant of travel demand. The amount of traffic generated by a parcel of land depends on how the land is used, for example, shopping centers, residential complexes, and office buildings produce different traffic generation patterns. Socioeconomic characteristics of the people also influence the demand for transportation. Lifestyles and values affect how people use their resources for transportation, for example, a residential area consisting of high-income workers will generate more trips by automobile per person than a residential area populated primarily by low-income workers.

The availability of transportation facilities and services, referred to as the supply, also affects the demand for travel. Travelers are sensitive to the level of service provided by alternative transportation modes, when deciding whether to travel at all or which mode to use they consider attributes such as travel time, cost, convenience, comfort, and safety. To extrapolate the transport demand, it was necessary to accumulate data on Employment, vehicle ownership, trip distribution, etc. Though some categories of data mentioned above have been collected by Socio-economic Survey, yet these data sets are scanty to enable forecast of future travel demand.

Furthermore, the traffic survey for the UTIDP was conducted to get the overall picture of traffic pattern in the study area and this survey is not detail enough to allow extrapolation of traffic. That is why; the consultants have some limitations to adopt any traffic model to forecast future traffic demand. The complexities of traffic in the study area, as per common observation are assumed to be insignificant. However, prior to maintaining proper planning standard, the Paurashava is yet capable to regulate the traffic. Nevertheless, the recommended planning standards of road are the followings (**Table 11-7**):

Table 11-7: Recommended Planning Standard

| Types of Road | Recommended width |
|----------------------------|-------------------|
| Paurashava Primary Roads | 150-100 feet |
| Paurashava Secondary Roads | 100-60 feet |
| Local Roads | 40-20 feet |

Source: UTIDP Planning Standard, LGED

However, a little bit of jamming concentration has been observed in some major roads of the Paurashava. Generally, the concentration of traffic reaches to its peak during 9:00 am-10:30 and 4:30 pm-5:30 pm. Moreover, it is also observed that most of the major roads of Nazipur Paurashava are below 20 feet in width, which is assumed to be a potential threat to accommodate the future traffic. Therefore, the road capacity needs to be improved as per the UTIDP planning standard of LGED.

11.3.2 Transportation Network Considered

The growth of transport networks obviously affects the social and economic activities that an area can support; yet the dynamics of how such growth occurs is one of the least understood areas in

transport, geography, and planning. Transport network changes are treated exclusively as the result of top-down decision-making. Changes to the transport network are rather the result of numerous small decisions (and some large ones) by property owners, firms, developers, towns, cities, counters, and MPOs in response to market conditions and policy initiatives. Understanding how markets and policies translate into facilities on the ground is essential for scientific understanding and improving forecasting, planning, policymaking, and evaluation.

11.3.3 Future Traffic Volume and Level of Service

Traffic volume, as indicated by traffic counts at various locations on the roadway network; which reflect current travel patterns and how well the network is serving the travel demand.

When planning ahead to address the needs of our transportation network, it is important to project the level of traffic that we can anticipate during our planning period and beyond. Population growth plays a key role in determining the needs of a transportation system. Generally, an increase in population results in an increase in the use of transportation facilities; which in most cases means more vehicles on the roadways.

The future traffic volume of Nazipur Paurashava is forecasted by adopting extrapolation method. An extrapolation factor indicating the growth trends, which is derived from earlier and present year traffic volume is introduced in this method. The future traffic volume is forecasted at one intersection, which is Nazipur Upazilla Moar intersection, is the most important intersection of the Nazipur Paurashava. The intensity of traffic movement observed in these intersections is high and traffic conflict is prevalent at these points. The forecasted traffic volume of two major intersections of Nazipur Paurashava is presented in **Table 11-8**.

Table 11-8: Projection of Target Year Traffic Volume

| Name of Intersection | Duration | Year | | | |
|--|-------------|------|------|------|------|
| Name of intersection | Duration | 2011 | 2016 | 2021 | 2031 |
| Traffic Volume at Nazipur Upazilla Moar Intersection | 09:00-10:00 | 677 | 758 | 849 | 951 |
| | 11:00-12:00 | 1647 | 1844 | 2064 | 2311 |
| | 16:00-17:00 | 317 | 355 | 397 | 445 |

Source: Transportation Survey of Nazipur Paurashava by AQUA, 2010

For this reason, future population growth is often a good indicator of future increases in traffic volumes.

The Level of Service (LOS) represents the minimum acceptable performance standards on a particular roadway facility. The Paurashava authority should have adopted the policy LOS for their road system. The key factors in the policy of Level of Service (LOS) consider the following:

- The individual characteristics of the community, its goals, objectives and needs
- The ability to provide the facilities that are determined necessary to maintain the policy level of service for current and future traffic volumes
- The ability to fund the facilities that are determined necessary to maintain the policy level
 of service for current and future traffic volumes

Table 11-9: Level of Service of Different Major Roads and their Relative Proposals

| SI. # | Road Name | Average Speed of Vehicle | Road Width (m) | Level of Service | Remarks |
|----------|-------------------------|-----------------------------------|----------------------|------------------------|--------------------|
| 1 | Naogaon-Dhamoirhat Road | 13.96 | 5.49 | F | Need road widening |
| 2 | Sapahar Road | 13.42 | 3.05 | F | Need road widening |
| 3 | Mataji Road | 15.19 | 3.05 | F | Need road widening |
| 4 | Nazrul Islam Road | 14.88 | 3.96 | F | Need road widening |
| 5 | Old Bazar Road | 14.60 | 2.90 | F | Need road widening |
| 6 | Palsa Road | 12.10 | 3.05 | F | Need road widening |

Source: Transportation Survey of Nazipur Paurashava by AQUA, 2010

11.4 Transportation Development plan

11.4.1 Plans for Road Network Development

11.4.1.1 Road Network Plan

Planning standard is a fundamental tool for formulation of any planning perspective including transport plan. The suggested planning standards of road width for UTIDP are illustrated in **Table-11-7**. The standards are meant for use by UTIDP, LGED and other planning and development agencies. The standards have been adopted by the consultants to draw up the current series of plans. An integrated road network plan has been prepared commensurating the planning standards and considering the convenient movement of all vehicular and pedestrian traffic. Three types of road, such as Paurashava Primary Road, Paurashava Secondary Road and Local Road are proposed designating an unique ID No. to each road for the purpose of identifying them in map. The road network plan along with transportation management plan is presented in **Map 11-2** below.

11.4.1.2 Proposal for improvement of the existing road networks

Traffic management measures may be adopted to increase traffic capacity and safety. The improvement could be done by removing the deficiencies in the existing core road network by widening and /or strengthening of selected stretches / corridors in a phased manner and improvement of road geometrics and safety provisions.

The standards are meant for use by UTIDP, LGED and other planning and development agencies. The standards have been adopted by the consultants to draw up the transportation development plan. Following are the suggested planning standards (**Table 11-10**) for road network development. These road hierarchies are proposed based on the functional linkage of the road of Nazipur Paurashava.

Table 11-10: Proposal for Road Standard in the Project area

| Category | Proposal Standered |
|----------------------------|--------------------|
| Paurashava Primary Roads | ROW 100 feet |
| Paurashava Secondary Roads | ROW 60 feet |
| TertiaryRoad / Access Road | ROW 30-20 feet |

Source: Upazila Towns Infrastructure Development Project and Proposed by Consulting Firm

11.4.1.2.1 Proposal for Improvement of the Existing Primary Road

Use of road reserve is the initial stage for improvement of existing Naogaon-Dhamoirhat primary road. It is recommend that the Shapahar road and the Old Bazar road as a primary road for their significance in future. The maximum recommended reserve width for a primary road that will be adopted and maintained is maximum 100 feet; with an initial basis the extremities of the reserve being 30 feet on either side of the road centre line. This may vary, especially on existing roads, due to localized circumstances.

Regardless of which option is required, initially the full 100 feet reserve will be applied, although not necessarily purchased in the first instance, until such time as more detailed site investigations have been undertaken.

For new road, the minimum 100 feet reserve will be adopted in the short-term to prevent development encroaching in to it before construction of the road.

For all primary roads both existing and new proposed, the consultant proposes to preserve maximum 20 feet on both sides as service road so that the non motorized vehicles could move easily without hampering the highway movement.

Within the established reserve, no further non-road related development will be permitted, with the exception of utility networks. The utilities should not fall under the main carriageways due to the disruption to traffic flows when the system requires repair or maintenance. Localized drainage channels should, where possible, also fall within the road reserve, preferably under the footpath or hard shoulder to reduce land requirements. If, however, this is not possible an additional reserve to cover the drainage channel will be required, increasing the overall width of the reserve.

Permanent structures that currently fall within the reserve should be permitted to remain until such time as they are redeveloped. Redevelopment of existing properties should fall wholly outside the reserve. Temporary structures should not be permitted even on a short-term basis. Existing structures should be removed as and when feasible.

No direct access should be allowed onto the main carriageways (of primary road). Access should be gained only at controlled junctions—roundabouts or traffic-lights. The number of junctions or intersections should be minimized with desired spacing being not less than 500 meters.

The phase wise road development proposals have been described in Chapter 14 (Ward Action Plan). The proposals for widening of major primary existing roads are listed in tabular form (**Table 11-11**) below:

Table 11-11: Road Improvement Proposal in Nazipur Paurashava

| Road Type | Proposed Type | Proposed Road ID | Existing Width (m) | Proposed Width (ft) | Length (km) |
|------------------|---------------|------------------|-----------------------|------------------------|-------------|
| | Widened Road | PR-17 | 6.37 | 100 | 1.27 |
| | Widened Road | PR-34 | 6.11 | 100 | 3.48 |
| Drives and Decad | Widened Road | PR-168 | 5.72 | 100 | 2.39 |
| Primary Road | Widened Road | PR-211 | 6.37 | 100 | 1.27 |
| | Widened Road | PR-304 | 3.12 | 100 | 0.22 |
| | Widened Road | PR-314 | 3.54 | 100 | 0.46 |

Source: Upazila Towns Infrastructure Development Project and Proposed by Consulting Firm

11.4.1.2.2 Proposal for Improvement of the Existing Secondary Road

Primary road with secondary roads should be provided in areas where there is considerable roadside development. These should generally be two-way service roads and will be used by non-motorized vehicles like rickshaw, van, pushcart and bullock carts including pedestrians. Controlled parking will be permitted where necessary.

Where secondary roads will not be required either immediately or in the long-term, the full reserve should be maintained (for utilities, etc.) Unless there is clear reason why these reserves should be decreased.

The secondary roads are also intended to be high capacity routes, although their design speed will be significantly less than primary roads due to their being a far higher percentage local, inter-Paurashava traffic movements rather than intra-Paurashava. On many occasions within the Paurashava, existing routes will require the provision of tertiary roads to provide access to shop frontages and on-street parking for those shops. The tertiary roads also serve to collect traffic which currently enters at random from side streets.

The maximum recommended reserve that will be adopted and maintained for secondary road is 60 feet, preferably with the extremities of the reserve being 30 feet either side of the road centre line, although this may vary especially on existing roads due to localized circumstances.

The phase wise road development proposals have been described in Chapter 14 (Ward Action Plan). The proposals for widening of secondary existing roads are listed in tabular form (**Table 11-12**) below:

Table 11-12: Road Improvement Proposal in Nazipur Paurashava

| Road Type | Proposed Type | Proposed Road ID | Existing Width (m) | Proposed Width (ft) | Length (km) |
|----------------|---------------|---------------------|-----------------------|------------------------|----------------|
| | Widened Road | SR-23 | 3.58 | 60 | 0.59 |
| | Widened Road | SR-43 | 2.73 | 60 | 0.44 |
| | Widened Road | SR-44 | 2.73 | 60 | 0.44 |
| Secondary Road | Widened Road | SR-93 | 4.03 | 60 | 0.39 |
| | Widened Road | SR-96 | 2.74 | 60 | 0.08 |
| | Widened Road | SR-97 | 2.74 | 60 | 0.08 |
| | Widened Road | SR-129 | 4.41 | 60 | 1.03 |

URBAN AREA PLAN

| Road Type | Proposed Type | Proposed Road ID | Existing Width (m) | Proposed Width (ft) | Length (km) |
|-----------|---------------|---------------------|-----------------------|------------------------|----------------|
| | Widened Road | SR-144 | 2.20 | 60 | 0.15 |
| | Widened Road | SR-156 | 6.37 | 60 | 1.27 |
| | Widened Road | SR-157 | 2.51 | 60 | 0.18 |

Source: Upazila Towns Infrastructure Development Project and Proposed by Consulting Firm

11.4.1.2.3 Proposal for Improvement of the Existing Tertiary and Access Road

Access roads provide access to residential areas and properties therein. On-street parking is permitted providing that this will not block the access road.

Recommended reserve for tertiary is 30 feet and access is 20 feet. Junctions and access roads should be a minimum of 150 feet apart, although deviation to this will need to be accommodated in existing areas.

Direct access from residential properties will be permitted.

The phase wise road development proposal has been described in Chapter 14 (Ward Action Plan). The proposals for widening of access existing roads are listed in tabular form is shown in Annexure-B.

Map 11-2: Transport Plan Map of Nazipur Paurashava

URBAN AREA PLAN

11.4.1.3 List of Proposed New Roads

The Urban Area Plan provides brief description of any proposed transport improvements. The transport content of this plan has been developed around the framework of the Structure Plan. The specific transport proposals set out in the Urban Area Plan for public consideration include new road schemes and improvements, traffic management measures, the co-ordination of public transport services, the control of car and lorry parking and the improvement of cyclist and pedestrian safety. The proposals put forward for discussion to the mass people of the Paurashava. The Paurashava authority also advises about road development should not be duplicated in the public examination of Urban Area Plan and Ward Action Plans. Local Authority roads, which are not strategic, are not included in the Ward Action Plan and both the need for the road and the line of the route are matters for the Urban Area Plan to consider. A list proposed of new roads have been made after studying the existing road network, travel demand pattern, potential for future urban growth and conducting public consultation meeting with Paurashava officials, councilors, local people and other stakeholders.

| Road Type | Proposed Type | Proposed Road ID | Proposed Width (ft) | Length (km) |
|--------------|---------------|------------------|------------------------|----------------|
| | New Road | PR-484 | 100 | 0.22 |
| | New Road | PR-485 | 100 | 3.48 |
| | New Road | PR-486 | 100 | 2.39 |
| Drimon, Dood | New Road | PR-487 | 100 | 1.27 |
| Primary Road | New Road | PR-488 | 100 | 1.27 |
| | New Road | PR-489 | 100 | 0.46 |
| | New Road | PR-490 | 100 | 1.89 |
| | New Road | PR-491 | 100 | 7.65 |

11.4.2 Plan for Transportation Facilities

11.4.2.1 Transportation Facilities Plan

Bus Terminal

There is no designated bus terminal in this Paurashava. Considering inter-town movement of high speed vehicular traffic without interrupting safe urban living of the Paurashava inhabitants, an inter town bus terminal is proposed at the intersection of Chowmatha of Naogoan-Dhamoirhat main road.

| Level | Area (acre) | Ward No. | Mouza Name | Plot No. |
|--------------|-------------|----------|------------------|---------------------|
| | | 2 | Nojipur (217_00) | 1436,1438 |
| Bus Terminal | 1.87 | 3 | Palsa (215_00), | 494 |
| | | 4 | Palsa (215_00) | 492,493,494,495,513 |

Truck Terminal

The Nazipur Paurashava is the route to carry the goods. Besides, there is much importance of trucks for the Paurashava/Upazila. Therefore, a truck terminal is proposed to the extreme northeast of the Paurashava beside Naogoan-Dhamoirhat main road.

| Level | Area (acre) | Ward No. | Mouza Name | Plot No. |
|----------------|-------------|----------|-----------------|-------------------------|
| Truck Terminal | 0.77 | 2 | Rajpat (216_00) | 168,174,175,176,177,178 |

Tempo/Rickshaw Stand

Tempo and Rickshaw are now a major and cheap commuter in small towns that play important role in commuter transportation. There is no formal tempo stand in the Paurashava.

| Level | Area (acre) | Ward No. | Mouza Name | Plot No. |
|---------------------------------|-------------|----------|-------------------------|--------------------------|
| Rickshaw/Tempo Stand- 1 | 0.18 | 1 | Mamudpur (185_00) | 308,313,314,315,465 |
| Rickshaw/Tempo Stand- 2 | 0.20 | 2 | Nojipur (217_00) | 1206,1209,1210 |
| Rickshaw/Tempo Stand- 3 | 0.24 | 3 | Nojipur (217_00) | 389,1408,1409 |
| Rickshaw/Tempo Stand- 4 | 0.20 | 4 | Palsa (215_00) | 427,428 |
| Rickshaw/Tempo Stand- 5 | 0.25 | 5 | Puiya (213_00), | 495,956 |
| Rickshaw/Tempo Stand- 6 | 0.20 | 6 | Chok Joyram (248_00) | 469,475 |
| Rickshaw/Tempo Stand- 7 | 0.20 | 7 | Horirampur (218_00) | 644 |
| Rickshaw/Tempo Stand- 8 0.23 | 0.23 | 8 | Patichora (223_02) | 1643,1644,1645,1646,1648 |
| Rickshaw/Tempo Stand- 9 | 0.17 | 9 | Chandpur (219_00) | 1055,1076,1077 |

Bus Stop

A bus stop is a designated place where buses stop for passengers to board or leave them. These are normally positioned on the highway. The construction of bus stops tends to reflect the level of usage. Only Inter-Upazila bus movement pattern is observed to ply over the Paurashava and no town service is existed in this area. Through traffic is highly discouraged to pass over the central part of the Paurashava.

11.4.2.2 Parking and Terminal Facilities

There is no parking facilities provided in Nazipur Paurashava. People are habituated for parking beside the roads. This parking practice occupied considerable spaces and reduces the effective road width. Particularly in bazaar area where a number of markets exist the parking problem become acute during weekly hat days. If it is possible to integrate parking area for tempo, rickshaw, van, etc. near to Bazar area the congestion problem will be solved.

In order to mitigate the traffic congestion and traffic conflict at the Bazar area one parking area is proposed at the north side of Nazipur Paurashava (**Map 11-2**). On-street parking shall be prohibited on all roads within the Bazar area except at places where it is specifically permitted for parking.

Adequate terminal facilities will be provided at the bus and truck terminal for the convenience and comfort of the commuters.

The bus terminal should have to accommodate the following services:

URBAN AREA PLAN

- Ticket Counter
- Passenger-shed
- Workshop
- Cleaning and washing facility
- Loading and unloading place
- · Bus parking space
- Toilet facility
- Waiting room

Proposed facilities accommodate in the truck terminal complex:

- Workshop
- Cleaning and washing
- Loading and unloading place
- Truck parking space
- Toilet facility
- Canteen

11.4.2.3 Development of Facilities for Pedestrians, Bicycles and Rickshaws

Footpath may refer to sidewalk, which runs along vehicular roads. It is a separate lane exclusively designed for the purpose of pedestrian movement. The footpath is quite safe and free from any accident. Unfortunately, there is no footpath besides any road of Nazipur Paurashava.


The transportation system within residential neighborhoods should favor pedestrian movement and discourage vehicular through traffic in both new and existing neighborhoods. A pedestrian system that utilizes neighborhood streets and paths to link the residents with the commercial and school functions serving the area will be encouraged.

The provision of separate bicycle or rickshaw lane is not a requisite for a low level of non-motorized traffic movement pattern, which is prevalent in any Upazila level small town like Nazipur Paurashava.

11.4.2.4 Other Transportation Facilities

Roundabout

A roundabout is a type of circular intersection. It can handle much higher volumes of turning traffic. Their safety benefits result primarily from the control they exercise on approach speeds, and this makes them ideal for junctions at the entrance to towns and villages. They are also one of the safest ways of handling the transition between dual carriageways and single carriageways.



The presence of mixed traffic, including NMVs and pedestrians, means that roundabouts must be designed primarily for speed control. The proposed for development list of roundabout in Nazipur Paurashava is as follows:

Table 11-13: List of Proposed Roundabout in Nazipur Paurashava

| ID | Ward No. | Location |
|----|----------|---------------------------------|
| 1 | 03 | Sapahar Road |
| 2 | 03 | Old Bazar Road Intersection |
| 3 | 04 | Beside Peoposed Industrial Area |
| 4 | 04 | Nazipur-Dhamoirhat Road |
| 5 | 05 | Mataji Road Intersection |
| 6 | 07 | Chak Nirkhrin Road Intersection |
| 7 | 08 | Pach Matha Moar |
| 8 | 09 | Nazrul Islam Road Intersection |

Traffic Signs and Signals

Traffic signs and signals are required in order to provide for the safe and orderly movement of motorized and non-motorized traffic and pedestrians. These provide information about routes, directions, destinations and points of interest. They also provide information on regulations, which apply to specific locations or at specific times, and warn of hazards, which may not be evident. When a traffic sign is correctly used, the majority of motorists will comply with the posted regulation or warning, and drive in a safe and orderly manner. In order to minimize the rate of traffic conflict the following signs and signals should be provided at the key location considering the prevailing traffic situation and traffic management option.

Table 11-14: Traffic Control Facilities in Nazipur Paurashava

| Traffic Control System sub-division | | | Remarks |
|---|-----------------------------|------------------------|------------------------|
| | Regulatory | None | Should be Installed |
| Traffic Signs (Traffic signs are devices placed along, beside, or above a highway, roadway, | Warning | None | Should be Installed |
| pathway, or other route to guide, warn, and regulate the flow of traffic, including motor vehicles, bicycles, pedestrians and other travellers.) | Marker | None | Should be Installed |
| | Guide & Informational Signs | None | Should be Installed |
| | Others | None | Should be Installed |
| Traffic Signals (Traffic signals are electrically open which alternately direct traffic to stop and | None | Should be Installed | |
| Traffic Police control Hour (Under this system persons according to law by local/national authoriti of traffic and to prevent and/or report any breach or roadway.) | None | Should be Installed | |

Source: Transportation Survey of Nazipur Paurashava by AQUA, 2010

11.4.3 Waterway Development/Improvement Options

There is no existing waterway network within the vicinity of the Nazipur Paurashava and there is a proposal for its establishment from higher authority. Thus, waterway development option is applicable for Atrai river at Nazipur Paurashava.

Table 11-15: List of Proposed Boat Ghat in Nazipur Paurashava

| Level | Area (acre) | Ward No. | Mouza Name | Plot No. |
|-----------|-------------|----------|----------------------|---------------------------------|
| Boat Ghat | | 2 | Badpuiya (214_00) | 2,68 |
| | 0.98 | _ | Rajpat (216_00) | 53,54 2,3,4,5,6,7,8,30,31,32 |
| | | 4 | Badpuiya (214_00) | |

11.4.4 Railway Development Option

There is no existing railway line in the vicinity of the Nazipur Paurashava and there is no proposal for its establishment from higher authority. Thus, railway development option is not applicable at Nazipur Paurashava. The consultant proposed a railway station for Nazipur Paurashava.

Table 11-16: List of Railway Station in Nazipur Paurashava

| Level | Area (acre) | Ward No. | Mouza Name | Plot No. |
|-----------------|----------------|-------------|-----------------------|--|
| Rail Station | 3.20 | 8 | Patichora (223_02) | 1655,1656,1657,1658,1659,1660,1661,1662,1663,1664,1665,16 94,1695,1696,1697,1698,1699,1700,1701,1702,1703,1704,1766 ,1767,1774,1775,1776,1777,1778,1779,1780,1781,2018 |

11.5 Transportation System Management Strategy (TSM)

Traffic Management for Nazipur Paurashava is not just to consideration of vehicle movement rather considering the suitability to walk comfortably, to ride bicycle, distance consideration, easy access to market, parking facilities, etc. Traffic management context for a local Town can be reconsidered as the following Figure:

11.5.1 Strategies for Facility Operations

□ Creation of major linkage

As the town grows and the traffic intensifies on the streets, an efficient network of roads has to be built based on major North-South link. This would ensure direct connection between different curial nodes of the network and help reduce both travel length and time. This is a nonstop process and will be closely in interaction with the spatial development policies for the Town.

Lane-based traffic management

Determining number of lanes on every street and their individual capacity and rooting the traffic management and any future expansion on that capacity assessment. Lanes can be designated for different modes. Use of every segment of the road has to be pre-designed and clearly defined e.g. movement, parking, pedestrian crossing etc.

Promote use of FFT (Fuel Free Transport) and discourage FDT (Fuel Dependent Transport)

Use of fossil fuel and harmful emissions are a major environmental issue all over the world. That's where FFT can play a vital role. Modes like walking, bicycling are in general called 'green transport' for their environmental friendliness. Promotion of these means of mobility can eliminate long-term negative impacts of fuel-based vehicles and enhance health and safety of the inhabitants.

Promote Plantation on the Walking way besides of the Roads

Embankment cum Roads and other major roads have been proposed for promoting plantation with street furniture.

Providing Properly Designed Pedestrian Ways

Nazipur Paurashava has no provisions of pedestrian ways, which is one of the major crucial problems for the Town in Transport sector. All necessary facilities should be provided for the pedestrians. A designed pedestrian ways must be integrated closely with other transportation elements so that walking becomes a recognized mode and becomes a pleasure and a place for brief social gatherings for the Paurashava dwellers.

Road space allocation:

Road space should be allocated among different mode and use based on the hierarchy of the road and its adjacent land-use. This is essential for safety and effectiveness of the road.

Development & availability of Public Transport (PT)

This should form the major share of the motorized vehicle. PT has to be available within comfortable walking distance from any part of the Paurashava. Maintenance of an efficient public transport provides a cheap and accessible solution for mass movement.

□ Preserve and utilize natural network (adjacent River/ Khals) as Transport Corridors

Establishing the network of Khals and River as vital corridors of transportation, especially for goods movement would create a viable alternative to road transport and also help preserve this traditional mode. Water transport is usually cheap and as goods delivery generally has a lead time, waterways can play crucial role in this sector. It can also serve recreational purposes for the city dwellers.

Minimizing Transfer Times

The present deficiencies in the inter-modal integration of the transport system are economically unsustainable in the long run. The current systems are time consuming to travel by more than one mode for the Town of Nazipur Paurashava.

Integrating the Management of Land Use and Transportation in Nazipur Paurashava

The growth of the Town still concentrated to the core part of the area adjacent to the bazaar area which is just North Portion of the Municipality. To bring out a proper traffic and transport design

core part of the town have to manage with high consideration and the semi core and fringe area should have to design for future projection basis.

11.5.2 Strategies for Traffic Flow and Safety

The following strategies have been identified for Traffic flow and safety

□ Avoid dispersed and scattered development patterns

Dispersed and scattered type of development promotes 'sprawl' and increases for travel. It raises the need for more and more transport corridors inducing ever greater traffic.

Consider traffic impact of land use and occupancy of structure while giving building construction and land use permit

Kind of use for the any structure has to be clearly defined. 'Transportation Clearance' should be given considering the structure size and proposed use and has to be a compulsory criterion for receiving building permit.

Effective road network design has to consider for the mixed land-use areas that provide both places to live and work

Mixed land use provides the commercial base for supporting viable public transit. For providing effective road network design the study has been proposed the road cross section according to the road categories.

Widening the existing Roads

All existing Roads have to be widening according to the Land use Importance.

Provide parallel service roads along the National Highway and Ensure less Use of this Highway from Local Purposes

Direct connection of over access roads, cattle using, haphazard way passenger/ vehicle over-crossing, adjacent tea shops/vegetable markets etc should be avoided. For this purpose service roads have been proposed for the High way to save from over connection of local roads and other high way related services.

□ Separate lane for NMT

Provisions of Separate lane for NMT will help to avoid traffic jam and conflicts.

Pedestrian First

All the roads of the Paurashava necessary facilities should be provided for the pedestrians. A designed pedestrian ways must be integrated closely with other transportation elements so that walking becomes a recognized mode and becomes a pleasure and a place for brief social gatherings for the city dwellers.

Parking Provision

Auto Rickshaw, Rickshaw stoppage will be provided on the suitable place for the present need and also for growing future demand. Set up Rickshaw or Auto Rickshaw stops on street corners and other suitable locations.

11.5.3 Strategies for Traffic Management

The following strategies have been identified for Traffic Management

□ Formulate a Local Area Traffic Management Unit (LATMU)

Designing, modeling and at last managing traffic and Transport is not an easy task. It needs important decisions of policy makers from both Public and Administrative representatives. For the Upazila Towns Mayor is the principle for taking any decisions whereas traffic and Transport related decisions require a Coordination Board where high official's opinion is very much important. For this purpose a small Town Transport Planning and management unit is require to manage traffic and transport situations.

Integrating the Management of Land Use and Transportation in Nazipur Paurashava

As transport is basically a function of land use, any proposed development should be examined with respect to the traffic impact it has on the locality. Kind of use for the any structure has to be clearly defined. 'Transportation Clearance' should be given considering the structure size and proposed use and has to be a compulsory criterion for receiving building permit.

The growth of the Town still concentrated to the core part of the area adjacent to the bazaar area which is just North Portion of the Municipality. To bring out a proper traffic and transport design core part of the town have to manage with high consideration and the semi core and fringe area should have to design for future projection basis. Mixed land-use creates vibrant, lively neighborhoods/communities and reduces the need for longer distance travel and commuting. Short distances travel also encourages use of sustainable alternatives like walking and bicycling. Mixed land use provides the commercial base for supporting viable public transit. This would also imply restricting development of new strictly single-use zones (like residential, commercial etc.)

Dispersed and scattered type of development promotes 'sprawl' and increases for travel. It raises the need for more and more transport corridors inducing ever greater traffic. Therefore, avoiding and discouraging this kind of development by various policy measures would help reduce creating new trips.

Developing an Integrated Transportation System

As there is no transport studies have conducted before for the Upazila Towns, no serious effort has been made for the functional integration of different modes of transport. However, it is well known that without effective integration of transportation systems, economic benefit, convenience and comfort from transportation services cannot be derived.

Avoid dispersed and scattered development patterns

Dispersed and scattered type of development promotes 'sprawl' and increases for travel. It raises the need for more and more transport corridors inducing ever greater traffic. Therefore, avoiding and discouraging this kind of development by various policy measures would help reduce creating new trips.

Need for Integration between Modes

The main challenge in the area is to identify and link together the most appropriate modes for any journey. Unfortunately the existing modes (BUS -Try Auto Rickshaw -NMT) are acting

independently of each other. As a result the passengers suffer due to the lack of inter-connection and scheduling and freight traffic faces delays and increased costs particularly when it is carried by waterways from outstations for destinations inside of the Paurashava. There is an urgent need for integration between modes for economic reasons and for convenience and comfort of the passengers. Traffic management is the It encompasses traffic engineering, but also includes policy making, planning and consultation processes and that's why a traffic management unit has to be launched. One traffic management unit will launch which will be under the UpazilaParishad and must be merged with the Paurashava for regulation, organization, guidance and control of all kinds of stationary and moving road users, and vehicles, including pedestrians, cyclists, motorcyclists, truck and cars, respecting the needs of abutting land uses.

□ Aspects of Access Control

Maximum use should be made of the existing infrastructure before new roads are contemplated. In moving towards areas of vehicle restrictions and the management of demand a number of measures will be necessary in order to reduce congestion and pollution in the core part of the Town.

Minimizing Transfer Times

The present deficiencies in the inter-modal integration of the transport system are economically unsustainable in the long run. The current systems are time consuming to travel by more than one mode for the Town of Nazipur Paurashava.

11.6 Plan Implementation Strategies

11.6.1 Regulations to limplement the Transportation Plan

There is no specific policy provided for the local urban traffic and transport management for the small town of Bangladesh though there exists National Land Transport policy for Bangladesh. For this purposes to implement the transport plan national land transport policy can be followed. Again a traffic transport management authority must have to provide merge with Paurashava urban planning sector to manage transport related development and implementation.

The roles of the municipality will be largely unchanged. Their functions will still be to provide essential services for the population including in the transport sector – public transport, traffic management signal systems, parking control and management and street lighting. The development of transport systems and infrastructure within the municipalities will be in accordance with the Structure Plan that will be provided under the Master Plan.

Effective co-ordination in transport

Better coordination to be established between the UpazilaParishad and Departments under its control; & regulations will be formulated to achieve the goal of creating better working links between the Government and the public and private sectors. A committee has to develop to monitor the entire development project of the Paurashava to analysis about transport sector violation.

Government to promote clearer objectives and responsibilities for each sector in order to create more integrated working relationships.

Promoting the role of the transport users

The Government will examine how best the interests of users can be represented within the existing national government and local authority system; The Government will establish a user role within its transport planning process.

Transport users should pay for the costs of services

The Government makes arrangements to realize cost of transport operation and road maintenance from road users through new fiscal policies; to protect public interest, the Government will regulate tariffs for passenger and goods both in road and rail transport.

Subsidies for transport services

The government should allow subsidy to the transport sector only on consideration of public interest.

11.6.2 Implementation, Monitoring, Evaluation and Coordination of the Plan

In Urban area planning the most significant role will be played by Paurashava planning section. The Planning Department will carry out the entire work of project initiation and plan formulation. These works are complicated and time consuming, and require multidisciplinary professionals. But there is no provision of Planning Department in Nazipur Paurashava. It is not possibly by the existing Paurashava personnel to undertake UAP programme after discharging all its regular office functions. This would necessitate strengthening of the institutional capacity of the traffic and transport Planning Department. Under the reorganized organogram of the Planning Section, a Planning Unit can be created to deal with all affairs of area planning for the 'B' category Paurashava.

Under the current government policy regarding public sector agencies, it is unlikely that a major reshuffling can be achieved in improvement of existing manpower position of the Planning Department. As a result a large part of the planning process may have to be done through private consultancy.

According to the Paurashava Planning Law 2009, Paurashava will, in the prescribed manner, prepare and execute a Road Maintenance and Development Program. A Paurashava also maintain the measures on Street lighting, street watering, traffic control, and public vehicles. They will maintain such public streets and other means of public communication as may be necessary for the comfort and convenience of the inhabitants of the municipality and of the visitors thereto.

Chapter 12: Drainage and Environmental Management Plan

A. Drainage Plan

12.1 Introduction

The purpose of the Drainage Plan is to make an assessment of the present drainage facilities and the scope for future development within 3239.16 acres study area of the Nazipur Paurashava that consists of partially developed commercial, residential area and infrastructure. The purpose of the survey was to gather information available and use them at the time of the preparation of the Drainage Plan that shall act as a guiding document for designing of drains in future. This Drainage Plan shall be a planning tool and shall be used as a guideline for Nazipur Paurashava that shall be responsible for the approval of drainage improvements. In the past, the term drainage included only the hydrologic and hydraulic aspects for discharge of storm runoff. Perhaps the most pressing challenge that now a days we face include the management of our water resources and flood hazard, maintain a continuous supply of water for industrial, agricultural, transportation, recreation, and potable water for present and future generations. The Drainage Plan aspects shall also include the flood and water resources management and pollution abatement. The Drainage Plan will propose improvements necessary to the major drainage systems to accommodate storm runoff of the Nazipur Paurashava. This planning process will consider both structural and nonstructural techniques to reduce the effect of the storm runoff which may be summarized as follows:

- Improvements to major drainage outfalls
- Improvement of the drainage network
- Management of available water resources
- Conservation of existing natural drainage channels

12.1.1 Goals and Objectives

Following are the overall objectives of the drainage plan of Nazipur Paurashava:

- To allow smooth drainage of storm water and the waste water of the town.
- To develop a comprehensive drainage network with area coverage and capacity.
- To prevent encroachment to natural drainage system.
- To create awareness about disposing of solid waste in the drainage system.

12.1.2 Methodology and Approach to Planning

Preparation of the Drainage Plan involves (I) analyzing the existing conditions related to drainage facilities and the flood management (II) identifying major drainage outfalls and on the basis of the outfalls splitting the total drainage area into a number of drainage zones (III) defining all pertinent design criteria and (IV) defining drainage facility requirements and sizing.

The drains are designed to collect excess rainfall that comes as surface runoff from urban area, convey the runoff and finally discharge them to outfalls. The design of drains involves hydrological computations of rainfall intensity, its frequency of occurrence, duration etc., and the total runoff of a

particular catchment area. The US Soil Conservation Service (SCS) method shall be used as an alternative of the Modified Rational Method for larger catchment areas.

In Modified Rational Method, the overall watershed is divided into zones that contribute to hydraulically significant points of concentration. The boundary of the zones is established based upon local topographic boundaries such as streets, existing drainage systems, etc., using good engineering practice.

12.2 Existing Drainage Network

12.2.1 Introduction

For the preparation of Drainage Plan, survey started through field reconnaissance and review of available document related to the study area. The Nazipur Paurashava and its adjacent area have been visited several times to identify the sources of flooding, existing drainage pattern, flood flow pattern and geographical position of the study area. Field trips have also been carried out to identify the infrastructures, rivers, canals, beels, ponds etc., those required to be surveyed for preparation of maps. It is investigated whether any Drainage Plan has been prepared by any other agency. The Mayor of Nazipur Paurashava informed that no such plan has been prepared earlier.

12.2.2 Existing Drainage System/ Network

The drainage system of the Nazipur Paurashava has been surveyed and classified into three categories: (i) unlined natural canals and khals acting as primary drains, (ii) beels playing important role in acting as retention ponds and (iii) brick masonry secondary and tertiary drains and earthen shallow secondary drains. The natural primary drains of the Nazipur Paurashava have emerged as a natural process following the natural slope of the ground, for the flow of storm runoff without human intervention. The existing drains of Nazipur Paurashava are listed in **Table 12-1** below.

Table 12-1: List of Existing Drains in Nazipur Paurashava

| SI No | Location | Туре | Ward No | Length (m) | Width (m) | Start | End (Outfall) |
|----------|-----------------------------------|-------|------------|------------|--------------|--|------------------|
| 1 | Along Sapahar Road | Pucca | 2 | 140.246 | 0.3 | Cornar of Sapahar Road | Atrai River |
| 2 | Along Naogaon_Damurhat Road | Pucca | 7 | 97.41 | 0.6 | Intersect point of Naogaon_Damurhat road | Another drain |
| 3 | Along Mataji Road | Pucca | 3,6 | 240.302 | 1.1 | Industry Mor | Another |
| 4 | Old bazar | Pucca | 3 | 118.104 | 0.4 | Old bazar | Atrai River |

Source: Drainage and Environmental Survey in Nazipur Paurashava, 2010

These drains are constructed by the Paurashava and the DPHE. The DPHE after construction handed over its drains to Paurashava for maintenance. Within the Paurashava total 6.27 km brick drains so far constructed.

12.2.3 Analysis on land level (Topography)

Land Levels/Spot Levels

The Total Station (TS) based surveys were conducted for measuring the spot levels/land levels of the project area (Northing, Easting, Elevation or RL). Later on these spot levels were used for generating the contour of the project area. In general the spot levels on the land were taken approximately at 10 meter intervals.

Maximum level of Nazipur Paurashava is 23.4 m and lowest point is recorded as 12.0 m. Average elevation of Nazipur Paurashava area is derived as 19.51 m. Average spot height gives the indication of relative of various wards. From the average spot height given below it seen that ward 2, 3, 6, 8 and 9 are comparatively high land area.

Details statistical summary of land levels survey are shown in Table 12-2 and Table 12-3 below.

Table 12-2: Summary of Spot Level Data of Nazipur Paurashava

| Spot Level | Statistical |
|-------------------------|-------------|
| Total Spot Level Points | 8072 |
| Highest Elevation | 22.9 m |
| Lowest Elevation | 12.1 m |
| Mean | 19.17 m |
| Standard Deviation | 1.17m |

Source: Topographic Survey in Nazipur Paurashava, 2010

Table 12-3: Characteristics of Land Levels of Nazipur Paurashava

| Ward No | Land Level Characteristics |
|------------|----------------------------|
| Ward no 01 | Low |
| Ward no 02 | Medium |
| Ward no 03 | High |
| Ward no 04 | Medium |
| Ward no 05 | Medium |
| Ward no 06 | Medium |
| Ward no 07 | High |
| Ward no 08 | Medium |
| Ward no 09 | Medium |

Source: Derived from Topographic Survey Data of Nazipur Paurashava, 2010

General Contour Descriptions

Nazipur Paurashava is situated in a high land area. More interpretation can be derived from a Surface Analysis. In the following there are two maps. The first **Map 12-1** shows the contour description and **Map 12-2** surface analysis of Nazipur Paurashava. From the surface analysis map it can be deduced that most of the area of ward 1,2, 5 and 9 are medium on the other hand most of the area of ward 3, 6 and 7 are higher compared to other wards. In this core area there many commercial structures and there is also Paurashava office.

Table 12-4: Land Use Category with Spot Heights (mPWD) in Nazipur Paurashava

| Land Use Category | Mean Spot Height (mPWD) |
|---------------------|-------------------------|
| Agricultural Land | 19.31 |
| Commercial Activity | 20.59 |
| Water body | 18.12 |
| Mixed Use | 20.61 |
| Resedential | 19.99 |
| Urban Green Space | 20.13 |

Source: Topographic Survey in Nazipur Paurashava, 2010

Map 12-1: Contour Map of Nazipur Paurashava

| azipur Paurashava Master Plan 2011-2031 | | | | | |
|---|----------|--|--|--|--|
| URBAN AREA PLAN | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Map 12-2: Surface Analysis (IDW Method) of Nazipur Paurashava | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| CHAPTER 12: DRAINAGE AND ENVIORNMENTAL MANAGEMENT PLAN | Page 134 | | | | |

12.2.4 Analysis of peak runoff and identification of drainage outfalls

The size and shape of the catchments or sub-catchments for each drain shall be determined by planimeter from topographic maps and by field survey. In determining the total runoff of a catchment area the following assumptions to be made:

- The peak rate of runoff at any point is a direct function of the average rainfall intensity for the Time of Concentration to that point.
- The recurrence interval of the peak discharge is same as the recurrence interval of the average rainfall intensity.
- The Time of Concentration is the time required for the runoff to become established and flow from the most distant point of the drainage area to the point of discharge.

Regarding runoff discharge it has been observed that there are 2 number of khals passing through the Nazipur Paurashava. Those are the only natural drainage channels which receives part of the runoff volume from part of the town.

It has been observed from the drainage network survey that 1.57 km brick masonry drains have been constructed by the Paurashava and the DPHE during last few years. Some of the drains are working properly but most of them are temporarily connected to ditches or discharging to paddy field. These drains have been constructed in an unplanned way and without considering proper outfalls. The drains are constructed as piece meal, no proper size and gradient has been maintained. As a result, with the expansion of township some of them already have to abandon. The common run-off coefficients of different types of areas are listed in **Table 12-5** below.

Table 12-5: Common Run – off coefficients for Different Types of Area

| | Run-off Coefficient: C | |
|-------------|--------------------------------|-------------|
| Dualman | Downtown areas | 0.70 – 0.95 |
| Business | Neighborhood area | 0.50 - 0.70 |
| | Single – family areas | 0.30 - 0.50 |
| | Multi – units, detached | 0.40 - 0.60 |
| Residential | Multi – units, attached | 0.60 - 0.75 |
| | Suburban | 0.25 – 0.40 |
| | Apartment dwelling areas | 0.50 - 0.70 |
| | Light areas | 0.50 - 0.80 |
| | Heavy areas | 0.60 - 0.90 |
| Industrial | Parks, cemeteries, playgrounds | 0.10 – 0.35 |
| iliuustilai | Rail road yard areas | 0.20 - 0.40 |
| | Unimproved areas | 0.10 – 0.30 |
| | Streets; Driveways and roofs | 0.10 – 0.95 |
| | Sandy soil, flat, 2% | 0.05 – 0.10 |
| | Sandy soil, avg, 2 – 7% | 0.10 – 0.15 |
| Lauma | Sandy soil, steep, 7% | 0.15 – 0.20 |
| Lawns | Heavy soil, flat, 2% | 0.13 – 0.17 |
| | Heavy soil, avg, 2 – 7% | 0.18 – 0.22 |
| | Heavy soil, steep, 7% | 0.25 – 0.35 |

Source: Handbook of Hydrology, by - David R. Maidment

URBAN AREA PLAN

12.3 Plans for Drainage Management and Flood Control

12.3.1 Plan for Drain Network Development

Sustainable drainage network system, an alternative to conventional drainage is introduced to mimic natural drainage, with the aim of reducing flooding and improving the quality of water draining from urban surfaces (runoff). A comprehensive drainage network is developed leaving the existing beels and khals to remain their natural form. To solve the overall drainage problem of the Nazipur Paurashava a Drainage Plan has to prepare as integral part of Paurashava Master Plan. Total 6.74% land of Nazipur Paurashava is occupied by ponds, ditches, beel and water bodies. During preparation of land use plan special emphasis to be given to retain the existing water bodies. Special attention to be given to protect the khash lands of khals and beel from illegal encroachment and no circumstances it shall be allowed to change their nature. As part of the Drainage Plan the Paurashava to be divided into several drainage zones. Runoff from each drainage zones shall reach to the primary drains. The existing tertiary drains those will match with the proposed network will be rehabilitated, those not have to abandon.

12.3.1.1 Drain Network Plan

Drainage network plan is intended primarily for flood mitigation, water logging and erosion control. It comprises of the proposed new drains along with improvement of existing drainage structures, embankment and sidewall. Outfall location of each existing and proposed drain was designated after assessing the flow direction of existing canal network and land slope.

12.3.1.2 Proposal for Improvement of the Existing Drainage Networks

In order to drain out the anticipated future peak runoff to be generated from rainfall due to increase in impervious land cover as well as built-up areas and to mitigate the vulnerability of rainfall induced flooding and water logging, some existing secondary drains have been identified for improvement. The details of improvement of identified existing drains are shown in **Table 12-6**.

Table 12-6: List of Drains for Proposed Improvement

| SI No | Location | Туре | Ward No | Length (m) | Width (m) | Start | End (Outfall) |
|-------|-----------------------------------|-------|------------|---------------|--------------|--|------------------|
| 1 | Along Sapahar Road | Pucca | 2 | 140.246 | 0.3 | Cornar of Sapahar Road | Atrai River |
| 2 | Along Naogaon_Damurhat Road | Pucca | 7 | 97.41 | 0.6 | Intersect point of Naogaon_Damurhat road | Another drain |
| 3 | Along Mataji Road | Pucca | 3,6 | 240.302 | 1.1 | Industry Mor | Another drain |
| 4 | Old bazar | Pucca | 3 | 118.104 | .4 | Old bazar | Atrai River |

Source: Drainage and Environmental Survey in Nazipur Paurashava, 2010

12.3.1.3 List of Proposed New Drains

For effective functioning of existing drainage network, some new drains have been proposed in the project area. Proposal of new drains has been prepared based of analysis of topographic map, existing drainage network, field visits and consultation with the Paurashava officials and local people. The proposed drains along with existing drains and other drainage infrastructures are shown in **Map 12-3**.

Table 12-7: List of New Drains Proposal

| Туре | ID | Length (m) | Average Outfall | | Remarks |
|-----------|-------|------------|-----------------|-------------|---------------|
| | PD-1 | 1318.20 | 1.00-2.00 | Atrai River | Covered Drain |
| | PD-2 | 1332.99 | 1.00-2.00 | Atrai River | Covered Drain |
| Primary | PD-6 | 1596.52 | 1.00-2.00 | Atrai River | Covered Drain |
| Drain | PD-38 | 1318.20 | 1.00-2.00 | Atrai River | Covered Drain |
| | PD-40 | 1332.99 | 1.00-2.00 | Atrai River | Covered Drain |
| | PD-67 | 1596.52 | 1.00-2.00 | Atrai River | Covered Drain |
| | SD-9 | 796.93 | 0.80-1.00 | PD-6 | Covered Drain |
| | SD-12 | 1671.25 | 0.80-1.00 | PD-6 | Covered Drain |
| | SD-47 | 1603.92 | 0.80-1.00 | PD-38 | Covered Drain |
| | SD-64 | 912.05 | 0.80-1.00 | Atrai River | Covered Drain |
| Secondary | SD-65 | 439.62 | 0.80-1.00 | PD-38 | Covered Drain |
| Drain | SD-68 | 619.17 | 0.80-1.00 | PD-6 | Covered Drain |
| | SD-70 | 1765.03 | 0.80-1.00 | SD-68 | Covered Drain |
| | SD-72 | 537.78 | 0.80-1.00 | PD-38 | Covered Drain |
| | SD-73 | 615.72 | 0.80-1.00 | Atrai River | Covered Drain |
| | SD-74 | 417.89 | 0.80-1.00 | PD-38 | Covered Drain |

Map 12-3: Drainage Plan Map of Nazipur Paurashava

URBAN AREA PLAN

12.4 Plan Implementation Strategies

Nazipur Paurashava is affected frequently by rainfall run-off due to inability of the existing secondary and tertiary drains to drain out the run-off efficiently. There are inadequate no of secondary and tertiary drains in Nazipur Paurashava. Presently due to lack of adequate no of secondary and tertiary drains, most of the areas of the Paurashava are subjected to water logging during the intensive rainfall in the monsoon period. The existing secondary and tertiary drains may be improved and its different component needs to link with an overall integrated system. The existing borrow pit along the highway, secondary and tertiary drains are observed to suffer from continued negligence in respect of maintenance, clearing, removal of blocking etc.

The existing borrow pit/ drains will be incorporated into the proposed system to the extent to achieve available drainage system for the Paurashava. The drainage management plan of the Paurashava has been prepared for the peak monsoon period when the drainage system stands critical and drainage problem develops due to blocking, inadequate section of the khals and obstruction in the drainage path. Therefore, adequate numbers of new secondary and tertiary drains have to be constructed, following a systemic drainage network.

12.4.1 Regulations to implement the Drainage and Flood Plan

In preparing drainage management plan, the flowing design approach has been presented in this report. In the design approach, the Consultants have considered the practical aspects of desired results, cost efficiency, durability including ease of construction and maintenance. Visible social improvements for the urban population are considered to be the most important and mitigation of the annual flooding damage is considered to be the greatest tangible benefit. Reduction of diseases, infant mortality and increase of life span are considered to be the greatest intangible benefits.

In line with these considerations, the following broad approach has been adopted in preparing the drainage management plan for Nazipur Paurashava.

Channel Improvement

Canal and channel improvement means the improvement and re-excavation of existing open channels. The existing all Khals need excavation and removal of all illegal structure along the path.

Land Acquisition

New land acquisition has to be kept to as absolute minimum due to the high cost and time required for acquisition. New land acquisition is negligible as most of the proposed drains passes through land owned by Paurashava or Khas land.

Storing and Detention Ponds

Existing borrow pits, ponds, low pockets within the urban areas and agricultural low lands within the fringe area, all act as retention ponds and all these serve to delay the peak floods during heavy storms. The retention areas also recharge the aquifer water level. In the absence of internal storage areas within the Paurashava area, the existing ponds (>= 0.25 acre), proposed retention area, low pockets etc. continue to serve as reservoir in the coming years and the Paurashava should endeavor to remain these low lands in the future.

Drainage System Capacity

The drainage systems (tertiary and secondary drain) has been designed to handle the average runoff for 1.1 year recurrence interval for tertiary drain and 2 years recurrence interval for secondary drain from peak storms without overflowing considering the estimated development level as up to the year 2031. This means that fully built-up areas will be designed for the present situation, while areas, which are not fully built-up, will have excess capacity to handle rainfall of greater intensity during the developing period.

Drainage Channel Sections

The drainage system has been designed to handle the average annual run-off from peak storms with 100mm freeboard for tertiary drain and 150mm freeboard for secondary drain overtopping.

Three standard open channel sections are proposed to be used for the works, as shown in the following table. The rectangular pucca Type-1 drain is suitable for collection of run-off from medium size catchments areas and is proposed to be used for tertiary roadside drains and secondary drains in congested areas. Type- 1 drain may be constructed from brick or reinforced concrete, as most appropriate and economical one.

The trapezoidal section of drain Type- 2 and 3 are suitable for collection of run- off from medium and large catchments areas, and are to be used for secondary and primary drains in unconstructed areas. Drain Type- 2 is proposed to be pucca drain using nominal reinforced concrete with cement plaster surface to improve its flow characteristics and durability and to reduce the long term costs of cleaning and maintenance. Drain Type- 1 is also proposed to be a pucca drain using brick work lining, but may initially be constructed as an earthen (Katcha) drain suitable for future upgrading depending on the availability of land, flow requirements and cost. The bottoms of drains Type- 2 and 3 are to be redesigned with a transverse slope of 1:8 (V: H) to keep the flow velocity as high as possible during the dry season.

Construction criteria and locations to be used are shown in the following Table 12-7.

Table 12-7: List of Construction Criteria and Locations

| SI. No. | Type of Drain | Construction Criteria | Locations to be Used |
|------------|---------------|-----------------------|---|
| 1. | Type- 1 | Lined, Brick, work | Tertiary and secondary improvement on the existing drains |
| 2. | Type- 2 | Lined, Brick | Secondary and primary drains |
| 3. | Type- 3 | Lined, Katcha Drain | Primary katcha drains |

Trash Rack and Sumps

Trash racks and sumps are normally used to prevent debris (silt/ solid wastes) from entering into the drainage systems where major problems could occur as a result of debris accumulation. Trash racks and sumps are considered appropriate for the Paurashava situation. In the drainage management plan, locations for trash racks and sumps along the major road network will identify during preparation of final plan.

Preventive Maintenance Program

For the proper functioning of the drainage system, it is essential to have an appropriate maintenance program. The program must include inspection, enforcement, cleaning and repair. The frequency of inspection and cleaning will be dependent on the season of the year with more frequent inspection and cleaning at the start of the rainy season and on the importance of the drain. The maintenance programs are:

a) Inspection

- Open pucca drains monthly in general; weekly in market areas
- Covered pucca drains monthly with drains opened in February
- Kutcha drains monthly
- All drains following first heavy rainfall in year

b) Cleaning

- Open pucca drains as required
- Covered pucca drains in February when opened
- Kutcha drains and culverts January to February prior to rains
- All drains as revealed by inspection

The inspections will also show where repairs are required and where encroachment into the drain and deliberate blocking of the drain is taking place. Appropriate action to enforce the regulations must be initiated immediately. The cleaning of permanently closed pucca drains and small culverts is difficult and time consuming. New drains should have removable covers to facilitate cleaning.

Responsibility of development and construction of khal/drains rests with Engineering Department. Whereas, the responsibility of cleaning and conservancy of drains is falls under the conservancy section under health department. Operation and maintenance of drains of the Paurashava involve the set vices in the following areas.

- Conservancy (Cleaning of drains)
- Mosquito killing
- Solid waste management
- Structural maintenance of drains

It is essential that the Paurashava should develop a routine preventive maintenance program for the drainage system. The structural improvements to be taken up under the project will provide a sustainable benefit. A failure to develop the capacity and methods related to preventative maintenance program will entirely eliminate the benefits of the program in the long run.

Though the needs and methods must ultimately be identified by the personnel responsible for the maintenance, it is suggested that the following guidelines should be followed for initial development of the staffing and equipment for a preventive maintenance program:

- drain should be cleaned once per month, but not less frequently than once per three month;
- task objective for I cleaner/sweeper should be 50m of primary / secondary drains, per day;
- supervisors should be provided at the rate of 1 Jamader for-each 10 sweepers, and I sanitary inspector for each 4 Jamaders;

 adequate equipment should be provided for efficient operations of cleaning crews, including wheel barrows and miscellaneous hand tools for each drain cleaner, 3 ton dump truck for waste transport and disposal.

Based on this, standard drain cleaning crews consisting of 51 cleaners, 5 Jamaders and 2 sanitary inspectors will be adequate to carry out the routine preventive maintenance operation required to keep the system in good operating condition.

12.4.2 Implementation, Monitoring, Evaluation & Coordination of the Plan

In some specific area of Nazipur Paurashava, there are some scattered low-lying areas which are subjected to water-logging during and after heavy rainfall in a year between July and August normally for 30-40 days. The depth of stagnant water varies between 0.25 m to 0.35m and usually lasts for 4.00 to 6.00 hours. The water—logging situation is likely to further aggravate in the years to come with increasing urbanization. The primary causes of this water-logging are as follows:

- Lack of cleaning and maintenance of the khals/drains
- Unplanned and under designed existing drainage system
- Obstruction and encroachments in the khals/ drains
- Lack of construction and integration of tertiary, secondary drains and primary khals
- Due to non-existence of drains in different places.

In order to address the above mentioned problem the following proposals have been made in the drainage master plan:

- The proposed drainage system for Nazipur Paurashava has been planned with a view to discharges most, of the storm run-off in the Baniazal Khal and Binuzal Khals by gravity flow and no pumping is necessary.
- Under the provision of proposed drainage master plan, major khals constitute the storm
 water run-off delivery system and have been defined as the primary khals. Timely
 undertaking of the drainage master plan including study is considered a timely venture to
 know the drainage issues within Nazipur Paurashava and to formulate and investment
 project to reduce sufferings of the Paurashava residents.
- The proposed drainage management plan is justified technically, economically and socially. The priority program is recommended for implementation considering the present serious drainage problems faced by the Paurashava residents. The project after implementation will mitigate the major drainage problems in the core and semi-core area where the density of population varies from high to medium.
- The proposed drainage master plan is likely to be co-coordinated with other utility providing organizations to avoid over-lapping and duplication. As such, very close coordination with DPHE, BWDB and other utility organizations should be maintained during the project implementation so that, disruption does not take place in utility services.
- It is recommended that cadre cost of the first phase of the project priority program is funded as grant financing to Paurashava by ADB because the Paurashava is not in a position to implement this project from their own resources.
- The revenue collection of Nazipur Paurashava is moderate. The Nazipur Paurashava authority' is unable to make assessment of tax timely. Nazipur Paurashava shall have to improve significantly in revenue collection and the efficient financial management so that

URBAN AREA PLAN

- the Nazipur Paurashava can properly maintain the drainage system including the control of environmental sanitation.
- Financial sustainability is possible by increasing revenue collection efficiency with activities
 like more arrear collection & re-assessment of taxes in regular intervals. Re-assessment in
 every 5 years is recommended. Re-assessment process should commence sufficiently in
 advance so that appeal process could be completed prior to the effective date. Distress
 warrants against big-defaulters both in terms of amount due and years overdue may be
 executed in order to achieve good Governance & financial sustainability.

B. Environmental Management Plan

12.5 Introduction

URBAN AREA PLAN

Improvement of the environmental system has been identified as one of the highest priority needs of the Paurashava authority as well as the resident. This is an essential part for the future development of the urban areas. The main objectives of the environmental study are to assess the existing environmental condition in the Nazipur Paurashava and to identify the future requirements of the control over environmentally critical and vulnerable areas and living things.

12.5.1 Goals and Objectives

Following are the overall objectives of environmental management plan:

- To create a sustainable living environment.
- To create awareness among citizens about livable environment.

12.5.2 Methodology and Approach to Planning

The environmental management plan consists of the Supplementary Living Environment Survey, the Comprehensive Ecological Survey and the Water Quality Survey. The Supplementary Living Environment includes water supply, land pollution, sewerage and sanitation, solid waste management, and resettlement of population due to construction of canals and primary drains. The Comprehensive Ecological Survey aims at facilitating comprehensive environmental assessment by subsequent urbanization and implementation of the drainage on the ecological elements of fauna and flora, agricultural and aqua cultural resources etc. The Water Quality Survey is the sampling and analysis of surface water from rivers, natural canals, ponds etc., and from ground water. These are required to be done to ensure necessary urban environment enhancement measures. Moreover, an overall evaluation of environmental condition due to urbanization with flood management and drainage is required in order to justify the necessity of the Drainage Plan. In planning process special attention required to reduce the insect breeding areas, and preserve and management of natural drainage area.

12.6 Existing Environmental Condition

12.6.1 Introduction

The urban environment of the Nazipur Paurashava includes both build and natural environment. Build environment includes waste management, water, air quality, energy usage, transport network, slum improvement, and disaster mitigation. The urbanization where the build environment overburdens the natural environment cannot be sustainable. But urbanization is vital for countries economic growth. Urban centers concentrate services, infrastructure, labor, knowledge, entrepreneurship and markets.

So in every phase of planning processes all these environmental issues will be evaluated and proper measure will be taken to minimize the adverse environmental impacts on land pollution, water and air quality, biodiversity resources and marine resources by energy usage, transport network, waste management, slum improvement, disaster mitigation etc.

12.6.2 Geo-morphology


Geological condition

It is known from the agricultural officer of Nazipur Upazila that there are several types of soils in this area. According to agricultural office at Nazipur there is 2/3 of the soil is loomy soil. Besides, doash and sandy soil are also found there.

Morphological condition

Temperature


Temperature is a measurement of the average kinetic energy of the molecules in an object or system and can be measured with a thermometer or a calorimeter. It is a means of determining the internal energy contained within the system. The following figure shows the temperature characteristics of last 10 years in Nazipur Paurashava. From the figure it is seen that maximum temperature has an increasing trend over the years.



Source: Based on Data from Bangladesh Meteorological Department, Dhaka, 2009

Fig 12-1: Temperature characteristics of last 10 years in Nazipur Paurashava

The following figure shows the Normal Maximum and Minimum Temperature Characteristics across the year in Nazipur Paurashava. From the figure it is seen that there exist maximum temperature in the month of April. It is also observed that in the mid-year (from April to October) the temperature is higher compared to other section of the year.




Source: Based on Data from Bangladesh Meteorological Department, Dhaka, 2009

Fig 12-2: Normal Maximum and Minimum Temperature Characteristics across the year in Nazipur Paurashava

Rainfall


Rainfall is the amount of precipitation of any type, primarily liquid. It is usually the amount that is measured by a rain gauge. The following figure shows the Average Rainfall Characteristics across the year in Nazipur Paurashava. From the figure it is seen that the highest rainfall occurs mainly in the month of June, July and August.



Source: Based on Data from Bangladesh Meteorological Department, Dhaka, 2009

Fig 12-3: Average Rainfall Characteristics across the year in Nazipur Paurashava

The following figure shows the rainfall characteristics of last 10 years in Nazipur Paurashava. From the figure it is seen that maximum rainfall has an increasing trend over the years and it becomes highest in the year 2007.




Source: Based on Data from Bangladesh Meteorological Department, Dhaka, 2009

Fig 12-4: Rainfall Characteristics for last 10 years in Nazipur Paurashava

Humidity

The following figure shows the humidity characteristics of last 10 years in Nazipur Paurashava. From the figure it is seen that there is no much change in humidity in Nazipur over the years.



Source: Based on Data from Bangladesh Meteorological Department, Dhaka, 2009

Fig 12-5: Humidity characteristics of last 10 years in Nazipur Paurashava

12.6.3 Solid Waste and Garbage disposal

The solid waste and garbage disposal of Nazipur Paurashava includes house hold waste, industrial waste, kitchen market waste, clinic/hospital waste, latrine waste, brickfield waste and fertilizer/chemical related waste.

The production of solid waste in Nazipur Paurashava per person per day is around 250gm and the total Paurashava production is 7.044 ton/day. The household waste is thrown by the people to roadside drains or open spaces adjacent to their houses. The garbage from kitchen market and untreated hospital waste from UHC disposed to open space by the side of the road, drain or ditch and polluting living environment which is a great threat to human health.

12.6.4 Waste Management System

It has been observed that the solid waste management in the Nazipur Paurashava is not well managed. Solid waste is generated from kitchen markets, Upazila Health Complex (UHC), many schools, colleges, offices and, small and cottage industries within the Nazipur Paurashava. The Nazipur Paurashava has no solid waste disposal system. The Paurashava has neither any dumping yard of its own nor any transfer station. The Paurashava has only one temporary cleaner engaged for cleaning the Paurashava office building only. It has no dump truck, no pull cart and no dust bin. The solid waste management coverage is only a part of the total area.

12.6.5 Pollutions

12.6.5.1 Water

Water pollution is the presence of pollutants, particles or contaminants in water beyond the level which is desirable for drinking. Saltwater encroachment associated with over drafting of aquifers or natural leaching deposits are natural sources of groundwater pollution. Most concern over groundwater contamination has centered on pollution associated with human activities. Human groundwater contamination can be related to waste disposal (private sewage disposal systems, land disposal of solid waste, municipal wastewater, wastewater impoundments, land spreading of sludge, brine disposal from the petroleum industry, mine wastes, deep-well disposal of liquid wastes, animal feedlot wastes, and radioactive wastes).

In Nazipur Paurashava there is no significant level of ground water pollution. Here both groundwater and surface water are free from significant pollutant. One of the main reasons behind this is the absence of industrial effluents in this area and the presence of Atrai River in this Upazila. Besides the generation of solid waste and municipal waste water is not a huge amount. It can be mentioned that several years ago a very little amount of arsenic was identified in ground water although which falls under acceptable level. According to DPHE, in Nazipur several years ago some tube-wells were identified as contaminated with arsenic but at present these tube-wells are removed. So in this Paurashava arsenic contamination is not significant.

12.6.5.2 Air

Air pollution is the introduction of chemicals, particulate matter, or biological materials that cause harm or discomfort to humans or other living organisms, or damages the natural environment into the atmosphere. An air pollutant is known as a substance in the air that can cause harm to humans and the environment. Pollutants can be in the form of solid particles, liquid droplets, or

gases. In addition, they may be natural or man-made. Sources for air pollution include stationary sources such as smoke stacks of power plants, manufacturing facilities and waste incinerators, as well as furnaces and other types of fuel-burning heating devices, mobile sources such as motor vehicles and other sources such as chemicals, dust and fumes from agricultural and industrial processing.

In Nazipur Paurashava some sorts of pollutant are found to be exposed in the air causing air pollution. For instance, emissions from vehicle exhausts of old and poorly maintained buses and trucks, loading, unloading, and carrying of sand and soil without any dust preventive measures are found within the Paurashava. But the amount of pollution is insignificant and within acceptable level. It can be mentioned that within this Paurashava area there is no brick field which is the vital source of air pollution. There are 3 saw mill and 6 rice mill which expose some amount of air pollutant.

12.6.5.3 Sound

Sound pollution is a type of energy pollution in which distracting, irritating, or damaging sounds are freely audible. It is displeasing human, animal or machine-created sound that disrupts the activity or balance of human or animal life. The source of most outdoor sound pollution is mainly construction and transportation systems, including motor vehicle noise, aircraft noise and rail noise. Indoor and outdoor sound pollution sources include car alarms, emergency service sirens, mechanical equipment, fireworks, compressed air horns, grounds keeping equipment, barking dogs, appliances, lighting hum, audio entertainment systems, electric megaphones, and loud people. In Nazipur Paurashava, the source of sound pollution is found to be little. In this Paurashava there is a little incident of much construction work. The movement of motorized vehicle is also less. So sound pollution in this Paurashava is not significant and disturbing.

12.6.5.4 Arsenic

In Nazipur Paurashava there is no significant level of ground water pollution. Here both groundwater and surface water are free from significant pollutant. One of the main reasons behind this is the absence of industrial effluents in this area and the presence of Atrai River in this Upazila. Naogaon Districts are partially belong to Geologic District of Residual Deposits Aquifers located within above Geo-district are safe from Arsenic contamination. According to Bangladesh Geological Survey (2000) in Nazipur Paurashava there exist 0.3840mg/L which is very much low. It can be mentioned that several years ago a very little amount of arsenic was identified in ground water although which falls under acceptable level. According to DPHE, in Nazipur several years ago some tube-wells were identified as contaminated with arsenic but at present these tube-wells are removed. So in this Paurashava arsenic contamination is not significant.

12.6.6 Natural Calamities and Localized Hazards

12.6.6.1 Cyclone

In Nazipur Cyclone is not a regular phenomenon. In fact till now no record is found regarding the occurrence of Cyclone passing through this Paurashava. It can be mentioned that in 1998 a Cyclone passed through the middle part of Nazipur Upazila. The affected villages were Baoikhola and Doeal. Many houses, agricultural crops, trees were destroyed due to that Cyclone. Some

animals were died. But no human death occurred in that Cyclone. In this Paurashava there is no Cyclone shelter because the incident of Cyclone is not regular.

12.6.6.2 River Erosion

Being one of the major floodplain areas of the country Nazipur Town annually experiences riverbank erosion hazard due to sudden and rapid channel shifting. Consequently, valuable cultivable land is lost; also village settlements, markets and towns are destroyed.

In Nazipur the local channels of the mighty Atrai River have episodically and capriciously wandered across the landscape, eroding their banks, destroying everything in their paths and accreting land elsewhere.

12.6.6.3 Flood

Nazipur Paurashava in not normally affected by flood from the adjacent rivers due to the presence of embankment in the northern side of Paurashava. But the Paurashava is almost regularly affected by the storm water during monsoon period due to the inability of the existing drainage system to cope up with the situation. The existing drains cannot discharge the huge volume of storm water efficiently to the defined out falls. Because of prevailing such situation, local flooding occurs in many places of the Paurashava.

It can be mentioned that some portion of the western part of the Paurashava falls outside the embankment. In this side the flood is annual phenomenon. The people in this area have to suffer a lot due to annual flood. Sometimes the flood water reaches into their houses.

12.6.6.4 Earthquake

Like Cyclone, Earthquake in this area is not a regular phenomenon. Although several Earthquake were observed in this area over the past decades but the intensity was very low and damages occurred due to Earthquake.

12.6.6.5 Water Logging

Inundation occurs in some parts of the Paurashava due to localized storm that is affecting the drainage system of the Paurashava and creating a worse environment for the residents living in those areas.

The depth of inundation and duration varies from place of place. However, it is ranged from 0.5m to 2.5m in depth and the duration of water logging varies from 6 hrs to 20 hrs and even it lasts for several days. The reasons for water logging are as follows:

- a) Absence of planned drainage system.
- b) Absence of integrated drainage network of tertiary and secondary drains with primary drainage system.
- c) Existing drains with low discharge capacity.
- d) Indiscriminate disposal of solid waste into the drainage system that reduces the flow capacity of the whole system.
- e) Lack of proper initiative for cleaning and maintenance of existing drainage system.

It is known from the local people that the Paurashava authority did not take any substantial initiative to remove or to reduce the problem of water logging.

12.6.6.6 Fire Hazard

In this Paurashava no mentionable fire hazard occurred in the last decade.

12.7 Plans for Environmental Management and Pollution Control

12.7.1 Proposals for Environmental Issues

12.7.1.1 Solid waste management Plan

Solid waste management is not yet an environmental problem in the town because of low density of population and low consumption rate. But in future population will rise and density will increase. So, solid waste will pose a major environmental problem in future. It is better to take precautionary measures now to avoid any future hazard.

A waste disposal ground is proposed at North-East corner of Ward-8 for final dumping of solid waste in order to ensure a habitable environment and to keep the urban environment free from pollution. To solve the solid waste management problem door to door collection program should be introduced. The Paurashava authority along with NGO's and CBO's will collect wastes from the households and storage points daily. The van will move into the wards and whistle to announce its arrival. The same vehicle will cover other institutions, societies, complexes. Thus the system will cover the whole town and finally they will dump the wastes to the proposed waste disposal ground. A minimum charge will be fixed by the Paurashava authority for waste collection to the inhabitants. The total process is exposed under **Fig 12-6**.




Fig 12-6: Overview of the Solid Waste Management Plan

12.7.1.2 Plan for Protecting Open Space, Wet-Land and Relevant Features

Parks and Recreational Places

A few play fields are the main recreational sites in the area. However, with implementation of this plan, new open space, playground, parks, lake, etc. will provide more leisure places for the people.

Enhancement Activities:

- Ensure new open space, playground, parks, increasing facilities to visit the river bank etc. to increase recreational facilities in the Paurashava area.
- Develop khal side as walking area with properly designed modern facilities to attract outside visitors also.

Responsible Organizations: Paurashava, Bangladesh Parjatan Corporation

Loss of Wetlands

Wetlands are mainly affected first by the urbanization process. Earth filling fills up the ponds, low land, khals. Waste water affects the aquatic ecosystem and makes the ponds, khals unproductive and as a result the aquatic plants, fishes and animals have to die or migrate to other places. Suitable urban facility attracts more residential development with the cost of filling of low cost wetland. There is no strict regulation on earth filling of ponds. However, Wetlands Conversation Act exists in Bangladesh, which is applicable only to natural beels and khals. Number of ponds in Nazipur Paurashava is reduced every year to accommodate housing and commercial structures. Wetlands play an important role as a reservoir of rain and flood water. They are also important to maintain the balance of ecosystems and for replenishing the ground water level through seepage.

Mitigation:

- Cutting of drainage outlets to the khals and ponds.
- Avoiding wetlands during road alignment fixation.
- Stopping housing estate, industries and other development works in wetlands through earth filling.
- Stopping earth filling of ponds in Paurashava area through creation of public awareness.
- Strict implementation of Wetland Conservation Act, 2000.

Responsible Organizations: Paurashava, DOE and NGOs

12.7.1.3 Proposals for Pollution Control

12.7.1.3.1 Industrial

Industrialization is not prominent economic sector in Nazipur Paurashava. With implementation of this project and establishment of Industrial Zone nearby with road, drainage, water, gas, electricity and telephone facilities will attract the promoter and NBRs to invest here and help in industrialization in the project area.

Enhancement Activities:

- Arrangement for gas pipe line in the industrial zone.
- Arrangement for water, electricity, telephone, fire-service and drainage facility in industrial zone.
- Arrangement for soft-loan for agro-industry, garments, electronics, IT etc.
- Strengthening the activities of Nazipur Shilpa and Banik Samity (KSBS).

- Invite the national and foreign investors to visit and invest in industrial zone.
- Initiate the local entrepreneurs through incentives for industrialization.
- The existing brick fields can continue next 10 year and after that they have to relocate outside the Paurashava boundary. The existing brick field must follow Brick manufacturing (Control) Act, 1989.
- Any new brick field cannot permit in the Paurashava area.

Responsible Organizations: Board of Investment, Banks, Nazipur Shilpa and Banik Samity

12.7.1.3.2 Air/Water/Land/Sound

Noise Pollution

Noise is unacceptable level of sound that creates annoyance, hampers mental and physical peace and may induce severe damage to the health. Along with the increasing degree of air and water pollution, noise pollution is also emerging as a new threat to the inhabitants of Paurashava. Motorized traffic is one of the major sources of noise pollution in urban areas. Although there are many sources of noise, which include industries, construction works and indiscriminate use of loud speakers, motorized traffic is the principal source of creating noise in urban areas. With the increase in the number of motorized vehicles in the city, the hazard of noise pollution has increased and exceeded the level of tolerance. The noisiest area in Nazipur Paurashava is Alampur Chowrasta intersection

Exposure to high level of noise may cause severe stress on the auditory and nervous system of the city dwellers, particularly the children. Regular exposure to loud noise damages the hearing capability and has adverse effects on health, like increasing mental stress and blood pressure and sleeplessness, resulting in poor work performance. With expansion of urban area, the noise pollution will be increased for increasing motor vehicles, market places, industries etc.

Mitigation:

- Stop using hydraulic horn in buses, trucks and other motor vehicles.
- Declare some areas like hospitals, schools, parks, etc. as silent zone.
- Strict implementation of law.
- To control abnormally high noise from saw mill the old machines should be repaired or replaced.
- Foundation of machines should be specially prepared to reduce noise.
- Special type of silencer may be attached with the machines to reduce noise.
- Welding and blacksmith workshops can be fenced with classes to protect the passersby from possible pollution effects.
- People constantly working in welding and blacksmith workshops should wear earplugs and glasses. Regular medical checkups can be carried out to identify possible health problems.

Responsible Organizations: Paurashava, BRTA, Nazipur Upazila Health Complex, Motor Owners Association and Labor Unions, etc.

Air Pollution

Almost all the project area has the same level of air quality. As from the standard of The Environment Conservation Rules, 1997 (ECR, 1997) the air quality of the category "Residential and rural" has the density of different air particles in the project area as follows:

- Suspended Particulate Maters (SPM) = 200 microgram per cusec meter,
- Sulpher-dioxide = 80 microgram per cusec meter,
- Carbon Monoxide = 2000 microgram per cusec meter and
- Oxides nitrogen = 80 microgram per cusec meter.

Mitigation:

- Use catalytic converter in buses, trucks, taxis and tempos.
- Use CNG instead of petrol.
- Set up 120 ft. high stack in brickfields and use filter to reduce the CO, SO2 and NO2 gases in atmosphere.
- Stop the operation of brick-fields which have grown near the homesteads, bazars and growth centers.
- Impose ban on movement of stone and sand carrying trucks using the tertiary and access roads

Responsible Organizations: Paurashava, DOE, BRTA, DC office, Motor Owner and Labor Unions, etc.

Drainage Congestion

Drainage congestion may increase further with the present trend of development. Faulty design, slope problem in head and tail area, solid-waste and rubbish dumping, encroachment and unauthorized structures, siltation, lack of renovation and re-excavation are the main causes of drainage congestion. As a result discharge of new drainage network will create severe drainage problem in Paurashava area, particularly in monsoon period.

Mitigation:

- Excavation of the primary drainage networks specially the existing and the proposed khals.
- Re-excavate the water retention and detention area with link khals proposed in the master plan.
- Remove all un-authorized structures, developed on drainage structures.
- Make proper drainage network in new area considering the slope and local topographical condition.
- Strictly prohibit the people in dumping of rubbish and solid waste in drain.
- Regular cleaning and maintenance by the concerned authorities.

Responsible Organizations: Paurashava, LGED

Surface Water Pollution

The surface water quality of khals, ponds and ditches are polluted in respect of pH, turbidity and coliform bacteria with national standard. The present pollution level of these sites is found to be low except coliform bacteria. The main causes of surface water pollution are industrial wastewater, sanitary sewage, solid waste dumping. The present trend of development in the project area, the

URBAN AREA PLAN

surface water pollution level may further increase for high volume of discharge of wastewater, sanitary sewerage, over spilling of pit and septic tank, industrial effluents, surface run-off of katcha bazars, indiscriminate solid and medical waste dumping.

Mitigation:

- Stop katcha, hanging and pit latrines.
- Create underground sewerage system for Paurashava area.
- Use pucca latrine with septic tank and soak well.
- Prohibit indiscriminate dumping of medical and solid waste in drainage, khals and river.
- Improve sanitation condition of slaughter house, fish market and katcha bazars.
- Prohibit the direct discharge of Paurashava waste water to any chhoras, low lying areas and river.
- Establish waste water and sewerage treatment plant.

Responsible Organizations: Paurashava, LGED and DOE

Groundwater Depletion

Groundwater level of Paurashava has a considerable lowering over the last few decades. It has been calculated that in 2031 the lowering of ground water level might be 20m. Eventually fall of groundwater table is a common phenomenon in project area during dry period (Feb.-May). With expansion of urbanization and industrialization, the groundwater table may further fall if present tradition of using groundwater is continued.

Mitigation:

- Use khals water for pipeline supply to households and industries.
- Use of surface water treatment plant to purify the river water and use as drinking water.
- Introduce rainwater harvesting system and use in the project area.
- Stop land filling of ponds and water bodies (area more than 0.25 acre) to maintain the groundwater level through recharge and leaching process.

Responsible Organizations: Paurashava, DPHE, and NGOs

Groundwater Pollution

Groundwater pollution due to manganese, iron and hardness is a major problem in the project area. With expansion of urban area, more dependency on groundwater sources may increase the pollution level of sub-surface water.

Mitigation:

- Use surface water of khals for supply water system.
- Introduce rain water harvesting system.
- Reduce dependency on groundwater.
- Preserve surface water in ponds, khals, ditches and rivers for irrigation.

Responsible Organization: Paurashava, LGED, BWDB, DOE and NGOs

12.7.1.3.3 Other Pollution

Any pollution other than mentioned above is not yet identified at Nazipur Paurashava.

12.7.2 Natural Calamities and Hazard Mitigation Proposals

12.7.2.1 Plan for Addressing Natural Calamities (Structural and non structural measures)

Earthquake

Earthquake is among the most destructive and terrifying disaster that nature can unleash. Bangladesh Sits on several seismically active faults are the focal point of tremors. Nazipur Paurashava is located in the seismic zone 3 and so it is less vulnerable to earthquake. Earthquake of 4 to 5 magnitude has the probability of occurrence in the locality. Unplanned and unregulated urbanization and disregard to BNBC rules in building construction aggravate the situation more. With the implementation of master plan the planned urbanization will strictly follow the actual zoning plan and following of BNBC rule will minimize the earthquake damage. In DMDP Urban Area Plan Volume- II, (Part-3, Interim Planning Rules) development restriction considering the geological fault line areas states "Structures above 2 storey's situated within 500 meters of a geological fault is not allowed unless built to the BNBC standards for Seismic Zone 3 (BNBC Section 6 Chapter 2.25)". Similar measures are also suggested for Nazipur Paurashava.

Enhancement Activities:

- Ensure all new buildings are designed and constructed following the guideline of BNBC.
- Development of a comprehensive plan for managing post-earthquake situation.
- Train community workers who would carry out the initial search and rescue efforts.
- · Launch a massive public awareness campaign.

Responsible Organizations: Paurashava, Civil Surgeon, Civil Defence, Fire Service and DOE

Change in Topography

Topographically Nazipur Paurashava is flat and gentle sloping. The natural topography of Paurashava area has already been changed for urbanization. The present trend of development like roads, drainage, bridge/culvert, housing and industrial estates and bazars will radically change the natural topography and land use pattern of the area. The agricultural area will be converted into urban and semi-urban area. The present green scenic beauty will disappear, water bodies will be lost and general slope will be diminished for earth cutting due to rapid urbanization. The current effort of master plan will ensure sustainable development.

Mitigation:

- Careful planning to minimize the change of topography.
- Avoid water bodies during construction of roads, housing and industrial estates.
- Practice good architectural/engineering design during planning of housing estates, buildings and the intersections of main roads.
- Enhancement of plantation and gardening to increase the scenic beauty of the city.
- Preserve the natural greenery, ponds, khals and large water bodies.

Responsible Organizations: Paurashava, DOE and Forest Department

Land Use Change

With the implementation of master plan, the Peripheral-urban and agricultural land use will be controlled and conserved using landuse control mechanism.

Mitigation:

- Careful planning to reduce change of agricultural land use and rural set up.
- Conserve water bodies and productive agricultural land free from haphazard urban development.
- Economical use of land.

Responsible Organizations: Paurashava and Ministry of Agriculture& Livestock, DOE

12.7.2.2 Plan for Addressing Hazards

Traffic Congestion

Traffic congestion is space-based problem. It occurs at particular junction and or at a particular land use area. Urbanization and growth of population will increase movement of vehicles in and around the Paurashava. Number of rickshaws will also increase to meet the people's demand. Rickshaws will be the main cause of traffic congestion in Nazipur Paurashava in future.

Mitigation:

- Phase wise implementation of proposed road network.
- Strict implementation of traffic rules to improve traffic management.

Responsible Organization: Paurashava, LGED, RHD

Fire Hazard

In future the probability of fire may increase for more offices, institutions, markets, growth centers and industries. Electric short-circuit is mainly responsible for fire hazards in urban area. However, human error may also cause for fire sometimes. Slums and some industries like garments and plastic products are more susceptible to fire hazards. The present fire station facility is not enough to cope with future fire hazards.

Mitigation:

- Set up one new fire station at proposed location
- Collect modern fire prevention devices.
- Refrain people from using low quality electrical wire in buildings and industries.
- Ensure periodical checking of electric lines.
- Create awareness of people about fire hazards.
- Ensure fire-fighting devices in new industries, high-rise buildings and markets.
- Strict implementation of BC rule.
- Large and medium scale water bodies should be conserved for quick and huge supply of water at the time of emergency.

Responsible Organizations: Paurashava, PDB, DOE and Fire Service and Civil Defence

Loss of Habitat

The habitat for fauna and wildlife has been losing day by day in the Paurashava area. For urbanization and industrialization, agricultural land will be disappear, water bodies will be filled up, rivers and khals will be polluted and trees will be cut down for new settlement. Birds, fishes and other animals will permanently lose their habitat and food in the urban area.

Mitigation:

- Careful planning to avoid the sensitive ecosystem.
- Minimum use of land for urbanization.
- Preservation of water bodies and khals.
- Initiate people to avoid tree cutting and vegetation clearing.

Responsible Organizations: Paurashava, DoE and NGOs

Loss of Biodiversity

Continuous expansion of the urban area will enhance the urban development in this area. Urban elements like roads, infrastructure development, housing, commercial places, industrialization etc. will replace the existing green natural environment to manmade environment. Trees will be cut down, water bodies will be filled up and polluted; garden and bush will disappear for urban expansion in new area. Wild animals, birds and fishes will lose their habitats and as a result a big loss of biodiversity will happen for urban expansion in the Paurashava area.

Mitigation:

- Avoid critical ecological area and refugee sites from development works.
- Aware people for keeping some trees and bushes around the homesteads.
- Increase tree plantation in roadsides along the river and khals and homesteads.
- Preserve the lakes for aquatic birds and fishes and some bush areas as wildlife refuge sites.
- Ban on hunting of birds and wildlife.

Responsible Organizations: Paurashava, Forest Department, Fisheries Department and NGO's

Loss of Capture Fisheries

The project area is mainly high and medium high land. Khals and low lands are very limited. Therefore, open water fisheries resources are low in the project area. Only 15-20% fish demand is met by the capture fisheries. Ponds and khals support the capture fisheries in the project area. Lowering of water level in the river also there is no water in the khals in dry season is a major reason of the damage of aquatic environment.

With the continuing urbanization, the capture fisheries will be remarkably reduced for loss of habitat due to water pollution of sewerage and drainage discharge, industrial effluent, solid waste dumping, earth filling and less flushing. Area of khals, beels and other water bodies will be reduced for land development and urbanization.

Mitigation:

- Stop direct drainage outfall to river, khals and beels.
- Set up sewerage and wastewater treatment plant.
- At the early monsoon, keep open the gates of sluices and regulators during spawning period of fish.
- Excavation of khals and natural water bodies
- Strict regulation on land filling of water body.

Responsible Organizations: Paurashava, and DOE

Loss of Ponds and Culture Fisheries

With urbanization and industrialization through this project, many ponds will be lost for land filling by the owners for increasing land value due to human pressure, settlement and development accordingly loss of fishes. There is no strict regulation on earth filling of ponds in the area.

Mitigation:

- Designate all ponds in Master Plan Map and protect the large ones according to the ecological importance and public interest.
- Protect the ponds having area more than 0.25 acre as per regulatory framework of Master Plan.
- Create public awareness about the importance of ponds and its role in culture fisheries, bathing and water reservoir for surface run-off during monsoon.

Responsible Organizations: Paurashava, DOE and DC (Land)

Loss of Productive Agricultural Land

The Master plan Project has included a vast area of agricultural land in the project area. Both highlands and lowlands fall into this project. After implementation of MP project, agricultural environment will be converted into un-productive urban and semi-urban area.

Mitigation:

The DOE EIA Guidelines emphasized on the avoidance of productive agricultural land during any development project. Therefore, it will be wise to consider more economical use of land to avoid some fertile lands. The land acquisition should be based on the growth rate of population. The designated agricultural land in the master plan must conserve from any type development or land use change. Strict rules and regulation must be imposed to control the agricultural land.

Responsible Organizations: Paurashava and DOE

12.8 Plan Implementation Strategies

12.8.1 Regulations to Implement the Environmental Management Plan

Drainage and Environmental Management plan should be performed under the clauses in the Paurashava Ordinance 2009 and other national rules existed in Bangladesh.

According to the second part of section 50-71 of Paurashava Ordinance:

Removal, collection and disposal of refuse

- A Paurashava shall make adequate arrangements for the removal of refuse from all public streets, public latrines, urinals, drains, and all buildings and land vested in the Paurashava and for the collection and proper disposal of such refuse.
- 2) The occupiers of all other buildings and lands within the municipality shall be responsible for the removal of refuse from such buildings and lands subject to the general control and supervision of the Paurashava.
- 3) The Paurashava may cause public dust-bins or other suitable receptacles to be provided at suitable places and where such dust-bins or receptacles are provided, the Paurashava may, by public notice, require that all refuse accumulating in any premises or land shall be

- deposited by the owner or occupier of such premises or land in such dust-bins or receptacles.
- 4) All refuse removed and collected by the staff of the Paurashava or under their control and supervision and all refuse deposited in the dust-bins and other receptacles provided by the Paurashava shall be the property of the Paurashava."

Latrines and urinals

- "A Paurashava may, and if so required by the Government shall, provide and maintain, in sufficient number and in proper situation, public latrines and urinals for the separate use of each sex, and shall cause the same to be kept in proper order, and to be properly cleaned.
- 2) The occupier of any premises to which any latrine or urinal pertains shall keep such latrine or urinal in a proper state to the satisfaction of the Paurashava and shall employ such staff for the purpose as may be necessary, or as may be specified by the Paurashava.
- 3) Where any premises are without privy or urinal accommodation, or without adequate privy or urinal accommodation, or the privy or urinal is on any ground objectionable, the Paurashava notice require the owner of such premises.

The privy or urinal disposed in the Paurashava's dustbin or disposal ground is the property of Paurashava."

12.8.2 Implementation, Monitoring, Evaluation and Coordination of the Plan

Resettlement

Resettlement is a burning question for any urban development project. For Master Plan Project land will be required for roads, markets & bazars, educational organizations, housing & industrial estates, open spaces, play grounds, parks, lakes, etc. Therefore, land acquisition is required from people in the project area. People have been living in their homesteads for many years in ancestral way and reluctant to leave their croplands and homesteads. The project authority should take proper care during land acquisition. Requisition of sensitive and conflict land area should be done in consultation with the landowners, local ward commissioners/ members/ chairmen and political persons. Without appropriate rehabilitation and compensation, no one should be evacuated from his homesteads. Slum people do not have the land right, they should be rehabilitated in new places with full compensation of housing and occupation.

Compensation

Land acquisition should be discussed with individuals affected and through participation of local people. The compensation of each affected landowner should be paid in the shortest possible time. If anyone loses his/her occupation/business/income source for land acquisition, it should be incorporated in compensation package. This would necessitate amendment of compensation rules. Persons losing their homesteads for housing project may be rehabilitated with due compensation and sanction of one plot in housing estate.

Section 12 of the Environment Conservation Act (ECA) 1995 stipulates that "no industrial unit or project shall be established or undertaken without obtaining environmental clearance from the Director General, Department of Environment, in the manner prescribed by the rules."

The Environment Conservation Rules (ECR) 1997 have been prepared under the clause (2) (f) of the section 20 of Environment Conservation Act (ECA) 1995. The requirements of EIA for new development projects came into enforcement under the ECR 1997. These are the first set of rules

URBAN AREA PLAN

promulgated under the Environment Conservation Act 1995. Among other things, these rules set out the requirements for and procedures to obtain environmental clearance. This also explains the requirements for IEE/EIA according to different categories (green, orange/amber or red) of industrial and development interventions.

During the implementation of Master plan, environmental clearance procedure will be guided by the Environment Conservation Rules 1997 of the Department of Environment. Paurashava will have the authority to approve the plan as per agreed principles in the Master plan but the owner of the plot will be obliged to get clearance from the DOE before actual implementation.

For implementation of the mitigation plan emphasis has to be laid on implementing the mitigation measures. Appropriate institutional set up will be required to implement the measures. Government must allocate sufficient budget for this purpose.

Chapter 13: Plan for Urban Services

This chapter describes the urban basic services development proposals for future development of the Paurashava. The proposals have been made at the town level, that is, the area under the urban area plan. The local level development proposals will be addressed in the Ward Action Plan. The development proposals deal with the basic urban services, like, water supply, drainage, sanitation, solid waste, telecommunication, electricity and gas, community facilities, education and health.

13.1 Water Supply

The Paurashava is yet to develop its own network based water supply system. The entire water supply system of the Paurashava is based on household tube well and pond. As per the census 2001, about 70% household depend on tube well and about 26% depend on pond for there drinking water. However, not many of the tube wells provide arsenic free drinking water. As a result lots of hand tube wells water is mostly used for washing purpose. Water from ponds is mainly used for washing.

Developing a network based supply system will depend on availability of fresh water aquifer. Detailed geological Investigation is required to find out fresh water aquifers. But here problem lies here to use of ground water. Safiuddin (2001) observed the serious arsenic contamination of groundwater in Bangladesh has come out recently as the biggest natural calamity in the world. The people in 59 out of 64 districts comprising 126,134 sq km of Bangladesh are suffering due to the arsenic contamination in drinking water (arsenic contamination is also found in the ground water of Nazipur Paurashava). So in case of water supply for Nazipur Paurashava, special emphasis will be given to use surface water rather than use of ground water. The Atrai River is the most important source of water supply. The consultant, according to approved standard, has earmarked 0.75 acres for water supply installations, like, pump stations and other establishments related to water supply, it will be established in the proposed ward center of the Paurashava. Total 9.95 acres land will be used for utility services.

Table 13-1: Water Supply Proposal

| Existing Conditions (2011) | | Proposal (2031) | |
|---|-----|--|----|
| Number of Paurashava Tube well | 572 | Number of Paurashava Water Supply Pump to be Provided | 2 |
| Number of Ponds available for Water Supply • Private • Public | 126 | Number of Ponds to be made for Available Water Supply | No |

As an alternative to drinking water supply harvesting of rain water may be explored. The idea of rainwater harvesting is unknown to the local people. NGOs working in rain water harvesting training and motivation may be engaged for this purpose. Paurashava may take initiative to prepare a programme for popularizing rain water harvesting among the Paurashava people.

13.2 Solid Waste Management

Owing to low density of population solid waste is yet to emerge as a major problem in the town as it happens in larger towns. The households dispose their kitchen waste in nearby ditches or low lands. A major share of solid waste is generated by kitchen markets. These wastes find their destination in local khals. The consultant proposes 5 acres of land for dumping site in ward no 02. The site is located in the south-west corner boundary of the Paurashava in one corner and ways from habitation, easily accessible. As the wind blows from south to north the site will not produce any odor creating nuisance for the nearby residents. The dumping site will be used as sanitary land fill site, where waste will be scientifically treated. It will include methods to contain leachate such as clay or plastic lining material. Deposited waste will be compacted to increase its density and stability, and covered to prevent attracting vermin (such as mice or rats). For landfill gas will be extracted and pumped out of the landfill using perforated pipes and flared off or burnt in a gas engine to generate electricity. The consultant also proposes nine waste transfer stations in each ward for collection of kitchen waste locality wise.

Table 13-2: Solid Waste Management Proposal

| | | | | | Phas | se-wise dev | elopment |
|--------------------------------|-------------|--------------------------|---|-----------------|--|-----------------|-----------------------------------|
| Type of Facilities | Ward No. | Mouza Name | Plot No. | Area in Acre | First Phase (1 st to 5 th yr) | Second Phase | Beyond 10 th year |
| Solid Waste Disposal | 2 | Rajpat (216_00) | 45,46,47,48,49,50,56,57,58, 59,60,62 | 5.25 | | | |
| Waste Transfer Station-1 | 1 | Mamudpur (185_00) | 374,465 | 0.20 | | | |
| Waste Transfer Station-2 | 2 | Nojipur (217_00) | 820 | 0.22 | | | |
| Waste Transfer Station-3 | 3 | Nojipur (217_00) | 388 | 0.25 | | | |
| Waste Transfer Station-4 | 4 | Palsa (215_00) | 485,486,487,488 | 0.18 | Land acquisiti on and | developme | e the further ent of institute |
| Waste Transfer Station-5 | 5 | Puiya (213_00) | 228 | 0.22 | establis h | | ake it more ective |
| Waste Transfer Station-6 | 6 | Chok Joyram (248_00) | 322,337,402,404,405 | 0.20 | | | |
| Waste Transfer Station-7 | 7 | Horirampur (218_00) | 516,517,518,519,520,521 | 0.20 | | | |
| Waste Transfer Station-8 | 8 | Chok Nirkhin (222_00) | 413,414,418 | 0.20 | | | |
| Waste Transfer Station-9 | 9 | Chandpur (219_00) | 976,977,978,979,984,985,9 86,990,991,1146,1275 | 0.72 | | | |

13.3 Sanitation

As the field survey shows, the present sanitation system of the Paurashava is composed of a variety of types, like, hanging latrine, pit latrines of different types, water sealed latrines and septic tank based sanitary latrine.

According to 2001 Population Census, about 83.32% of the Paurashava households had healthy sanitation. But the present situation, as ascertained from household survey, shows that, 70% of the households use hygienic sanitation. So apparently, the percentage of coverage has decreased by 13%, compared to 2001, though the absolute number of sanitary toilets has increased due to increase in the number of households.

Due to prohibitive expenditure one should not expect establishing network and treatment plant based sewerage system in the town by the Paurashava. So, for long the sanitary system of the Paurashava will remain on site. To promote healthy sanitation, Paurashava should promote low cost sanitary latrines in the town together with awareness building for healthy sanitation. It is proposed to set up public toilets in public gathering areas, like, existing and proposed bus stand, bazar and the main town center.

13.4 Electricity and Gas

Power Development Board (PDB) is mainly responsible for electricity supply in the Paurashava, supported by the Rural Electrification Board (REB). PDB works for power production and distribution, while REB is responsible for distribution only. Both, PDB and REB have their own plans for power supply in the town, which is executed in phases, depending on demand for power. In its infrastructure plan has shown the future power supply network of the town. The required electricity facility within the Paurashava will be provided through existing power system master plan of both REB and PDB. But the greatest problem of power supply in the entire country remains to be handicapped by the shortage of supply due to low production.

Area for gas related facilities is not proposed in the plan, because there is no scope for installation gas facilities in this Paurashava within the planning period. If land required in future for gas related facilities will be allocated from propose urban differed area. Gas network has been shown along all major roads and to the designated industrial site. A recent policy of the government forbids supply of gas for domestic purpose.

13.5 Telecommunication

The town enjoys the networks of all mobile and PSTN telecommunication companies operating in the country. Besides, there also exist landlines of BTCL, the national telephone company. Due to easy and cheaper access to mobile, the demand for land lines has decreased substantially.

URBAN AREA PLAN

Map 13-1: Proposed Basic Urban Services of Nazipur Paurashava

Chapter 14: Ward Action Plan

14.1 Introduction

WARD ACTION PLAN

This chapter presents Part-C of the report which contains Ward Action Plan of each individual Ward. First, the issues prevailing in different Wards have been briefly described followed by description of Development Proposals in first ward action plan (1st to 5th year of planning period) for each Ward.

14.1.1 Background

The Ward Action Plans are prepared under the framework of Structure Plan and Urban Area Plan. The Ward Action Plans contain details of development proposals at Ward level including the problems and opportunities existing therein and also include the proposals made in the upper level plan that is in the Urban Area Plan. The Ward Action Plans have been formulated for execution within a period of 5 years.

Ward Action Plan is a vital part of the current plan package as far as spatial development and development control is concerned. Absence of Ward Action Plan not only hampers undertaking of development projects by planning authority, but also leads to uncontrolled and unwanted spatial development in the private sector. Land use zoning is also provided in the Ward Action Plan to enable detailed view of proposed land use and development.

14.1.2 Content and Form of Ward Action Plan

The Ward Action Plan is detailed area plan based on the policy framework, guideline indication of Structure Plan and more detailed guideline of Urban Area Plan. The provision of Ward Action Plan is inherent in the Structure Plan with some specific purposes. The Ward Action Plan is to:

- a) Provide basic micro level infrastructure and services in the study area through systematic planning, under the framework of Structure Plan and proposals of the Urban Area Plan;
- b) Create congenial environment to promote economic activities;
- c) Improve drainage system and protect natural water channels from encroachment; and
- d) Create service centers to promote urban growth.


14.1.3 Linkage with Structure and Urban Area Plan

Ward Action Plan is the 3rd component of the Master Plan package. The other two upper level components are Structure Plan and Urban Area Plan. Structure Plan lay down the framework of the future plan including strategy and the sectorial policies. The Urban Area Plan and the Ward Action Plan detail out development proposals under the framework of Structure Plan.

14.1.4 Approach & Methodology

The methodology could be illustrated through tri-step process for the assessment of Ward Action Plan. The first step of the methodology of Ward Action Plan is to conceptualize the content and background of the plan. In the next step, the linkage with Structure Plan & Urban Area Plan is identified. The final phase of the study is to adopt ward action plan in details. The proposal and

planning, priority tasks and cost estimation are incorporated here to get a pictorial view of the Ward Action Plan.



14.2 Derivation of the Ward Action Plan

The Ward Action Plan is derived from the conceptual framework, and guidelines and strategies for

Fig 14-1: Flow Chart of Methodology

development under Structure Plan and detailed proposals of Urban Area Plan. Ward Action Plan is aimed to provide detailed infrastructure plan to guide the physical development of Nazipur town including its all economic and social activities. This plan adheres to the policy directives spelled out in the Structure Plan.

14.2.1 Revisiting Structure Plan and Urban Area Plan

To guide long term growth of the Paurashava, potential locations of major development areas are identified and the Structure Plan Area is broadly classified into nine categories, namely Established Urban Area, Sub Urban Area, New Urban Area, Recreational Facility, Circulation Network, Restricted Area, Urban Peripheral Area, Agriculture Area and Water Retention Area. The Urban Area Plan is prepared under the framework of Structure Plan and the infrastructure identified for improvement and development are listed as proposals in the Urban Area Plan. The broad classification of lands in the Structure Plan and detailed proposals in the Urban Area Plan form the basis for Ward Action Plan.

14.2.2 Prioritization

The prioritization of project proposals in Ward wise Action Plan are made on the basis of urgency for development depending on the needs of people and the town's requirement for infrastructure development.

14.2.3 Ward Wise Action Plan for Next Five Years

The Ward Action Plan is prepared for each of the nine Wards and is presented in order of their serial number. The Ward Action Plans are a series of detailed spatial development plans of different use and facilities. The plans comprise maps of appropriate scale supported by explanatory report. The Ward Action Plans have been formulated for execution within a period of 5 years. They do not initially cover the entire Structure Plan area. While all sub-areas will eventually require Ward Action Plan, only priority areas are to be dealt with initially. The aim of a Ward Action Plan is to prevent haphazard urban development and ensure livable environment in areas that are likely to be urbanized soon. Initially Detailed Area Plan should be covered for only those areas where action is needed immediately or where development pressure is high.

Public involvement is a key issue. To this end, the Paurashava has adopted a "Planning for Real" based approach which allows hands-on participation by all the residents of each local community. They help by identifying local issues and problems which the Plan can tackle; expressing their views on the Paurashavas policies; and suggesting how these could be improved. Ward Action Plan must be topical and relevant. The Paurashavas target is to ensure that they are reviewed on a 5 yearly cycle. A comprehensive Map of Ward Action Plan is shown in **Map 14-1**.

Map 14-1: Ward Action Plan of Nazipur Paurashava

Ward Action Plan for Ward-01

14.3 Demographic Conditions of Ward-01

Ward No. 01 is located at the extreme western part of Nazipur Paurashava. The area of the Ward is 259.82 acres. The Population is 1430 in 2011 according to BBS, 2011. Population projection shows 1822 population in 2031. The density will be 7 persons per acre in 2031.

Table 14-1: Population Statistics of Ward-01

| Item | Year | | |
|----------------------------------|--------|--------|--|
| item | 2011 | 2031 | |
| Area (acre) | 259.82 | 259.82 | |
| Population | 1430 | 1822 | |
| Density of Population (per acre) | 6 | 7 | |

Source: BBS 2011

14.4 Critical Issues and Opportunities of the Ward

a. Critical Issues

i. Problems of Road Infrastructure

The ward is not served by adequate number of roads. The total length of roads in the ward is only 6.11 km. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. All these will pose serious problems in movement when population rises in the ward. Quality of roads on average is not satisfactory. Only about 3.64 km road is pucca, 0.65 is semi-pucca and 1.87 km road is Katcha.

ii. Poor Drainage

This ward have only 0.30 km adequate drainage network serving the entire area. All the households do not have drainage outlet to discharge their waste water. Lack of drainage, though, is not a serious problem now but will emerge as a critical problem as density of population increases in future. In future due to construction the net run off area will increase that will cause water logging at places. So, necessary arrangements will have to be made now to get rid of future drainage problems.

iii. Haphazard Development

Like all other urban areas, unplanned development is a typical characteristic of this ward. Land owners are building their houses and structures anywhere. There is no land use plan, no adherences to building constructions are observed. This is not only destroying the aesthetic of the area but also its liveable environment.

iv. Water Supply

Like all other wards water supply is also a critical problem in this ward. Surface water is the main source of drinking and washing. When population will increase the existing ponds will be inadequate to supply adequate water for the local people that will lead to severe water crisis. Moreover, there are arrangements for proper maintenance of the ponds. There is likelihood that without proper maintenance caretaking the ponds might get polluted by unhygienic use of water that will endanger health of the local people

v. Low Density of Population: Problem for Providing Infrastructure

Infrastructure development is not cost effective if the density of population remains very low. The cost of service line is the same for all sizes of population. So, if the population size is small more cost has to be incurred per head of population for providing infrastructure, which is not cost effective.

vi. Lack of Threshold Population for Business

The town possesses a very low level of population which is not adequate to run large retail business activities. This size of population will not help grow the local economy grow. Besides, the average income of the people is also very low which is not conducive to economic flourishment of the town. Higher the size of population more demand is created for goods and services leading to more economic activities and employment. No urban centre can flourish without adequate economic prosperity.

b. Development Opportunities

i. Low Density of Population

The present density of population in the ward is low, only 6 persons /acre. From environmental point of view this of population can create a very liveable environment for the area with respect to ventilation, use of road and other basic services.

ii. Excellent External Connectivity

Dhaka is only 6-7 hours journey from Nazipur. It takes about 1 hour to reach Naogaon, the district headquarters.

iii. Potential for Small Scale Manufacturing

Cheap labour, availability of raw materials can help grow small scale manufacturing in this town. Jewellery, handicrafts of different kinds, small engineering can be developed here. This, however, would require local initiative. Local entrepreneurs may be provided with small capital to serve as incentive.

14.5 Ward Action Plan Proposals

14.5.1 Review of Existing Land Use

Study of existing land use of the ward reveals that major land use goes to Agricultural land and it is 96.07 acres of the total land. The second major land use is water body and occupying about 91.47 acres of the Paurashava area. Besides, there is about 63.07 acres Residential land, about 5.66 acres circulation network, about 1.95 acres commercial activities and other lands are being used for education, community service, government services, manufacturing or industry, service activity, Urban green space and vacant.

14.5.2 Proposed Land Use Zoning

i) Urban Residential Zone

Urban residential zone refers to all categories of urban residential areas, including existing ones and the residential land use proposed under the present master plan. In total this zone covers 0.03 acres of land delineated up to the year 2031 in Ward No. 01, considering standard provided by LGED.

ii) Commercial Zone

The commercial zone is intended to provide locations, where commercial activities including retails can be set up and function, without creating hazards to surrounding land uses. This zone has an area of 1.00 acres designated up to 2031.

iii) Mixed Use Zone

Mixed use zones have been recommended to allow some flexibility in development. Mixture of land uses will allow flexibility of development, instead of restricting development. This zone has an area of 0.92 acres designated up to 2031.

iv) Education & Research Zone

The total area under this use has been determined as 0.98 acres of land designated up to 2031.

v) Government Office

Administrative zone covers all kinds of government and non-government offices in the town. The total area under this use has been proposed as 0.41 acres of land designated up to 2031.

vi) Rural Settlement

The total area under this use has been proposed as 49.81 acres which is most portion of this land use.

vii) Agricultural Zone

The Paurashava including Ward No. 01 has a vast area of agricultural land that demands formation of a separate zone like, agriculture zone. The total area under this use has been estimated as 58.03 acres that include existing and proposed land uses.

viii) Waterbody

The plan suggests preserving most of the water bodies for two purposes, first, to serve as source of water, second to serve as water retention area during monsoon. The ponds with an area equal to or more than 0.25 acres will be preserved as the water retention ponds. The proposed retention area covers 90.40 acres.

ix) Health Services

Proposed plan suggests a community clinic in ward center for this ward.

x) Circulation Network

Existing and proposed roads cover a total of 19.71 acres of land of the whole ward.

xi) Open Space

In this ward there is no outdoor recreational space like park, playground etc. So the consultants accommodate 37.07 acres of land for open space.

14.5.3 Road Network Development Plan

The existing road network of ward no.1 is 6.11 km where 3.64 km road is pucca, 0.65 is semipucca and 1.81 km road is katcha. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. In road network development plan there is 6.13 km new road and about 19.71 acres of land is allotted for ward no 01. All of the roads of this Paurashava will be constructed as a pucca road in different phases of plan. Road widening is considered the entire existing road. Proposals of Roads for ward no-01 are shown in **Table 14-2** and **Map 14-2** & **Map 14-3**.

Table 14-2: Proposal of Roads for Ward-01

| Proposed Road Type | ID | Length (km) | Proposed Width (ft) | Proposal Type |
|--------------------|--------|-------------|---------------------------|------------------|
| Primary Road | PR-211 | 1.11 | 100 | Pucca |
| Secondary Road | SR-183 | 0.71 | 60 | Pucca |
| Tertiary Road | TR-213 | 0.85 | 30 | Pucca |
| Tertiary Road | TR-345 | 0.72 | 30 | Pucca |

^{**} Road length≥ 200 meter incorporated here. Detail was given in Appendix

14.5.4 Drainage Development Plan

Drain is necessary for discharge all its waste water and storm water. The plan proposes 3.13 km of new drains forward no. 01 which will be developed during the different phase. The natural sources of drainage are playing the critical roles in drainage plan.

Table 14-3: Proposal of Drain for Ward-01

| Drain Type | ID | Construction Type | Length (m) | Average Width (m) |
|------------|-------|----------------------|------------|-------------------|
| Tertiary | TD-35 | Pucca | 0.93 | 0.60-0.80 |
| Tertiary | TD-36 | Pucca | 1.00 | 0.60-0.80 |
| Tertiary | TD-37 | Pucca | 1.22 | 0.60-0.80 |
| Tertiary | TD-63 | Pucca | 0.00 | 0.60-0.80 |
| Secondary | SD-75 | Pucca | 0.93 | 0.80-1.00 |

14.5.5 Urban Services Development Plan of Ward No-01

The urban services are the pre-condition of any potential development. The development is not same in the entire ward. Ward no 01 has much more potentiality due to situated in Naogaon-Dhamoirhat highway road. Primary school, High school, Neighborhood Park, Playground, and Rickshaw stand is proposed here. The proposal for service facilities of ward no 01 is shown in (**Table 14-4**) together with mouza name and plot number.

Table 14-4: Proposal for Other Facilities of Ward-01

| Type of Facilities | Area in Acre | Mouza Name | Plot No. |
|----------------------------|-----------------|-------------------|---|
| Ward Center-1 | 0.75 | Mamudpur (185_00) | 312, 314, 319 |
| Low Income Housing Project | 18.48 | Mamudpur (185_00) | 2-62, 100-114, 123-125, 134, 154- 159 |
| Neighbourhood Clinic-1 | 0.49 | Mamudpur (185_00) | 292,293,325,327 |
| Neighbourhood Market-1 | 0.75 | Mamudpur (185_00) | 466,467,472,476,478 |
| Playfield-1 | 1.95 | Mamudpur (185_00) | 467,468,469,470,471,472,473,474 |
| Primary School- 1 | 0.92 | Mamudpur (185_00) | 209,210,211,212,213,214,215,216,21 7,219,220,221,222,223,224,225,227, 306 |
| Rickshaw/Tempo Stand- 1 | 0.20 | Mamudpur (185_00) | 308,313,314,315,465 |
| Central Park | 35.14 | Mamudpur (185_00) | 37-40, 63-90, 161-182 |

Map 14-2: Ward Action Plan Map of Nazipur Paurashava (Ward-01)

Ward Action Plan for Ward-02

14.6 Demographic Conditions of Ward-02

Ward No. 02 is located at the western part of Nazipur Paurashava. The area of the Ward is 309.78 acres. The Population is 1611 in 2011 according to BBS, 2011. Population projection shows 1138 population in 2031. The density will be 4 persons per acre in 2031.

Table 14-5: Population Statistics of Ward-02

| Item | Year | | |
|----------------------------------|--------|--------|--|
| item | 2011 | 2031 | |
| Area (acre) | 309.78 | 309.78 | |
| Population | 1611 | 1138 | |
| Density of Population (per acre) | 5 | 4 | |

Source: BBS 2011

14.7 Critical Issues and Opportunities of the Ward

a. Critical Issues

i. Problems of Road Infrastructure

The ward is not served by adequate number of roads. The total length of roads in the ward is only 7.83 km. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. All these will pose serious problems in movement when population rises in the ward. Quality of roads on average is not satisfactory. Only about 1.45 km road is pucca, 2.27 is semi-pucca and 4.10 km road is katcha.

ii. Poor Drainage

This ward have only 0.92 km adequate drainage network serving the entire area. All the households do not have drainage outlet to discharge their waste water. Lack of drainage, though, is not a serious problem now but will emerge as a critical problem as density of population increases in future. In future due to construction the net run off area will increase that will cause water logging at places. So, necessary arrangements will have to be made now to get rid of future drainage problems.

iii. Haphazard Development

Like all other urban areas, unplanned development is a typical characteristic of this ward. Land owners are building their houses and structures anywhere. There is no land use plan, no adherences to building constructions are observed. This is not only destroying the aesthetic of the area but also its liveable environment.

iv. Water Supply

Like all other wards water supply is also a critical problem in this ward. Surface water is the main source of drinking and washing. When population will increase the existing ponds will be inadequate to supply adequate water for the local people that will lead to severe water crisis. Moreover, there are arrangements for proper maintenance of the ponds. There is likelihood that

without proper maintenance caretaking the ponds might get polluted by unhygienic use of water that will endanger health of the local people.

v. Low Density of Population: Problem for Providing Infrastructure

Infrastructure development is not cost effective if the density of population remains very low. The cost of service line is the same for all sizes of population. So, if the population size is small more cost has to be incurred per head of population for providing infrastructure, which is not cost effective.

vi. Lack of Threshold Population for Business

The town possesses a very low level of population which is not adequate to run large retail business activities. This size of population will not help grow the local economy grow. Besides, the average income of the people is also very low which is not conducive to economic flourishment of the town. Higher the size of population more demand is created for goods and services leading to more economic activities and employment. No urban centre can flourish without adequate economic prosperity.

b. Development Opportunities

i. Low Density of Population

The present density of population in the ward is low, only 5 persons /acre. From environmental point of view this of population can create a very liveable environment for the area with respect to ventilation, use of road and other basic services.

ii. Excellent External Connectivity

Dhaka is only 6-7 hours journey from Nazipur. It takes about 1 hour to reach Naogaon, the district headquarters.

iii. Potential for Small Scale Manufacturing

Cheap labour, availability of raw materials can help grow small scale manufacturing in this town. Jewellery, handicrafts of different kinds, small engineering can be developed here. This, however, would require local initiative. Local entrepreneurs may be provided with small capital to serve as incentive.

14.8 Ward Action Plan Proposals

14.8.1 Review of Existing Land Use

Study of existing land use of the ward reveals that major land use goes to Agricultural land and it is 130.44 acres of the total land. The second major land use is Residential land and occupying about 65.76 acres of the Paurashava area. Besides, there is about 96.88 acres water body, about 6.89 acres circulation network, about 2.21 acres commercial activities and other lands are being used for education, community service, government services, manufacturing or industry, service activity, Urban green space and vacant.

14.8.2 Proposed Land Use Zoning

i) Urban Residential Zone

Urban residential zone refers to all categories of urban residential areas, including existing ones and the residential land use proposed under the present master plan. In total this zone covers

42.04 acres of land delineated up to the year 2031 in Ward No. 02, considering standard provided by LGED.

ii) Commercial Zone

The commercial zone is intended to provide locations, where commercial activities including retails can be set up and function, without creating hazards to surrounding land uses. This zone has an area of 2.12 acres designated up to 2031.

iii) Mixed Use Zone

Mixed use zones have been recommended to allow some flexibility in development. Mixture of land uses will allow flexibility of development, instead of restricting development. This zone has an area of 7.61 acres designated up to 2031.

iv) Education & Research Zone

The total area under this use has been determined as 0.33 acres of land designated up to 2031.

v) Government Office

Administrative zone covers all kinds of government and non-government offices in the town. The total area under this use has been proposed as 4.09 acres of land designated up to 2031.

vi) Rural Settlement

There is no proposed land for this landuse in this ward.

vii) Agricultural Zone

The Paurashava including Ward No. 02 has a vast area of agricultural land that demands formation of a separate zone like, agriculture zone. The total area under this use has been estimated as 80.54 acres that include existing and proposed land uses.

viii) Waterbody

The plan suggests preserving most of the water bodies for two purposes, first, to serve as source of water, second to serve as water retention area during monsoon. The ponds with an area equal to or more than 0.25 acres will be preserved as the water retention ponds. The proposed retention area covers 95.90 acres.

ix) Health Services

Proposed plan suggests a community clinic in ward center for this ward.

x) Circulation Network

Existing and proposed roads cover a total of 34.98 acres of land of the whole ward.

xi) Open Space

In this ward there is no outdoor recreational space like park, playground etc. So the consultants accommodate 23.52 acres of land for open space.

14.8.3 Road Network Development Plan

The existing road network of ward no.2 is 7.83 km where 1.45 km road is pucca, 2.27 is semipucca and 4.10 km road is Katcha. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. In road network development plan there is 9.26 km new road and about 34.98 acres of land is allotted for ward no 02. All of the roads of this Paurashava will be constructed as a pucca road in different phases of plan. Road widening is considered the entire existing road. Proposals of Roads for ward no-02 are shown in **Table 14-6** and **Map 14-4 & Map 14-5**.

Table 14-6: Proposal of Roads for Ward-02

| Proposed Road Type | ID | Length (km) | Proposed Width (ft) | Proposal Type |
|--------------------|--------|----------------|---------------------|------------------|
| Primary Road | PR-168 | 1.20 | 100 | Pucca |
| Primary Road | PR-211 | 0.29 | 100 | Pucca |
| Primary Road | PR-304 | 0.16 | 100 | Pucca |
| Primary Road | PR-467 | 0.33 | 100 | Pucca |
| Secondary Road | SR-93 | 0.51 | 60 | Pucca |
| Secondary Road | SR-96 | 0.08 | 60 | Pucca |
| Secondary Road | SR-97 | 0.10 | 60 | Pucca |
| Secondary Road | SR-144 | 0.35 | 60 | Pucca |

^{**} Road length≥ 200 meter incorporated here. Detail was given in Appendix

14.8.4 Drainage Development Plan

Drain is necessary for discharge all its waste water and storm water. The plan proposes 2.52 km of new drains forward no. 02 which will be developed during the different phase. The natural sources of drainage are playing the critical roles in drainage plan.

Table 14-7: Proposal of Drain for Ward-02

| Drain Type | ID | Construction Type | Length (m) | Average Width (m) |
|------------|-------|-------------------|------------|-------------------|
| Secondary | SD-4 | Pucca | 1.68 | 0.80-1.00 |
| Primary | PD-6 | Pucca | 2.18 | 0.60-0.80 |
| Tertiary | TD-8 | Pucca | 1.34 | 0.60-0.80 |
| Tertiary | TD-14 | Pucca | 0.52 | 0.60-0.80 |
| Primary | PD-38 | Pucca | 1.86 | 0.60-0.80 |
| Tertiary | TD-39 | Pucca | 0.46 | 0.60-0.80 |
| Tertiary | TD-45 | Pucca | 0.00 | 0.60-0.80 |
| Tertiary | TD-46 | Pucca | 0.00 | 0.60-0.80 |
| Tertiary | TD-48 | Pucca | 0.00 | 0.60-0.80 |
| Tertiary | TD-85 | Pucca | 0.00 | 0.60-0.80 |
| Tertiary | TD-87 | Pucca | 0.00 | 0.60-0.80 |

14.8.5 Urban Services Development Plan of Ward No-02

The urban services are the pre-condition of any potential development. The development is not same in the entire ward. Ward no 01 has much more potentiality due to situated in Naogaon-Dhamoirhat highway road. Primary school, High school, Neighborhood Park, Playground, and Rickshaw stand is proposed here. The proposal for service facilities of ward no 02 is shown in (**Table 14-8**) together with mouza name and plot number.

Table 14-8: Proposal for Other Facilities of Ward-02

| Type of Facilities | Area in Acre | Mouza Name | Plot No. |
|--------------------------|-----------------|----------------------|--|
| Ward Center-2 | 1.16 | Nojipur (217_00), | 1196,1197,1198,1199,1202,1203,1204,1205,1206,1207,120 8 |
| Boat Ghat | 0.98 | Badpuiya (214_00) | 2,68 |
| Boat Griat | 0.00 | Rajpat (216_00) | 53,54 |
| General Industrial Area | 22.86 | Rajpat (216_00) | 71-178 |
| | 9.35 | Nojipur (217_00) | 1227-1273 |
| Neighbourhood Clinic-2 | 0.45 | Nojipur (217_00) | 712,713,718,719,720,741 |
| Neighbourhood Market-2 | 0.65 | Nojipur (217_00) | 1061,1180,1206,1210,1211,1212,1213,1214 |
| Playfield-2 | 1.17 | Nojipur (217_00) | 637,650,652,653,654,655,656,657,658,659 |
| Paurashava Office | 0.77 | Nojipur (217_00) | 87,99,100,108,111 |
| Rickshaw/Tempo Stand- 2 | 0.30 | Nojipur (217_00) | 1206,1209,1210 |
| Truck Terminal | 0.77 | Rajpat (216_00) | 168,174,175,176,177,178 |
| Waste Transfer Station-2 | 0.23 | Nojipur (217_00) | 820 |
| Water Supply Pump-1 | 0.81 | Nojipur (217_00) | 793,794,808,809,814 |

| Nazipur Paurashava Master Plan 2011-2031 | |
|--|--|
| WARD ACTION PLAN | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Man 44 4: Mard Action Plan Man of Narinur Pourschove (Mard 02) | |
| Map 14-4: Ward Action Plan Map of Nazipur Paurashava (Ward-02) | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Ward Action Plan for Ward-03

14.9 Demographic Conditions of Ward-03

Ward No. 03 is located at the central part of Nazipur Paurashava. The area of the Ward is 254.98 acres. The Population is 4729 in 2011 according to BBS, 2011. Population projection shows 10419 population in 2031. The density will be 41 persons per acre in 2031.

Table 14-9: Population Statistics of Ward-03

| ltem | Year | | |
|----------------------------------|--------|--------|--|
| item | 2011 | 2031 | |
| Area (acre) | 254.98 | 254.98 | |
| Population | 4729 | 10419 | |
| Density of Population (per acre) | 19 | 41 | |

Source: BBS 2011

14.10 Critical Issues and Opportunities of the Ward

a. Critical Issues

. Problems of Road Infrastructure

The ward is not served by adequate number of roads. The total length of roads in the ward is only 12.40 km. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. All these will pose serious problems in movement when population rises in the ward. Quality of roads on average is not satisfactory. Only about 4.27 km road is pucca, 5.11 is semi-pucca and 3.01 km road is katcha.

ii. Poor Drainage

This ward have only 0.92 km adequate drainage network serving the entire area. All the households do not have drainage outlet to discharge their waste water. Lack of drainage, though, is not a serious problem now but will emerge as a critical problem as density of population increases in future. In future due to construction the net run off area will increase that will cause water logging at places. So, necessary arrangements will have to be made now to get rid of future drainage problems.

iii. Haphazard Development

Like all other urban areas, unplanned development is a typical characteristic of this ward. Land owners are building their houses and structures anywhere. There is no land use plan, no adherences to building constructions are observed. This is not only destroying the aesthetic of the area but also its liveable environment.

iv. Water Supply

Like all other wards water supply is also a critical problem in this ward. Surface water is the main source of drinking and washing. When population will increase the existing ponds will be inadequate to supply adequate water for the local people that will lead to severe water crisis. Moreover, there are arrangements for proper maintenance of the ponds. There is likelihood that

without proper maintenance caretaking the ponds might get polluted by unhygienic use of water that will endanger health of the local people.

v. Low Density of Population: Problem for Providing Infrastructure

Infrastructure development is not cost effective if the density of population remains very low. The cost of service line is the same for all sizes of population. So, if the population size is small more cost has to be incurred per head of population for providing infrastructure, which is not cost effective.

vi. Lack of Threshold Population for Business

The town possesses a very low level of population which is not adequate to run large retail business activities. This size of population will not help grow the local economy grow. Besides, the average income of the people is also very low which is not conducive to economic flourishment of the town. Higher the size of population more demand is created for goods and services leading to more economic activities and employment. No urban centre can flourish without adequate economic prosperity.

b. Development Opportunities

i. Low Density of Population

The present density of population in the ward is low, only 19 persons /acre. From environmental point of view this of population can create a very liveable environment for the area with respect to ventilation, use of road and other basic services.

ii. Excellent External Connectivity

Dhaka is only 6-7 hours journey from Nazipur. It takes about 1 hour to reach Naogaon, the district headquarters.

iii. Potential for Small Scale Manufacturing

Cheap labour, availability of raw materials can help grow small scale manufacturing in this town. Jewellery, handicrafts of different kinds, small engineering can be developed here. This, however, would require local initiative. Local entrepreneurs may be provided with small capital to serve as incentive.

14.11 Ward Action Plan Proposals

14.11.1 Review of Existing Land Use

Study of existing land use of the ward reveals that major land use goes to Agricultural land and it is 62.59 acres of the total land. The second major land use is Residential land and occupying about 124.09 acres of the Paurashava area. Besides, there is about 21.93 acres water body, about 9.40 acres circulation network, about 11.56 acres commercial activities and other lands are being used for education, community service, government services, manufacturing or industry, service activity, Urban green space and vacant.

14.11.2 Proposed Land Use Zoning

i) Urban Residential Zone

Urban residential zone refers to all categories of urban residential areas, including existing ones and the residential land use proposed under the present master plan. In total this zone covers

106.81 acres of land delineated up to the year 2031 in Ward No. 03, considering standard provided by LGED.

ii) Commercial Zone

The commercial zone is intended to provide locations, where commercial activities including retails can be set up and function, without creating hazards to surrounding land uses. This zone has an area of 17.44 acres designated up to 2031.

iii) Mixed Use Zone

Mixed use zones have been recommended to allow some flexibility in development. Mixture of land uses will allow flexibility of development, instead of restricting development. This zone has an area of 25.79 acres designated up to 2031.

iv) Education & Research Zone

The total area under this use has been determined as 4.51 acres of land designated up to 2031.

v) Government Office

Administrative zone covers all kinds of government and non-government offices in the town. The total area under this use has been proposed as 0.88 acres of land designated up to 2031.

vi) Rural Settlement

There is no proposed land for this landuse in this ward.

vii) Agricultural Zone

The Paurashava including Ward No. 03 has not a vast area of agricultural land that demands formation of a separate zone like, agriculture zone. The total area under this use has been estimated as 25.26 acres that include existing and proposed land uses.

viii) Waterbody

The plan suggests preserving most of the water bodies for two purposes, first, to serve as source of water, second to serve as water retention area during monsoon. The ponds with an area equal to or more than 0.25 acres will be preserved as the water retention ponds. The proposed retention area covers 20.16 acres.

ix) Health Services

Proposed plan suggests a community clinic in ward center for this ward.

x) Circulation Network

Existing and proposed roads cover a total of 45.74 acres of land of the whole ward.

xi) Open Space

In this ward there is no outdoor recreational space like park, playground etc. So the consultants accommodate 3.38 acres of land for open space.

14.11.3 Road Network Development Plan

The existing road network of ward no.3 is 12.40 km where 4.27 km road is pucca, 5.11 is semipucca and 3.01 km road is Katcha. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. In road network development plan there is 16.65 km new road and about 45.74 acres of land is allotted for ward no 03. All of the roads of this Paurashava will be constructed as a pucca road in different phases of plan. Road widening is considered the entire existing road. Proposals of Roads for ward no-03 are shown in **Table 14-10** and **Map 14-6 & Map 14-7**.

Table 14-10: Proposal of Roads for Ward-03

| Proposed Road Type | ID | Length (km) | Proposed Width (ft) | Proposal Type |
|--------------------|--------|----------------|------------------------|------------------|
| Primary Road | PR-17 | 0.58 | 100 | Pucca |
| Primary Road | PR-34 | 0.18 | 100 | Pucca |
| Primary Road | PR-211 | 0.44 | 100 | Pucca |
| Primary Road | PR-243 | 0.16 | 100 | Pucca |
| Primary Road | PR-248 | 0.40 | 100 | Pucca |
| Secondary Road | SR-129 | 0.30 | 60 | Pucca |
| Secondary Road | SR-156 | 0.48 | 60 | Pucca |
| Secondary Road | SR-157 | 0.18 | 60 | Pucca |
| Secondary Road | SR-462 | 0.45 | 60 | Pucca |

^{**} Road length≥ 200 meter incorporated here. Detail was given in Appendix

14.11.4 Drainage Development Plan

Drain is necessary for discharge all its waste water and storm water. The plan proposes 7.37 km of new drains forward no. 03 which will be developed during the different phase. The natural sources of drainage are playing the critical roles in drainage plan.

Table 14-11: Proposal of Drain for Ward-03

| Drain Type | ID | Construction Type | Length (m) | Average Width (m) |
|------------|-------|-------------------|------------|-------------------|
| Secondary | SD-2 | Pucca | 1.92 | 0.80-1.00 |
| Tertiary | TD-3 | Pucca | 1.39 | 0.60-0.80 |
| Tertiary | TD-5 | Pucca | 0.47 | 0.60-0.80 |
| Primary | PD-6 | Pucca | 2.18 | 1.00-2.00 |
| Tertiary | TD-8 | Pucca | 1.34 | 0.60-0.80 |
| Tertiary | TD-9 | Pucca | 0.89 | 0.60-0.80 |
| Tertiary | TD-14 | Pucca | 0.52 | 0.60-0.80 |
| Secondary | SD-19 | Pucca | 0.80 | 0.80-1.00 |
| Tertiary | TD-21 | Pucca | 0.52 | 0.60-0.80 |
| Tertiary | TD-30 | Pucca | 0.67 | 0.60-0.80 |


14.11.5 Urban Services Development Plan of Ward No-03

The urban services are the pre-condition of any potential development. The development is not same in the entire ward. Ward no 03 has much more potentiality due to situated in Naogaon-Dhamoirhat highway road. Primary school, High school, Neighborhood Park, Playground, and

Rickshaw stand is proposed here. The proposal for service facilities of ward no 03 is shown in (**Table 14-12**) together with mouza name and plot number.

Table 14-12: Proposal for Other Facilities of Ward-03

| Type of Facilities | Area in Acre | Mouza Name | Plot No. |
|--------------------------|-----------------|------------------|-------------------------|
| Ward Center-3 | 0.93 | Nojipur (217_00) | 389,391,1407,1408 |
| Bus Terminal | 1.88 | Nojipur (217_00) | 1436,1438 |
| bus reminal | 1.00 | Palsa (215_00) | 494 |
| Fire Station Extension | 1.18 | Nojipur (217_00) | 216,250,251 |
| High School-1 | 1.16 | Nojipur (217_00) | 182,183,268,269 |
| Neighbourhood Clinic-3 | 0.43 | Nojipur (217_00) | 877 |
| Neighbourhood Market-3 | 0.98 | Nojipur (217_00) | 388,389,391 |
| Neighbourhood Park-1 | 1.87 | Nojipur (217_00) | 833,834,835,937,938,939 |
| Playfield-3 | 1.51 | Nojipur (217_00) | 205,206,207,208,209,218 |
| Primary School- 2 | 0.99 | Nojipur (217_00) | 268,270,271,272,273,274 |
| Rickshaw/Tempo Stand- 3 | 0.25 | Nojipur (217_00) | 389,1408,1409 |
| Waste Transfer Station-3 | 0.27 | Nojipur (217_00) | 388 |



Map 14-7: Drain and Service Plan Map of Nazipur Paurashava (Ward-03)

Ward Action Plan for Ward-04

14.12 Demographic Conditions of Ward-04

Ward No. 04 is located at the southern part of Nazipur Paurashava. The area of the Ward is 568.61 acres. The Population is 2322 in 2011 according to BBS, 2011. Population projection shows 3925 population in 2031. The density will be 7 persons per acre in 2031.

Table 14-13: Population Statistics of Ward-04

| Item | Year | | |
|----------------------------------|--------|--------|--|
| item | 2011 | 2031 | |
| Area (acre) | 568.61 | 568.61 | |
| Population | 2322 | 3925 | |
| Density of Population (per acre) | 4 | 7 | |

Source: BBS 2011

14.13 Critical Issues and Opportunities of the Ward

a. Critical Issues

i. Problems of Road Infrastructure

The ward is not served by adequate number of roads. The total length of roads in the ward is only 9.44 km. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. All these will pose serious problems in movement when population rises in the ward. Quality of roads on average is not satisfactory. Only about 2.03 km road is pucca, 3.14 is semi-pucca and 4.27 km road is katcha.

ii. Poor Drainage

This ward has no adequate drainage network serving the entire area. All the households do not have drainage outlet to discharge their waste water. Lack of drainage, though, is not a serious problem now but will emerge as a critical problem as density of population increases in future. In future due to construction the net run off area will increase that will cause water logging at places. So, necessary arrangements will have to be made now to get rid of future drainage problems.

iii. Haphazard Development

Like all other urban areas, unplanned development is a typical characteristic of this ward. Land owners are building their houses and structures anywhere. There is no land use plan, no adherences to building constructions are observed. This is not only destroying the aesthetic of the area but also its liveable environment.

iv. Water Supply

Like all other wards water supply is also a critical problem in this ward. Surface water is the main source of drinking and washing. When population will increase the existing ponds will be inadequate to supply adequate water for the local people that will lead to severe water crisis. Moreover, there are arrangements for proper maintenance of the ponds. There is likelihood that without proper maintenance caretaking the ponds might get polluted by unhygienic use of water that will endanger health of the local people.

v. Low Density of Population: Problem for Providing Infrastructure

Infrastructure development is not cost effective if the density of population remains very low. The cost of service line is the same for all sizes of population. So, if the population size is small more cost has to be incurred per head of population for providing infrastructure, which is not cost effective.

vi. Lack of Threshold Population for Business

The town possesses a very low level of population which is not adequate to run large retail business activities. This size of population will not help grow the local economy grow. Besides, the average income of the people is also very low which is not conducive to economic flourishment of the town. Higher the size of population more demand is created for goods and services leading to more economic activities and employment. No urban centre can flourish without adequate economic prosperity.

b. Development Opportunities

i. Low Density of Population

The present density of population in the ward is low, only 4 persons /acre. From environmental point of view this of population can create a very liveable environment for the area with respect to ventilation, use of road and other basic services.

ii. Excellent External Connectivity

Dhaka is only 6-7 hours journey from Nazipur. It takes about 1 hour to reach Naogaon, the district headquarters.

iii. Potential for Small Scale Manufacturing

Cheap labour, availability of raw materials can help grow small scale manufacturing in this town. Jewellery, handicrafts of different kinds, small engineering can be developed here. This, however, would require local initiative. Local entrepreneurs may be provided with small capital to serve as incentive.

14.14 Ward Action Plan Proposals

14.14.1 Review of Existing Land Use

Study of existing land use of the ward reveals that major land use goes to Agricultural land and it is 405.80 acres of the total land. The second major land use is Residential land and occupying about 158.01 acres of the Paurashava area. Besides, there is about 58.00 acres water body, about 8.18 acres circulation network, about 2.20 acres commercial activities and other lands are being used for education, community service, government services, manufacturing or industry, service activity, Urban green space and vacant.

14.14.2 Proposed Land Use Zoning

i) Urban Residential Zone

Urban residential zone refers to all categories of urban residential areas, including existing ones and the residential land use proposed under the present master plan. In total this zone covers

56.55 acres of land delineated up to the year 2031 in Ward No. 04, considering standard provided by LGED.

ii) Commercial Zone

The commercial zone is intended to provide locations, where commercial activities including retails can be set up and function, without creating hazards to surrounding land uses. This zone has an area of 10.32 acres designated up to 2031.

iii) Mixed Use Zone

Mixed use zones have been recommended to allow some flexibility in development. Mixture of land uses will allow flexibility of development, instead of restricting development. This zone has an area of 3.57 acres designated up to 2031.

iv) Education & Research Zone

The total area under this use has been determined as 4.52 acres of land designated up to 2031.

v) Government Office

Administrative zone covers all kinds of government and non-government offices in the town. The total area under this use has been proposed as 0.29 acres of land designated up to 2031.

vi) Rural Settlement

The total area under this use has been proposed as 12.54 acres which is most portion of this land use.

vii) Agricultural Zone

The Paurashava including Ward No. 04 has a vast area of agricultural land that demands formation of a separate zone like, agriculture zone. The total area under this use has been estimated as 346.52 acres that include existing and proposed land uses.

viii) Waterbody

The plan suggests preserving most of the water bodies for two purposes, first, to serve as source of water, second to serve as water retention area during monsoon. The ponds with an area equal to or more than 0.25 acres will be preserved as the water retention ponds. The proposed retention area covers 56.27 acres.

ix) Health Services

Proposed plan suggests a community clinic in ward center for this ward.

x) Circulation Network

Existing and proposed roads cover a total of 55.70 acres of land of the whole ward.

xi) Open Space

In this ward there is no outdoor recreational space like park, playground etc. So the consultants accommodate 3.26 acres of land for open space.

14.14.3 Road Network Development Plan

The existing road network of ward no.4 is 9.44 km where 2.03 km road is pucca, 3.14 is semi-pucca and 4.27 km road is Katcha. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. In road network development plan there is 14.45 km new road and about 55.70 acres of land is allotted for ward no 04. All of the roads of this Paurashava will be constructed as a pucca road in different phases of plan. Road widening is considered the entire existing road. Proposals of Roads for ward no-04 are shown in **Table 14-14** and **Map 14-8** & **Map 14-9**.

Table 14-14: Proposal of Roads for Ward-04

| Proposed Road Type | ID | Length (km) | Proposed Width (ft) | Proposal Type |
|--------------------|--------|----------------|---------------------|------------------|
| Primary Road | PR-34 | 1.44 | 100 | Pucca |
| Primary Road | PR-467 | 0.75 | 100 | Pucca |
| Primary Road | PR-72 | 0.39 | 100 | Pucca |
| Primary Road | PR-85 | 0.18 | 100 | Pucca |
| Primary Road | PR-86 | 0.08 | 100 | Pucca |
| Secondary Road | SR-43 | 0.45 | 60 | Pucca |
| Secondary Road | SR-44 | 0.84 | 60 | Pucca |

^{**} Road length≥ 200 meter incorporated here. Detail was given in Appendix

14.14.4 Drainage Development Plan

Drain is necessary for discharge all its waste water and storm water. The plan proposes 4.32 km of new drains forward no. 04 which will be developed during the different phase. The natural sources of drainage are playing the critical roles in drainage plan.

Table 14-15: Proposal of Drain for Ward-04

| Drain Type | ID | Construction Type | Length (m) | Average Width (m) |
|------------|-------|-------------------|------------|-------------------|
| Tertiary | TD-1 | Pucca | 4.23 | 0.60-0.80 |
| Tertiary | TD-3 | Pucca | 1.39 | 0.60-0.80 |
| Secondary | SD-4 | Pucca | 1.68 | 0.80-1.00 |
| Tertiary | TD-27 | Pucca | 1.83 | 0.60-0.80 |
| Primary | PD-38 | Pucca | 1.86 | 1.00-2.00 |
| Tertiary | TD-48 | Pucca | 0.00 | 0.80-1.00 |
| Tertiary | TD-55 | Pucca | 0.00 | 0.60-0.80 |
| Tertiary | TD-56 | Pucca | 0.00 | 0.60-0.80 |
| Tertiary | TD-57 | Pucca | 0.00 | 0.60-0.80 |
| Tertiary | TD-58 | Pucca | 0.00 | 0.60-0.80 |

14.14.5 Urban Services Development Plan of Ward No-04

The urban services are the pre-condition of any potential development. The development is not same in the entire ward. Ward no 04 has much more potentiality due to situated in Naogaon-Dhamoirhat highway road. Primary school, High school, Neighborhood Park, Playground, and

WARD ACTION PLAN

Rickshaw stand is proposed here. The proposal for service facilities of ward no 04 is shown in (**Table 14-16**) together with mouza name and plot number.

Table 14-16: Proposal for Other Facilities of Ward-04

| Type of Facilities | Area in Acre | Mouza Name | Plot No. |
|--------------------------|--------------|-------------------|----------------------------------|
| Ward Center-4 | 0.70 | Palsa (215_00) | 252,421,425,426,427,428,435,436, |
| Boat Ghat | 0.90 | Badpuiya (214_00) | 2,3,4,5,6,7,8,30,31,32 |
| High School-2 | 2.06 | Palsa (215_00) | 358,360,361,362,364,365 |
| Neighbourhood Clinic-4 | 0.62 | Palsa (215_00) | 336,337,338,340,391,392 |
| Neighbourhood Market-4 | 0.65 | Palsa (215_00) | 148,149 |
| Playfield-4 | 1.20 | Badpuiya (214_00) | 688,689,833,842 |
| Primary School- 3 | 1.19 | Palsha (215_00) | 382,384,471,479 |
| Rickshaw/Tempo Stand- 4 | 0.21 | Palsa (215_00) | 427,428 |
| Waste Transfer Station-4 | 0.18 | Palsa (215_00) | 485,486,487,488 |

| Nazipur Paurashava Master Plan 2011-2031 | |
|--|--|
| WARD ACTION PLAN | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| Map 14-8: Ward Action Plan Map of Nazipur Paurashava (Ward-04) | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

14.15 Demographic Conditions of Ward-05

Ward No. 05 is located at the south-east corner part of Nazipur Paurashava. The area of the Ward is 334.14 acres. The Population is 2092 in 2011 according to BBS, 2011. Population projection shows 4260 population in 2031. The density will be 13 persons per acre in 2031.

Table 14-17: Population Statistics of Ward-05

| Item | Ye | ear |
|----------------------------------|--------|--------|
| item | 2011 | 2031 |
| Area (acre) | 334.14 | 334.14 |
| Population | 2092 | 4260 |
| Density of Population (per acre) | 6 | 13 |

Source: BBS 2011

14.16 Critical Issues and Opportunities of the Ward

a. Critical Issues

i. Problems of Road Infrastructure

The ward is not served by adequate number of roads. The total length of roads in the ward is only 5.97 km. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. All these will pose serious problems in movement when population rises in the ward. Quality of roads on average is not satisfactory. Only about 1.32 km road is pucca, 3.40 is semi-pucca and 1.24 km road is katcha.

ii. Poor Drainage

This ward have only 0.27 km adequate drainage network serving the entire area. All the households do not have drainage outlet to discharge their waste water. Lack of drainage, though, is not a serious problem now but will emerge as a critical problem as density of population increases in future. In future due to construction the net run off area will increase that will cause water logging at places. So, necessary arrangements will have to be made now to get rid of future drainage problems.

iii. Haphazard Development

Like all other urban areas, unplanned development is a typical characteristic of this ward. Land owners are building their houses and structures anywhere. There is no land use plan, no adherences to building constructions are observed. This is not only destroying the aesthetic of the area but also its liveable environment.

iv. Water Supply

without proper maintenance caretaking the ponds might get polluted by unhygienic use of water that will endanger health of the local people.

v. Low Density of Population: Problem for Providing Infrastructure

Infrastructure development is not cost effective if the density of population remains very low. The cost of service line is the same for all sizes of population. So, if the population size is small more cost has to be incurred per head of population for providing infrastructure, which is not cost effective.

vi. Lack of Threshold Population for Business

The town possesses a very low level of population which is not adequate to run large retail business activities. This size of population will not help grow the local economy grow. Besides, the average income of the people is also very low which is not conducive to economic flourishment of the town. Higher the size of population more demand is created for goods and services leading to more economic activities and employment. No urban centre can flourish without adequate economic prosperity.

b. Development Opportunities

i. Low Density of Population

The present density of population in the ward is low, only 6 persons /acre. From environmental point of view this of population can create a very liveable environment for the area with respect to ventilation, use of road and other basic services.

ii. Excellent External Connectivity

Dhaka is only 6-7 hours journey from Nazipur. It takes about 1 hour to reach Naogaon, the district headquarters.

iii. Potential for Small Scale Manufacturing

Cheap labour, availability of raw materials can help grow small scale manufacturing in this town. Jewellery, handicrafts of different kinds, small engineering can be developed here. This, however, would require local initiative. Local entrepreneurs may be provided with small capital to serve as incentive.

14.17 Ward Action Plan Proposals

14.17.1 Review of Existing Land Use

Study of existing land use of the ward reveals that major land use goes to Agricultural land and it is 214.13 acres of the total land. The second major land use is Residential land and occupying about 74.52 acres of the Paurashava area. Besides, there is about 28.91 acres water body, about 3.78 acres circulation network, about 4.64 acres commercial activities and other lands are being used for education, community service, government services, manufacturing or industry, service activity, Urban green space and vacant.

14.17.2 Proposed Land Use Zoning

i) Urban Residential Zone

Urban residential zone refers to all categories of urban residential areas, including existing ones and the residential land use proposed under the present master plan. In total this zone covers 0.84

acres of land delineated up to the year 2031 in Ward No. 05, considering standard provided by LGED.

ii) Commercial Zone

The commercial zone is intended to provide locations, where commercial activities including retails can be set up and function, without creating hazards to surrounding land uses. This zone has an area of 10.32 acres designated up to 2031.

iii) Mixed Use Zone

Mixed use zones have been recommended to allow some flexibility in development. Mixture of land uses will allow flexibility of development, instead of restricting development. This zone has an area of 1.23 acres designated up to 2031.

iv) Education & Research Zone

The total area under this use has been determined as 5.05 acres of land designated up to 2031.

v) Government Office

Administrative zone covers all kinds of government and non-government offices in the town.

vi) Rural Settlement

The total area under this use has been proposed as 25.35 acres which is most portion of this land use.

vii) Agricultural Zone

The Paurashava including Ward No. 05 has a vast area of agricultural land that demands formation of a separate zone like, agriculture zone. The total area under this use has been estimated as 197.98 acres that include existing and proposed land uses.

viii) Waterbody

The plan suggests preserving most of the water bodies for two purposes, first, to serve as source of water, second to serve as water retention area during monsoon. The ponds with an area equal to or more than 0.25 acres will be preserved as the water retention ponds. The proposed retention area covers 28.39 acres.

ix) Health Services

Proposed plan suggests a community clinic in ward center for this ward.

x) Circulation Network

Existing and proposed roads cover a total of 16.60 acres of land of the whole ward.

xi) Open Space

In this ward there is no outdoor recreational space like park, playground etc. So the consultants accommodate 3.04 acres of land for open space.

14.17.3 Road Network Development Plan

The existing road network of ward no.5 is 5.97 km where 1.32 km road is pucca, 3.40 is semipucca and 1.24 km road is katcha. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. In road network development plan there is 7.07 km new road and about 16.60 acres of land is allotted for ward no 05. All of the roads of this Paurashava will be constructed as a pucca road in different phases of plan. Road widening is considered the entire existing road. Proposals of Roads for ward no-05 are shown in **Table 14-18** and **Map 14-10 & Map 14-11**.

Table 14-18: Proposal of Roads for Ward-05

| Proposed Road Type | ID | Length (km) | Proposed Width (ft) | Proposal Type |
|--------------------|--------|----------------|---------------------|------------------|
| Primary Road | PR-34 | 0.09 | 100 | Pucca |
| Primary Road | PR-487 | 0.07 | 100 | Pucca |
| Primary Road | PR-488 | 0.07 | 100 | Pucca |
| Primary Road | PR-489 | 0.29 | 100 | Pucca |
| Secondary Road | SR-129 | 0.60 | 60 | Pucca |

^{**} Road length≥ 200 meter incorporated here. Detail was given in Appendix

14.17.4 Drainage Development Plan

Drain is necessary for discharge all its waste water and storm water. The plan proposes 4.17 km of new drains forward no. 05 which will be developed during the different phase. The natural sources of drainage are playing the critical roles in drainage plan.

Table 14-19: Proposal of Drain for Ward-05

| Drain Type | ID | Construction Type | Length (m) | Average Width (m) |
|------------|-------|-------------------|------------|-------------------|
| Tertiary | TD-1 | Pucca | 4.23 | 0.60-0.80 |
| Tertiary | TD-27 | Pucca | 1.83 | 0.60-0.80 |
| Tertiary | TD-28 | Pucca | 0.62 | 0.60-0.80 |
| Tertiary | TD-29 | Pucca | 0.53 | 0.60-0.80 |
| Tertiary | TD-59 | Pucca | 0.00 | 0.60-0.80 |
| Tertiary | TD-61 | Pucca | 2.18 | 0.60-0.80 |
| Secondary | SD-70 | Pucca | 1.86 | 0.80-1.00 |
| Tertiary | TD-72 | Pucca | 3.00 | 0.60-0.80 |
| Tertiary | TD-82 | Pucca | 0.00 | 0.60-0.80 |

14.17.5 Urban Services Development Plan of Ward No-05

The urban services are the pre-condition of any potential development. The development is not same in the entire ward. Ward no 01 has much more potentiality due to situated in Naogaon-Dhamoirhat highway road. Primary school, High school, Neighborhood Park, Playground, and Rickshaw stand is proposed here. The proposal for service facilities of ward no 05 is shown in (**Table 14-20**) together with mouza name and plot number.

Table 14-20: Proposal for Other Facilities of Ward-05

| Type of Facilities | Area in Acre | Mouza Name | Plot No. |
|--------------------------|-----------------|----------------|---|
| Ward Center-5 | 0.79 | Puiya (213_00) | 495,496,497,498,956 |
| Neighbourhood Clinic-5 | 0.5 | Puiya (213_00) | 251,252,507,510 |
| Neighbourhood Market-5 | 0.64 | Puiya (213_00) | 499,500 |
| Neighbourhood Park-3 | 1.97 | Puiya (213_00) | 252,253,254,258,443,444,451 |
| Playfield-5 | 1.04 | Puiya (213_00) | 252,253,444,491,506,507,508 |
| Rickshaw/Tempo Stand- 5 | 0.26 | Puiya (213_00) | 495,956 |
| Vocational College | 3.72 | Puiya (213_00) | 548,549,550,551,552,553,554,555,556,557 ,558,559,560,575,576,577 |
| Waste Transfer Station-5 | 0.22 | Puiya (213_00) | 228 |

| Nazipur Paurashava Master Plan 2011-2031 | | | |
|---|----------|-----------------|------|
| WARD ACTION PLAN | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| ap 14-10: Ward Action Plan Map of Nazipur Paurashava (W | /ard-05) | | |
| | , | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| CHAPTER 14: WARD ACTION PLAN | | Page 203 | |

| Nazipur Paurashava Maste | r Plan 2011-2031 | | | | |
|--------------------------|---------------------------|---------------------|----------|--|--|
| WARD ACTION PLAN | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Map 14-11: Drain and So | ervice Plan Map of Na | zipur Paurashava (V | Vard-05) | | |
| ap | or rice i fair map or ria | pa. | · | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

14.18 Demographic Conditions of Ward-06

Ward No. 06 is located at the eastern part of Nazipur Paurashava. The area of the Ward is 262.35 acres. The Population is 3184 in 2011 according to BBS, 2011. Population projection shows 6718 population in 2031. The density will be 26 persons per acre in 2031.

Table 14-21: Population Statistics of Ward-06

| Item | Ye | ar |
|----------------------------------|--------|--------|
| item | 2011 | 2031 |
| Area (acre) | 262.35 | 262.35 |
| Population | 3184 | 6718 |
| Density of Population (per acre) | 12 | 26 |

Source: BBS 2011

14.19 Critical Issues and Opportunities of the Ward

a. Critical Issues

i. Problems of Road Infrastructure

The ward is not served by adequate number of roads. The total length of roads in the ward is only 7.84 km. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. All these will pose serious problems in movement when population rises in the ward. Quality of roads on average is not satisfactory. Only about 2.72 km road is pucca, 3.74 is semi-pucca and 1.37 km road is katcha.

ii. Poor Drainage

This ward have only 0.70 km adequate drainage network serving the entire area. All the households do not have drainage outlet to discharge their waste water. Lack of drainage, though, is not a serious problem now but will emerge as a critical problem as density of population increases in future. In future due to construction the net run off area will increase that will cause water logging at places. So, necessary arrangements will have to be made now to get rid of future drainage problems.

iii. Haphazard Development

Like all other urban areas, unplanned development is a typical characteristic of this ward. Land owners are building their houses and structures anywhere. There is no land use plan, no adherences to building constructions are observed. This is not only destroying the aesthetic of the area but also its liveable environment.

iv. Water Supply

without proper maintenance caretaking the ponds might get polluted by unhygienic use of water that will endanger health of the local people.

v. Low Density of Population: Problem for Providing Infrastructure

Infrastructure development is not cost effective if the density of population remains very low. The cost of service line is the same for all sizes of population. So, if the population size is small more cost has to be incurred per head of population for providing infrastructure, which is not cost effective.

vi. Lack of Threshold Population for Business

The town possesses a very low level of population which is not adequate to run large retail business activities. This size of population will not help grow the local economy grow. Besides, the average income of the people is also very low which is not conducive to economic flourishment of the town. Higher the size of population more demand is created for goods and services leading to more economic activities and employment. No urban centre can flourish without adequate economic prosperity.

b. Development Opportunities

i. Low Density of Population

The present density of population in the ward is low, only 12 persons /acre. From environmental point of view this of population can create a very liveable environment for the area with respect to ventilation, use of road and other basic services.

ii. Excellent External Connectivity

Dhaka is only 6-7 hours journey from Nazipur. It takes about 1 hour to reach Naogaon, the district headquarters.

iii. Potential for Small Scale Manufacturing

Cheap labour, availability of raw materials can help grow small scale manufacturing in this town. Jewellery, handicrafts of different kinds, small engineering can be developed here. This, however, would require local initiative. Local entrepreneurs may be provided with small capital to serve as incentive.

14.20 Ward Action Plan Proposals

14.20.1 Review of Existing Land Use

Study of existing land use of the ward reveals that major land use goes to Agricultural land and it is 142.06 acres of the total land. The second major land use is Residential land and occupying about 83.49 acres of the Paurashava area. Besides, there is about 16.08 acres water body, about 5.65 acres circulation network, about 10.06 acres commercial activities and other lands are being used for education, community service, government services, manufacturing or industry, service activity, Urban green space and vacant.

14.20.2 Proposed Land Use Zoning

i) Urban Residential Zone

Urban residential zone refers to all categories of urban residential areas, including existing ones and the residential land use proposed under the present master plan. In total this zone covers

44.48 acres of land delineated up to the year 2031 in Ward No. 06, considering standard provided by LGED.

ii) Commercial Zone

The commercial zone is intended to provide locations, where commercial activities including retails can be set up and function, without creating hazards to surrounding land uses. This zone has an area of 13.99 acres designated up to 2031.

iii) Mixed Use Zone

Mixed use zones have been recommended to allow some flexibility in development. Mixture of land uses will allow flexibility of development, instead of restricting development. This zone has an area of 4.59 acres designated up to 2031.

iv) Education & Research Zone

The total area under this use has been determined as 2.12 acres of land designated up to 2031.

v) Government Office

Administrative zone covers all kinds of government and non-government offices in the town.

vi) Rural Settlement

The total area under this use has been proposed as 19.22 acres which is most portion of this land use.

vii) Agricultural Zone

The Paurashava including Ward No. 06 has a vast area of agricultural land that demands formation of a separate zone like, agriculture zone. The total area under this use has been estimated as 130.36 acres that include existing and proposed land uses.

viii) Waterbody

The plan suggests preserving most of the water bodies for two purposes, first, to serve as source of water, second to serve as water retention area during monsoon. The ponds with an area equal to or more than 0.25 acres will be preserved as the water retention ponds. The proposed retention area covers 15.67 acres.

ix) Health Services

Proposed plan suggests a community clinic in ward center for this ward.

x) Circulation Network

Existing and proposed roads cover a total of 23.11 acres of land of the whole ward.

xi) Open Space

In this ward there is no outdoor recreational space like park, playground etc. So the consultants accommodate 3.43 acres of land for open space.

14.20.3 Road Network Development Plan

The existing road network of ward no.6 is 7.84 km where 2.72 km road is pucca, 3.74 is semi-pucca and 1.37 km road is Katcha. This length of roads will not be able to serve the entire area in

future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. In road network development plan there is 9.07 km new road and about 23.11 acres of land is allotted for ward no 06. All of the roads of this Paurashava will be constructed as a pucca road in different phases of plan. Road widening is considered the entire existing road. Proposals of Roads for ward no-06 are shown in **Table 14-22** and **Map 14-13**.

Table 14-22: Proposal of Roads for Ward-06

| Proposed Road Type | ID | Length (km) | Proposed Width (ft) | Proposal Type |
|--------------------|--------|----------------|---------------------|------------------|
| Primary Road | PR-17 | 0.05 | 100 | Pucca |
| Primary Road | PR-34 | 0.69 | 100 | Pucca |
| Primary Road | PR-466 | 0.03 | 100 | Pucca |
| Primary Road | PR-486 | 0.63 | 100 | Pucca |
| Primary Road | PR-487 | 0.20 | 100 | Pucca |
| Secondary Road | SR-129 | 0.12 | 60 | Pucca |
| Secondary Road | SR-247 | 0.15 | 60 | Pucca |

^{**} Road length≥ 200 meter incorporated here. Detail was given in Appendix

14.20.4 Drainage Development Plan

Drain is necessary for discharge all its waste water and storm water. The plan proposes 3.53 km of new drains forward no. 06 which will be developed during the different phase. The natural sources of drainage are playing the critical roles in drainage plan.

Table 14-23: Proposal of Drain for Ward-06

| Drain Type | ID | Construction Type | Length (m) | Average Width (m) |
|------------|-------|-------------------|------------|-------------------|
| Primary | PD-6 | Pucca | 2.18 | 1.00-2.00 |
| Secondary | SD-7 | Pucca | 3.00 | 0.80-1.00 |
| Tertiary | TD-17 | Pucca | 0.61 | 0.60-0.80 |
| Tertiary | TD-18 | Pucca | 0.63 | 0.60-0.80 |
| Tertiary | TD-21 | Pucca | 0.52 | 0.60-0.80 |
| Tertiary | TD-22 | Pucca | 1.23 | 0.60-0.80 |
| Tertiary | TD-30 | Pucca | 0.67 | 0.60-0.80 |
| Tertiary | TD-49 | Pucca | 0.00 | 0.60-0.80 |
| Tertiary | TD-61 | Pucca | 2.18 | 0.60-0.80 |
| Primary | PD-67 | Pucca | 4.23 | 1.00-2.00 |
| Secondary | SD-68 | Pucca | 1.23 | 0.80-1.00 |
| Tertiary | TD-71 | Pucca | 4.23 | 0.60-0.80 |

14.20.5 Urban Services Development Plan of Ward No-06

The urban services are the pre-condition of any potential development. The development is not same in the entire ward. Ward no 06 has much more potentiality due to situated in Naogaon-Dhamoirhat highway road. Primary school, High school, Neighborhood Park, Playground, and

Rickshaw stand is proposed here. The proposal for service facilities of ward no 06 is shown in (**Table 14-24**) together with mouza name and plot number.

Table 14-24: Proposal for Other Facilities of Ward-06

| Type of Facilities | Area in Acre | Mouza Name | Plot No. |
|-----------------------------|--------------|-------------------------|---|
| Ward Center-6 | 0.88 | Horirampur (218_00) | 947,948,949,951 |
| Graveyard | 1.34 | Chok Joyram (248_00) | 660,665,682,683,684,685,686,687,920 |
| Indoor Stadium | 1.59 | Chok Joyram (248_00) | 726,728,729,730,846,847,848,849,850,851,852,854,921 |
| Neighbourhood | 0.22 | Chok Joyram (248_00) | 234,235,236,237,238,239 |
| Clinic-6 | 0.33 | Horirampur (218_00) | 692,693,694,695,696 |
| Neighbourhood Market-6 | 0.65 | Chok Joyram (248_00) | 634,689,690,691,692 |
| Neighbourhood Park-4 | 1.04 | Chok Joyram (248_00) | 195,196,197,198,199,203,205,206,210,211,212,213,214,215 |
| Playfield-6 | 2.33 | Chok Joyram (248_00) | 72,73,217 |
| Primary School- 4 | 1.31 | Chok Joyram (248_00) | 698,699,700,701,702,703,704,705,706,707,709,723,725,727 |
| Waste Transfer Station-6 | 0.20 | Chok Joyram (248_00) | 322,337,402,404,405 |

| Nazipur Paurashava Master Plan 2011-2031 | | | |
|--|---------------------------|--|--|
| WARD ACTION PLAN | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Map 14-12: Ward Action Plan Map of Naz | ipur Paurashava (Ward-06) | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| Page **210**

CHAPTER 14: WARD ACTION PLAN

14.21 Demographic Conditions of Ward-07

Ward No. 07 is located at the middle-east corner part of Nazipur Paurashava. The area of the Ward is 186.66 acres. The Population is 3064 in 2011 according to BBS, 2011. Population projection shows 4948 population in 2031. The density will be 27 persons per acre in 2031.

Table 14-25: Population Statistics of Ward-07

| Item | Ye | ear |
|----------------------------------|--------|--------|
| item | 2011 | 2031 |
| Area (acre) | 186.66 | 186.66 |
| Population | 3064 | 4948 |
| Density of Population (per acre) | 16 | 27 |

Source: BBS 2011

14.22 Critical Issues and Opportunities of the Ward

a. Critical Issues

i. Problems of Road Infrastructure

The ward is not served by adequate number of roads. The total length of roads in the ward is only 9.48 km. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. All these will pose serious problems in movement when population rises in the ward. Quality of roads on average is not satisfactory. Only about 3.56 km road is pucca, 4.62 is semi-pucca and 1.30 km road is katcha.

ii. Poor Drainage

This ward have only 0.58 km adequate drainage network serving the entire area. All the households do not have drainage outlet to discharge their waste water. Lack of drainage, though, is not a serious problem now but will emerge as a critical problem as density of population increases in future. In future due to construction the net run off area will increase that will cause water logging at places. So, necessary arrangements will have to be made now to get rid of future drainage problems.

iii. Haphazard Development

Like all other urban areas, unplanned development is a typical characteristic of this ward. Land owners are building their houses and structures anywhere. There is no land use plan, no adherences to building constructions are observed. This is not only destroying the aesthetic of the area but also its liveable environment.

iv. Water Supply

without proper maintenance caretaking the ponds might get polluted by unhygienic use of water that will endanger health of the local people.

v. Low Density of Population: Problem for Providing Infrastructure

Infrastructure development is not cost effective if the density of population remains very low. The cost of service line is the same for all sizes of population. So, if the population size is small more cost has to be incurred per head of population for providing infrastructure, which is not cost effective.

vi. Lack of Threshold Population for Business

The town possesses a very low level of population which is not adequate to run large retail business activities. This size of population will not help grow the local economy grow. Besides, the average income of the people is also very low which is not conducive to economic flourishment of the town. Higher the size of population more demand is created for goods and services leading to more economic activities and employment. No urban centre can flourish without adequate economic prosperity.

b. Development Opportunities

i. Low Density of Population

The present density of population in the ward is low, only 16 persons /acre. From environmental point of view this of population can create a very liveable environment for the area with respect to ventilation, use of road and other basic services.

ii. Excellent External Connectivity

Dhaka is only 6-7 hours journey from Nazipur. It takes about 1 hour to reach Naogaon, the district headquarters.

iii. Potential for Small Scale Manufacturing

Cheap labour, availability of raw materials can help grow small scale manufacturing in this town. Jewellery, handicrafts of different kinds, small engineering can be developed here. This, however, would require local initiative. Local entrepreneurs may be provided with small capital to serve as incentive.

14.23 Ward Action Plan Proposals

14.23.1 Review of Existing Land Use

Study of existing land use of the ward reveals that major land use goes to Agricultural land and it is 57.05 acres of the total land. The second major land use is Residential land and occupying about 93.00 acres of the Paurashava area. Besides, there is about 8.82 acres water body, about 6.50 acres circulation network, about 6.14 acres commercial activities and other lands are being used for education, community service, government services, manufacturing or industry, service activity, Urban green space and vacant.

14.23.2 Proposed Land Use Zoning

i) Urban Residential Zone

Urban residential zone refers to all categories of urban residential areas, including existing ones and the residential land use proposed under the present master plan. In total this zone covers

83.70 acres of land delineated up to the year 2031 in Ward No. 07, considering standard provided by LGED.

ii) Commercial Zone

The commercial zone is intended to provide locations, where commercial activities including retails can be set up and function, without creating hazards to surrounding land uses. This zone has an area of 4.26 acres designated up to 2031.

iii) Mixed Use Zone

Mixed use zones have been recommended to allow some flexibility in development. Mixture of land uses will allow flexibility of development, instead of restricting development. This zone has an area of 9.87 acres designated up to 2031.

iv) Education & Research Zone

The total area under this use has been determined as 4.90 acres of land designated up to 2031.

v) Government Office

Administrative zone covers all kinds of government and non-government offices in the town. The total area under this use has been proposed as 3.64 acres of land designated up to 2031.

vi) Rural Settlement

The total area under this use has been proposed as 1.28 acres which is most portion of this land use.

vii) Agricultural Zone

The Paurashava including Ward No. 07 has a vast area of agricultural land that demands formation of a separate zone like, agriculture zone. The total area under this use has been estimated as 33.80 acres that include existing and proposed land uses.

viii) Waterbody

The plan suggests preserving most of the water bodies for two purposes, first, to serve as source of water, second to serve as water retention area during monsoon. The ponds with an area equal to or more than 0.25 acres will be preserved as the water retention ponds. The proposed retention area covers 7.84 acres.

ix) Health Services

Proposed plan suggests a community clinic in ward center for this ward.

x) Circulation Network

Existing and proposed roads cover a total of 29.81 acres of land of the whole ward.

xi) Open Space

In this ward there is no outdoor recreational space like park, playground etc. So the consultants accommodate 2.83 acres of land for open space.

14.23.3 Road Network Development Plan

The existing road network of ward no.7 is 9.48 km where 3.56 km road is pucca, 4.62 is semi-pucca and 1.30 km road is katcha. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. In road network development plan there is 12.18 km new road and about 29.81 acres of land is allotted for ward no 07. All of the roads of this Paurashava will be constructed as a pucca road in different phases of plan. Road widening is considered the entire existing road. Proposals of Roads for ward no-07 are shown in **Table 14-26** and **Map 14-14 & Map 14-15**.

Table 14-26: Proposal of Roads for Ward-07

| Proposed Road Type | ID | Length (km) | Proposed Width (ft) | Proposal Type |
|--------------------|--------|----------------|---------------------|------------------|
| Primary Road | PR-34 | 0.83 | 100 | Pucca |
| Primary Road | PR-248 | 0.11 | 100 | Pucca |
| Primary Road | PR-484 | 0.19 | 100 | Pucca |
| Primary Road | PR-485 | 0.30 | 100 | Pucca |
| Secondary Road | SR-23 | 0.36 | 60 | Pucca |
| Secondary Road | SR-247 | 0.03 | 60 | Pucca |
| Secondary Road | SR-286 | 0.40 | 60 | Pucca |
| Secondary Road | SR-472 | 0.60 | 60 | Pucca |

^{**} Road length≥ 200 meter incorporated here. Detail was given in Appendix

14.23.4 Drainage Development Plan

Drain is necessary for discharge all its waste water and storm water. The plan proposes 4.27 km of new drains forward no. 07 which will be developed during the different phase. The natural sources of drainage are playing the critical roles in drainage plan.

Table 14-27: Proposal of Drain for Ward-07

| Drain Type | ID | Construction Type | Length (m) | Average Width (m) |
|------------|-------|-------------------|------------|-------------------|
| Secondary | SD-2 | Pucca | 1.92 | 0.80-1.00 |
| Secondary | SD-7 | Pucca | 3.00 | 0.80-1.00 |
| Tertiary | TD-11 | Pucca | 0.35 | 0.60-0.80 |
| Tertiary | TD-12 | Pucca | 0.58 | 0.60-0.80 |
| Tertiary | TD-18 | Pucca | 0.63 | 0.60-0.80 |
| Tertiary | TD-20 | Pucca | 0.40 | 0.60-0.80 |
| Tertiary | TD-33 | Pucca | 0.28 | 0.60-0.80 |
| Tertiary | TD-34 | Pucca | 0.33 | 0.60-0.80 |

14.23.5 Urban Services Development Plan of Ward No-07

The urban services are the pre-condition of any potential development. The development is not same in the entire ward. Ward no 07 has much more potentiality due to situated in Naogaon-Dhamoirhat highway road. Primary school, High school, Neighborhood Park, Playground, and Rickshaw stand is proposed here. The proposal for service facilities of ward no 07 is shown in (**Table 14-28**) together with mouza name and plot number.

Table 14-28: Proposal for Other Facilities of Ward-07

| Type of Facilities | Area in Acre | Mouza Name | Plot No. |
|-----------------------------|--------------------|--------------------------|---|
| Ward Center-7 | 0.88 | Horirampur (218_00) | 641,642,643,644,645,646,647,648 |
| Community Centre | 1.87 | Horirampur (218_00) | 172,173,193,194,195,196 |
| Degree College | 4.07 | Chok Nirkhin (222_00) | 335 |
| Extension | 4.07 | Horirampur (218_00) | 576,577,580,581,582,583 |
| Neighbourhood Clinic-7 | 0.45 | Horirampur (218_00) | 104,105,106,108 |
| Neighbourhood Market-7 | 0.65 | Horirampur (218_00) | 531,543,544,545,546 |
| Neighbourhood Park-5 | 1.55 | Horirampur (218_00) | 688,689,719 |
| Playfield-7 | 1.12 | Horirampur (218_00) | 680,681,682,683,684,685,686,747,748,749,750 |
| Primary School- 5 | 1.25 | Horirampur (218_00) | 742,745,746,747,753,754,755,759,779,780,781,784 |
| Rickshaw/Temp o Stand- 7 | 0.22 | Horirampur (218_00) | 644 |
| Waste Transfer Station-7 | 0.20 | Horirampur (218_00) | 516,517,518,519,520,521 |
| Water Supply Pump-2 | 0.65 | Horirampur (218_00) | 462,471,472,473,474,475,476,477,481,482,483,484,485,486 ,487,488,489 |

| Nazipur Paurashava Master Plan 2011-2031 | |
|--|-----------------|
| WARD ACTION PLAN | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| ap 14-14: Ward Action Plan Map of Nazipur Paurashava (Ward-07) | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| CHAPTER 14: WARD ACTION PLAN | Page 217 |

14.24 Demographic Conditions of Ward-08

Ward No. 08 is located at the north-east corner part of Nazipur Paurashava. The area of the Ward is 750.30 acres. The Population is 1525 in 2011 according to BBS, 2011. Population projection shows 2329 population in 2031. The density will be 3 persons per acre in 2031.

Table 14-29: Population Statistics of Ward-08

| Item | Ye | ear |
|----------------------------------|--------|--------|
| itein | 2011 | 2031 |
| Area (acre) | 750.30 | 750.30 |
| Population | 1525 | 2329 |
| Density of Population (per acre) | 2 | 3 |

Source: BBS 2011

14.25 Critical Issues and Opportunities of the Ward

a. Critical Issues

i. Problems of Road Infrastructure

The ward is not served by adequate number of roads. The total length of roads in the ward is only 14.56 km. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. All these will pose serious problems in movement when population rises in the ward. Quality of roads on average is not satisfactory. Only about 5.57 km road is pucca, 3.75 is semi-pucca and 5.23 km road is katcha.

ii. Poor Drainage

This ward have only 0.51 km adequate drainage network serving the entire area. All the households do not have drainage outlet to discharge their waste water. Lack of drainage, though, is not a serious problem now but will emerge as a critical problem as density of population increases in future. In future due to construction the net run off area will increase that will cause water logging at places. So, necessary arrangements will have to be made now to get rid of future drainage problems.

iii. Haphazard Development

Like all other urban areas, unplanned development is a typical characteristic of this ward. Land owners are building their houses and structures anywhere. There is no land use plan, no adherences to building constructions are observed. This is not only destroying the aesthetic of the area but also its liveable environment.

iv. Water Supply

without proper maintenance caretaking the ponds might get polluted by unhygienic use of water that will endanger health of the local people.

v. Low Density of Population: Problem for Providing Infrastructure

Infrastructure development is not cost effective if the density of population remains very low. The cost of service line is the same for all sizes of population. So, if the population size is small more cost has to be incurred per head of population for providing infrastructure, which is not cost effective.

vi. Lack of Threshold Population for Business

The town possesses a very low level of population which is not adequate to run large retail business activities. This size of population will not help grow the local economy grow. Besides, the average income of the people is also very low which is not conducive to economic flourishment of the town. Higher the size of population more demand is created for goods and services leading to more economic activities and employment. No urban centre can flourish without adequate economic prosperity.

b. Development Opportunities

i. Low Density of Population

The present density of population in the ward is low, only 2 persons /acre. From environmental point of view this of population can create a very liveable environment for the area with respect to ventilation, use of road and other basic services.

ii. Excellent External Connectivity

Dhaka is only 6-7 hours journey from Nazipur. It takes about 1 hour to reach Naogaon, the district headquarters.

iii. Potential for Small Scale Manufacturing

Cheap labour, availability of raw materials can help grow small scale manufacturing in this town. Jewellery, handicrafts of different kinds, small engineering can be developed here. This, however, would require local initiative. Local entrepreneurs may be provided with small capital to serve as incentive.

14.26 Ward Action Plan Proposals

14.26.1 Review of Existing Land Use

Study of existing land use of the ward reveals that major land use goes to Agricultural land and it is 538.37 acres of the total land. The second major land use is Residential land and occupying about 118.94 acres of the Paurashava area. Besides, there is about 32.13 acres water body, about 10.85 acres circulation network, about 3.08 acres commercial activities and other lands are being used for education, community service, government services, manufacturing or industry, service activity, Urban green space and vacant.

14.26.2 Proposed Land Use Zoning

i) Urban Residential Zone

Urban residential zone refers to all categories of urban residential areas, including existing ones and the residential land use proposed under the present master plan. In total this zone covers

12.29 acres of land delineated up to the year 2031 in Ward No. 08, considering standard provided by LGED.

ii) Commercial Zone

The commercial zone is intended to provide locations, where commercial activities including retails can be set up and function, without creating hazards to surrounding land uses. This zone has an area of 1.97 acres designated up to 2031.

iii) Mixed Use Zone

Mixed use zones have been recommended to allow some flexibility in development. Mixture of land uses will allow flexibility of development, instead of restricting development. This zone has an area of 24.43 acres designated up to 2031.

iv) Education & Research Zone

The total area under this use has been determined as 11.81 acres of land designated up to 2031.

v) Government Office

Administrative zone covers all kinds of government and non-government offices in the town. The total area under this use has been proposed as 6.52 acres of land designated up to 2031.

vi) Rural Settlement

The total area under this use has been proposed as 75.80 acres which is most portion of this land use.

vii) Agricultural Zone

The Paurashava including Ward No. 08 has a vast area of agricultural land that demands formation of a separate zone like, agriculture zone. The total area under this use has been estimated as 501.45 acres that include existing and proposed land uses.

viii) Waterbody

The plan suggests preserving most of the water bodies for two purposes, first, to serve as source of water, second to serve as water retention area during monsoon. The ponds with an area equal to or more than 0.25 acres will be preserved as the water retention ponds. The proposed retention area covers 27.64 acres.

ix) Health Services

Proposed plan suggests a community clinic in ward center for this ward.

x) Circulation Network

Existing and proposed roads cover a total of 48.65 acres of land of the whole ward.

xi) Open Space

In this ward there is no outdoor recreational space like park, playground etc. So the consultants accommodate 7.81 acres of land for open space.

14.26.3 Road Network Development Plan

The existing road network of ward no.8 is 14.56 km where 5.57 km road is pucca, 3.75 is semi-pucca and 5.23 km road is katcha. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. In road network development plan there is 16.22 km new road and about 48.65 acres of land is allotted for ward no 08. All of the roads of this Paurashava will be constructed as a pucca road in different phases of plan. Road widening is considered the entire existing road. Proposals of Roads for ward no-08 are shown in **Table 14-30** and **Map 14-16 Map 14-17**.

Table 14-30: Proposal of Roads for Ward-08

| Proposed Road Type | ID | Length (km) | Proposed Width (ft) | Proposal Type |
|--------------------|--------|----------------|---------------------|------------------|
| Primary Road | PR-34 | 0.21 | 100 | Pucca |
| Primary Road | PR-461 | 0.70 | 100 | Pucca |
| Primary Road | PR-248 | 0.43 | 100 | Pucca |
| Primary Road | PR-484 | 0.59 | 100 | Pucca |
| Primary Road | PR-490 | 0.38 | 100 | Pucca |
| Secondary Road | SR-286 | 0.60 | 60 | Pucca |
| Secondary Road | SR-414 | 0.32 | 60 | Pucca |
| Secondary Road | SR-428 | 0.94 | 60 | Pucca |
| Secondary Road | SR-459 | 0.96 | 60 | Pucca |

^{**} Road length≥ 200 meter incorporated here. Detail was given in Appendix

14.26.4 Drainage Development Plan

Drain is necessary for discharge all its waste water and storm water. The plan proposes 8.89 km of new drains forward no. 08 which will be developed during the different phase. The natural sources of drainage are playing the critical roles in drainage plan.

Table 14-31: Proposal of Drain for Ward-08

| Drain Type | ID | Construction Type | Length (m) | Average Width (m) |
|------------|-------|-------------------|------------|-------------------|
| Secondary | SD-2 | Pucca | 1.92 | 0.80-1.00 |
| Secondary | SD-7 | Pucca | 3.00 | 0.80-1.00 |
| Tertiary | TD-10 | Pucca | 2.25 | 0.60-0.80 |
| Tertiary | TD-12 | Pucca | 0.58 | 0.60-0.80 |
| Tertiary | TD-13 | Pucca | 0.40 | 0.60-0.80 |
| Tertiary | TD-15 | Pucca | 0.90 | 0.60-0.80 |
| Tertiary | TD-16 | Pucca | 2.47 | 0.60-0.80 |
| Tertiary | TD-23 | Pucca | 0.74 | 0.60-0.80 |


14.26.5 Urban Services Development Plan of Ward No-08

The urban services are the pre-condition of any potential development. The development is not same in the entire ward. Ward no 08 has much more potentiality due to situated in Naogaon-

Dhamoirhat highway road. Primary school, High school, Neighborhood Park, Playground, and Rickshaw stand is proposed here. The proposal for service facilities of ward no 08 is shown in (**Table 14-32**) together with mouza name and plot number.

Table 14-32: Proposal for Other Facilities of Ward-08

| Type of Facilities | Area in Acre | Mouza Name | Plot No. |
|-----------------------------|-----------------|------------------------|--|
| Ward Center-8 | 0.77 | Patichora (223_02) | 1576,1577,1667 |
| Agricultural College | 5.55 | Dohanagar (221_00) | 425,426,427,428,429,430,431,432,433,434 ,435,436,437,438,439,440,441,442,443,44 4,445 |
| Degree College Extension | 4.07 | Chok Nirkhin (222_00) | 334,335,336,337,338,339,340,341,342,343 ,344,345,346,347,348,349,350,351,352,35 3,354,518,519,522,523,524,525,526,99999 |
| Neighbourhood Clinic-8 | 0.45 | Chok Nirkhin (222_00) | 31,32,33,59 |
| Neighbourhood Market- 8 | 0.73 | Patichora (223_02) | 1573,1576,1577,1667,1668,1669 |
| Neighbourhood Park-6 | 1.32 | Chok Nirkhin (222_00), | 419,420,421,422 |
| Playfield-8 | 2.63 | Patichora (223_02) | 1332,1333,1339,1382,1383,1384 |
| Primary School- 6 | 1.16 | Chok Nirkhin (222_00) | 211,212,213,215,216,217,256,257,258,260 |
| Primary School- 7 | 1.75 | Chok Shibram (245_00) | 467,468,469,470,471,472,475,477,478,479 ,480,481,482,483,484,485,488,489,497,49 8,499,608 |
| Rail Station | 3.19 | Patichora (223_02) | 1655,1656,1657,1658,1659,1660,1661,166 2,1663,1664,1665,1694,1695,1696,1697,1 698,1699,1700,1701,1702,1703,1704,1766 ,1767,1774,1775,1776,1777,1778,1779,17 80,1781,2018 |
| Rickshaw/Tempo Stand- 8 | 0.23 | Patichora (223_02) | 1643,1644,1645,1646,1648 |
| Waste Transfer Station- | 0.20 | Chok Nirkhin (222_00) | 413,414,418 |



Map 14-17: Drain and Service Plan Map of Nazipur Paurashava (Ward-08)

14.27 Demographic Conditions of Ward-09

Ward No. 01 is located at the north-west corner part of Nazipur Paurashava. The area of the Ward is 312.47 acres. The Population is 1713 in 2011 according to BBS, 2011. Population projection shows 2326 population in 2031. The density will be 7 persons per acre in 2031.

Table 14-33: Population Statistics of Ward-09

| ltem | Ye | ar |
|----------------------------------|--------|--------|
| item | 2011 | 2031 |
| Area (acre) | 312.47 | 312.47 |
| Population | 1713 | 2326 |
| Density of Population (per acre) | 5 | 7 |

Source: BBS 2011

14.28 Critical Issues and Opportunities of the Ward

a. Critical Issues

i. Problems of Road Infrastructure

The ward is not served by adequate number of roads. The total length of roads in the ward is only 8.82 km. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. All these will pose serious problems in movement when population rises in the ward. Quality of roads on average is not satisfactory. Only about 2.95 km road is pucca, 1.87 is semi-pucca and 3.98 km road is katcha.

ii. Poor Drainage

This ward have only 2.04 km adequate drainage network serving the entire area. All the households do not have drainage outlet to discharge their waste water. Lack of drainage, though, is not a serious problem now but will emerge as a critical problem as density of population increases in future. In future due to construction the net run off area will increase that will cause water logging at places. So, necessary arrangements will have to be made now to get rid of future drainage problems.

iii. Haphazard Development

Like all other urban areas, unplanned development is a typical characteristic of this ward. Land owners are building their houses and structures anywhere. There is no land use plan, no adherences to building constructions are observed. This is not only destroying the aesthetic of the area but also its liveable environment.

iv. Water Supply

without proper maintenance caretaking the ponds might get polluted by unhygienic use of water that will endanger health of the local people

v. Low Density of Population: Problem for Providing Infrastructure

Infrastructure development is not cost effective if the density of population remains very low. The cost of service line is the same for all sizes of population. So, if the population size is small more cost has to be incurred per head of population for providing infrastructure, which is not cost effective.

vi. Lack of Threshold Population for Business

The town possesses a very low level of population which is not adequate to run large retail business activities. This size of population will not help grow the local economy grow. Besides, the average income of the people is also very low which is not conducive to economic flourishment of the town. Higher the size of population more demand is created for goods and services leading to more economic activities and employment. No urban centre can flourish without adequate economic prosperity.

b. Development Opportunities

i. Low Density of Population

The present density of population in the ward is low, only 5 persons /acre. From environmental point of view this of population can create a very liveable environment for the area with respect to ventilation, use of road and other basic services.

ii. Excellent External Connectivity

Dhaka is only 6-7 hours journey from Nazipur. It takes about 1 hour to reach Naogaon, the district headquarters.

iii. Potential for Small Scale Manufacturing

Cheap labour, availability of raw materials can help grow small scale manufacturing in this town. Jewellery, handicrafts of different kinds, small engineering can be developed here. This, however, would require local initiative. Local entrepreneurs may be provided with small capital to serve as incentive.

14.29 Ward Action Plan Proposals

14.29.1 Review of Existing Land Use

Study of existing land use of the ward reveals that major land use goes to Agricultural land and it is 172.32 acres of the total land. The second major land use is Residential land and occupying about 67.93 acres of the Paurashava area. Besides, there is about 46.85 acres water body, about 6.60 acres circulation network, about 0.29 acres commercial activities and other lands are being used for education, community service, government services, manufacturing or industry, service activity, Urban green space and vacant.

14.29.2 Proposed Land Use Zoning

i) Urban Residential Zone

Urban residential zone refers to all categories of urban residential areas, including existing ones and the residential land use proposed under the present master plan. In total this zone covers

26.60 acres of land delineated up to the year 2031 in Ward No. 09, considering standard provided by LGED.

ii) Commercial Zone

The commercial zone is intended to provide locations, where commercial activities including retails can be set up and function, without creating hazards to surrounding land uses. This zone has an area of 0.83 acres designated up to 2031.

iii) Mixed Use Zone

Mixed use zones have been recommended to allow some flexibility in development. Mixture of land uses will allow flexibility of development, instead of restricting development. This zone has an area of 13.80 acres designated up to 2031.

iv) Education & Research Zone

The total area under this use has been determined as 6.37 acres of land designated up to 2031.

v) Government Office

Administrative zone covers all kinds of government and non-government offices in the town.

vi) Rural Settlement

The total area under this use has been proposed as 25.02 acres which is most portion of this land use.

vii) Agricultural Zone

The Paurashava including Ward No. 09 has a vast area of agricultural land that demands formation of a separate zone like, agriculture zone. The total area under this use has been estimated as 121.74 acres that include existing and proposed land uses.

viii) Waterbody

The plan suggests preserving most of the water bodies for two purposes, first, to serve as source of water, second to serve as water retention area during monsoon. The ponds with an area equal to or more than 0.25 acres will be preserved as the water retention ponds. The proposed retention area covers 45.32 acres.

ix) Health Services

Proposed plan suggests a community clinic in ward center for this ward.

x) Circulation Network

Existing and proposed roads cover a total of 34.63 acres of land of the whole ward.

xi) Open Space

In this ward there is no outdoor recreational space like park, playground etc. So the consultants accommodate 23.40 acres of land for open space.

14.29.3 Road Network Development Plan

The existing road network of ward no.9 is 8.82 km where 2.95 km road is pucca, 1.87 is semipucca and 3.98 km road is katcha. This length of roads will not be able to serve the entire area in future when settlements will increase. New road spaces being created on community efforts are usually very narrow. Another problem of roads is that they are meandering in their layout. In road network development plan there is 10.12 km new road and about 34.63 acres of land is allotted for ward no 09. All of the roads of this Paurashava will be constructed as a pucca road in different phases of plan. Road widening is considered the entire existing road. Proposals of Roads for ward no-09 are shown in **Table 14-34** and **Map 14-18 & Map 14-19**.

Table 14-34: Proposal of Roads for Ward-09

| Proposed Road Type | ID | Length (km) | Proposed Width (ft) | Proposal Type |
|--------------------|--------|----------------|------------------------|------------------|
| Primary Road | PR-314 | 0.13 | 100 | Pucca |
| Primary Road | PR-371 | 0.96 | 100 | Pucca |
| Primary Road | PR-481 | 0.50 | 100 | Pucca |
| Primary Road | PR-587 | 0.49 | 100 | Pucca |
| Primary Road | PR-588 | 0.23 | 100 | Pucca |
| Secondary Road | SR-23 | 0.22 | 60 | Pucca |
| Secondary Road | SR-313 | 0.41 | 60 | Pucca |
| Secondary Road | SR-435 | 0.32 | 60 | Pucca |
| Secondary Road | SR-442 | 0.22 | 60 | Pucca |
| Secondary Road | SR-482 | 0.53 | 60 | Pucca |

^{**} Road length≥ 200 meter incorporated here. Detail was given in Appendix

14.29.4 Drainage Development Plan

Drain is necessary for discharge all its waste water and storm water. The plan proposes 3.80 km of new drains forward no. 09 which will be developed during the different phase. The natural sources of drainage are playing the critical roles in drainage plan.

Table 14-35: Proposal of Drain for Ward-09


| Drain Type | ID | Construction Type | Length (m) | Average Width (m) |
|------------|-------|-------------------|------------|-------------------|
| Secondary | SD-2 | Pucca | 1.92 | 0.80-1.00 |
| Tertiary | TD-14 | Pucca | 0.52 | 0.60-0.80 |
| Tertiary | TD-16 | Pucca | 2.47 | 0.60-0.80 |
| Secondary | SD-19 | Pucca | 0.80 | 0.80-1.00 |
| Tertiary | TD-20 | Pucca | 0.40 | 0.60-0.80 |
| Tertiary | TD-41 | Pucca | 0.00 | 0.60-0.80 |

14.29.5 Urban Services Development Plan of Ward No-09

The urban services are the pre-condition of any potential development. The development is not same in the entire ward. Ward no 09 has much more potentiality due to situated in Naogaon-Dhamoirhat highway road. Primary school, High school, Neighbourhood Park, Playground, and Rickshaw stand is proposed here. The proposal for service facilities of ward no 09 is shown in (**Table 14-36**) together with mouza name and plot number.

Table 14-36: Proposal for Other Facilities of Ward-09

| Type of Facilities | Area in Acre | Mouza Name | Plot No. |
|--------------------------------------|-----------------|-------------------|--|
| Ward Center-9 | 0.70 | Chandpur (219_00) | 1078 |
| Central Park | 22.01 | Chandpur (219_00) | 85-141, 450-473, 766-789 |
| Crematorium | 0.92 | Chandpur (219_00) | 926 |
| Neighbourhood Clinic-9 | 0.48 | Chandpur (219_00) | 525,526,550,551,552,553,554,555,556 |
| Neighbourhood Market-9 | 0.67 | Chandpur (219_00) | 502,503,504,505,507,508,713,736 |
| Playfield-9 | 1.09 | Chandpur (219_00) | 696,699,700,701,702,703,704 |
| Primary School- 8 | 1.00 | Chandpur (219_00) | 937,938,941,943,944,946 |
| Rickshaw/Tempo Stand- 9 | 0.18 | Chandpur (219_00) | 1055,1076,1077 |
| Upazilla Health Complex Extension | 5.00 | Chandpur (219_00) | 1204,1205,1218,1219,1220,1221,1222,122 5,1238,1239,1240,1241,1242,1243,1244,12 45,1246,1251,1253 |
| Waste Transfer Station-9 | 0.73 | Chandpur (219_00) | 976,977,978,979,984,985,986,990,991,114 6,1275 |



14.30 Implementation Guidelines

14.30.1 Tasks of Paurashava Authority

As a planning and development authority Paurashava shoulders the responsibilities of undertaking and implementing Ward wise Action Plans. Discussion meetings and negotiations with local leaders will have to be carried out relentlessly for successful execution of any detailed area plan through their active participation. The Paurashava must have the Planning Unit.

14.30.2 Institutional Strengthening

In Ward wise planning the most significant role will be played by Paurashava Authority. The Planning Section must have to launch in the Paurashava which will carry out the entire work of project initiation and plan formulation. These works are complicated and time consuming, and require multidisciplinary professionals.

14.30.3 Role of Municipal Authority

According to the section 35 of Paurashava Law-2010, Paurashava may, and if so required by the prescribed authority shall, draw up a Master Plan for the municipality within five years of its establishment. The Paurashava should have to play an important role by implementing all the priority tasks without any delaying otherwise the plan proposals will be inactive for implementation in wrong periods.

14.30.4 Publicity and Circulation of the Plans and Documents

In order to enable greater access of the Paurashava inhabitants, the plan documents must have wide circulation. This is necessary to create awareness among people about city planning and development. The plan document should be sent to every public office. Copies of plans and reports should be made available for purchase by people in general. This will be a step forward in promoting good governance through enabling beneficiary participating in planning and development activities.

14.31 Concluding Remarks

This master plan is developed a comprehensive vision for Nazipur in context with its location, natural resources, and visions of the community. Nazipur Master Plan will describe a strategy to address the need for facility improvements and for capital investments to support current and future development of the Paurashava. The community will be involved every step of the way. It wills guild the future development of the Paurashava.

In order to make the plans sustainable through people's participation, it is now emphasized involvement of the local stakeholders in the planning development process. Such participation creates a sense of ownership of the plan among the stakeholders that brings support for the plan and helps to create favourable conditions to implement the plan provisions. Keeping this approach in mind the present Structure Plan, Urban Area Plan and Ward Action Plans for Nazipur Paurashava has been prepared. It will shape and guide the growth of city in order to meet its social, cultural, environmental, economical, and recreational and many other needs of city dwellers.

WARD ACTION PLAN

Paurashava will be not only the custodian of the plan; it will also be responsible for implementing much of the development projects. Besides, it will also be responsible for monitoring implementation of the development projects by other urban development and service giving agencies. This situation calls for strengthening the existing capacity of Paurashava to handle future volume of work.

The current plan opens up a new horizon of development opportunities and land use control through policy guide lines in broad sense and detailed development proposals unto a very micro level. The land use areas have been marked indicating the mouza and dag numbers. It is expected that control of land use development contrary to the Plan can now be prevented more easily. This will require exercise of power with more vigour and sincerity.

It is not possible for the government alone to go for plot to plot development as per plan with its meagre resources. This calls for involving stakeholders, particularly, the land owners in the development process. Such initiative is possible at the local level infrastructure development, where the land owners will be directly benefited. In case of wider level development the development authority can take initiatives for infrastructure cost realization from land owners though evolving innovative mechanism.

Rule of law must be established. A culture of law obedience must be created among the people in general and such practice should start with government agencies first, who often are found not following the regulations of building plan approval. It is hardly possible for the government to control all irregularities unless the people themselves become conscious and cooperative. If necessary stringent measures should be taken against the violators to make people abide by laws.

Regular monitoring of the plan implementation is necessary together with monitoring of urban development trend in new areas. Monitoring would help early detection of problems and suggesting solutions for their amelioration. An early measure in tackling problems can not only save huge public money, but also the miseries of the city dwellers. It is expected that the proper implementation of this plan with close monitoring will make this prosperous city livable, healthy and will bring overall socio-economic development in future.

| Δ | N | N | EX | 11 | R | F |
|---|---|---|----|----|---|---|
| | | | | | | |

Annexure

Annexure-A: Land Use Permission

a. Urban Residential Land Use **Land Use Permitted**

The following uses in the tables are proposed to be applicable for this zone only.

Table A.1: Land Use Permitted Parmitted Urban Pacidential Use

| Permitted Urban Residential Uses |
|--|
| Artisan's Shop |
| Assisted Living or Elderly Home |
| Confectionery Shop |
| Barber Shop |
| Child Daycare \ Preschool |
| Cleaning \ Laundry Shop |
| Communication Service Facilities |
| Communication Tower Within Permitted Height |
| Condominium or Apartment |
| Cottage |
| Cyber Café |
| Daycare Center (Commercial or Nonprofit) |
| Drug Store or Pharmacy |
| Employee Housing (Guards \ Drivers) \ Ancillary Use |
| General Store |
| |
| Grocery Store |
| High School |
| Household Appliance and Furniture Repair Service (No |
| Outside Storage) |
| Housing For Seasonal Firm Labor |
| Landscape and Horticultural Services |
| Mosque, Place Of Worship |
| Newspaper Stand |
| Nursery School |
| Orphanage |
| Eidgah |
| Photocopying and Duplicating Services (No Outside |
| Storage) |
| Pipelines and Utility Lines |
| Playing Field |
| Primary School |
| Private Garages (Ancillary Use) |
| Project Identification Signs |
| Property Management Signs |
| Public Transport Facility |
| Satellite Dish Antenna |
| Shelter (Passers By) |
| Shoe Repair or Shoeshine Shop (Small) |
| CBO Office |
| Special Dwelling |
| Temporary Tent |
| Temporary tent for Permitted Function |
| Newspaper Stand |
| |
| Specialized School: Dance, Art, Music, Physically Challenged & Others |
| Transmission Lines |
| |
| Urban-Nature Reserve |
| Utility Lines |
| Woodlot |
| Children's Park (Must Have Parking) |
| ATM Booth |
| Water Pump \ Reservoir |
| Monument (Neighborhood Scale) |

| Permitted Urban Residential Uses |
|---|
| Bill Payment Booth |
| Boarding and Rooming House |
| Dormitory |
| Memorial Structure (Ancillary) |
| Neighborhood Center* (Where Neighborhood Center |
| exists) |
| Permitted |
| Community Center |
| Doctor \ Dentist Chamber |
| Cultural Exhibits and Libraries |
| Fast Food Establishment \ Food Kiosk |
| Flowers, Nursery Stock and Florist Supplies |
| Fitness Centre |
| Gaming Clubs |
| Departmental Stores |

Source: Compiled by the Consultants

Retail Shops \ Facilities

*Permission of Neighborhood Center Facilities in absence of formal neighborhood should be subject to Landuse Permit Committee

Land Use Conditionally Permitted

The following uses may be permitted or disallowed in this zone after review and approval by the authority/committee following appropriate procedure while the application meets the criteria mentioned in the requirement.

| Table A.2: Land Use Conditionally Permitted |
|--|
| Conditionally Permitted Urban Residential Uses |
| Addiction Treatment Center |
| Amusement and Recreation (Indoors) |
| Funeral Services |
| Art Gallery, Art Studio \ Workshop |
| Automobile Driving Academy |
| Beauty and Body Service |
| Billiard Parlor \ Pool Hall |
| Book or Stationery Store or Newsstand |
| Building Maintenance \ Cleaning Services, No Outside |
| Storage |
| Bus Passenger Shelter |
| Graveyard \ Cemetery |
| Coffee Shop \ Tea Stall |
| Correctional Institution |
| Courier Service |
| Crematorium |
| Plantation (Except Narcotic Plant) |
| Furniture & Variety Stores |
| Emergency Shelter |
| Energy Installation |
| Garages |
| Garden Center or Retail Nursery |
| Fire Brigade Station |
| Police Station |
| Temporary Rescue Shed |
| Guest House |
| Slaughter House |
| Static Transformer Stations |
| |

| Conditionally Permitted Urban Residential Uses |
|--|
| Tourist Home or Resort |
| Market (Bazar) |
| Optical Goods Sales |
| Outdoor Fruit and Vegetable Markets |
| Community Hall |
| Neighborhood Co-Operative Office |
| Overhead Water Storage Tanks |
| Row House |
| Paints and Varnishes Store |
| Parking Lot |
| Patio Homes |
| Photofinishing Laboratory |
| Post Office |
| Postal Facilities |
| Sports and Recreation Club |
| Tennis Club |
| Flood Management Structure |
| Telephone Sub Station |
| Electrical Sub Station |

Restricted Uses

All uses except permitted and conditionally permitted uses are restricted in this zone.

b. General Industry Land use Permitted

General Industry land use category approve only Green and Orange-A category industry mentioned in *The Environmental Conservation Rule,* 1997. The following uses in the tables are proposed to be applicable for this zone only.

Table A.3: Land Use Permitted

| Permitted General Industrial Activities |
|--|
| Confectionery Shop |
| Bank & Financial Institution |
| Bicycle Assembly, Parts and Accessories |
| Blacksmith |
| Bus Passenger Shelter |
| Communication Tower Within Permitted Height |
| Freight Transport Facility |
| Police Box \ Barrack |
| Fire \ Rescue Station |
| Grocery Store |
| Household Appliance and Furniture Repair Service |
| Machine Sheds |
| Meat and Poultry (Packing & Processing) |
| Mosque, Place Of Worship |
| Newspaper Stand |
| Photocopying and Duplicating Services |
| Pipelines and Utility Lines |
| Printing, Publishing and Distributing |
| Restaurant |
| Retail Shops \ Facilities |
| Salvage Processing |

| Permitted General Industrial Activities | |
|---|--|
| Salvage Yards | |
| Satellite Dish Antenna | |
| Sawmill, Chipping and Pallet Mill | |
| Shelter (Passers By) | |
| Television, Radio or Electronics Repair (No Outside | |
| Storage) | |
| Transmission Lines | |
| Truck Stop & Washing or Freight Terminal | |
| Utility Lines | |
| Wood Products | |
| Woodlot | |
| ATM Booth | |
| Water Pump \ Reservoir | |
| Effluent Treatment Plant | |
| Social Forestry | |

Source: Compiled by the Consultants

Land Use Conditionally Permitted

The following uses may be permitted or denied in this zone after review and approval by the authority/committee following appropriate procedure.

Table A.4: Land Use Conditionally Permitted

| Conditionally Permitted General Industrial Land Uses |
|--|
| Amusement and Recreation (Indoors) |
| Appliance Store |
| Plantation (Except Narcotic Plant) |
| Cyber Café |
| Daycare Center (Commercial or Nonprofit) |
| Doctor \ Dentist Chamber |
| Electrical and Electronic Equipment and Instruments |
| Sales |
| Employee Housing |
| Energy Installation |
| Fast Food Establishment \ Food Kiosk |
| Garages |
| Grain & Feed Mills |
| Incineration Facility |
| Super Store |
| Lithographic or Print Shop |
| Motor Vehicle Fuelling Station \ Gas Station |
| Motorcycle Sales Outlet |
| Outdoor Fruit and Vegetable Markets |
| Outside Bulk Storage |
| Overhead Water Storage Tanks |
| Painting and Wallpaper Sales |
| Paints and Varnishes |
| Parking Lot |
| Parking Lot (Commercial) |
| Private Garages |
| Retail Shops Ancillary To Studio \ Workshop |
| Jute Mill |
| Source: Compiled by the Consultants |

Restricted Uses

All other uses; except the permitted and conditionally permitted uses.

c. Commercial Zone

Land Use Permitted

Commercial zone is mainly intended for supporting the office and business works. There are several functions that are permitted in this zone.

Table A.5: Land Use Permitted

| | Commercial Activity |
|--------------|--|
| ∖ccountino | g, Auditing or Bookkeeping Services |
| 3illboards, | Advertisements & Advertising Structure |
| Agri-Busin | ess |
| | al Sales and Services |
| Ambulance | e Service |
| Antique Sh | пор |
| Appliance | Store |
| Auction Ma | arket |
| | n, Coliseum, Meeting Halls, and Conference |
| | Convention |
| \uto Leasi | ing or Rental Office |
| Auto Paint | |
| | and Accessory Sales (Indoors) |
| | ir Shop (With Garage) |
| Automobile | |
| Automobile | |
| Confection | |
| | Confectionery Retail |
| 3ank & Fir | nancial Institution |
| Bar (Licen: | sed) |
| Barber Sho | - |
| Beauty and | d Body Service |
| Bicycle Sh | ор |
| 3illiard Par | rlor \ Pool Hall |
| | ationery Store or Newsstand |
| | aterial Sales or Storage (Indoors) |
| | and Packaging |
| 3us Passe | enger Shelter |
| Cinema Ha | all |
| | cation Service Facilities |
| Communic | cation Tower Within Permitted Height |
| Computer | Maintenance and Repair |
| | Sales & Services |
| Conferenc | e Center |
| Construction | on Company |
| Courier Se | ervice |
| Cyber Cafe | é |
| Daycare C | enter (Commercial or Nonprofit) |
| Departmer | nt Stores, Furniture & Variety Stores |
| Doctor \ De | entist Chamber |
| | e or Pharmacy |
| Electrical a | and Electronic Equipment and Instruments |
| Sales | |
| ast Food | Establishment \ Food Kiosk |
| | ndling, Storage & Distribution |
| reight Tra | ansport Facility |
| | |

| Permitted Commercial Activity |
|---|
| General Store |
| Grocery Store |
| Guest House |
| Hotel or Motel |
| Inter-City Bus Terminal |
| Jewelry and Silverware Sales |
| Junk \ Salvage Yard |
| Super Store |
| Market (Bazar) |
| Mosque, Place Of Worship |
| Motorcycle Sales Outlet |
| Multi-Storey Car Park |
| |
| Newspaper Stand |
| Outdoor Fruit and Vegetable Markets |
| Outdoor Recreation, Commercial |
| Parking Lot (Commercial) |
| Pet Store |
| Photocopying and Duplicating Services |
| Photofinishing Laboratory & Studio |
| Pipelines and Utility Lines |
| Post Office |
| Preserved Fruits and Vegetables Facility \ Cold |
| Storage |
| Printing, Publishing and Distributing |
| Project Identification Signs |
| Property Management Signs |
| Public Transport Facility |
| Refrigerator or Large Appliance Repair |
| Resort |
| Restaurant |
| Retail Shops \ Facilities |
| Salvage Processing |
| Salvage Yards |
| Satellite Dish Antenna |
| Sawmill, Chipping and Pallet Mill |
| Shelter (Passers By) |
| Shopping Mall \ Plaza |
| Slaughter House |
| Software Development |
| Sporting Goods and Toys Sales |
| Taxi Stand |
| |
| Telephone Exchanges |
| Television, Radio or Electronics Repair (No Outside |
| Storage) |
| Theater (Indoor) |
| Transmission Lines |
| Utility Lines |
| Vehicle Sales & Service, Leasing or Rental |
| Veterinarian Clinics, Animal Hospitals, Kennels and |
| Boarding Facilities |
| Warehousing |
| Wood Products |
| Woodlot |
| ATM Booth |
| Water Pump \ Reservoir |
| Agro-Based Industry (Rice Mill, Saw Mill, Cold Storage) |
| Social Forestry |
| Source: Compiled by the Consultants |

Source: Compiled by the Consultants

Land Use Conditionally Permitted

Some functions are permitted with some condition in this zone.

Table A.6: Land Use Conditionally Permitted

| Conditionally permitted commercial activities | |
|--|--|
| Amusement and Recreation (Indoors) | |
| Bicycle Assembly, Parts and Accessories | |
| Broadcast Studio \ Recording Studio (No Audience) | |
| Coffee Shop \ Tea Stall | |
| Concert Hall, Stage Shows | |
| Construction, Survey, Soil Testing Firms | |
| Trade Shows | |
| Craft Workshop | |
| Plantation (Except Narcotic Plant) | |
| Energy Installation | |
| Firm Equipment Sales & Service | |
| Agricultural Chemicals, Pesticides or Fertilizers Shop | |
| Fitness Centre | |
| Flowers, Nursery Stock and Florist Supplies | |
| Forest Products Sales | |
| Fuel and Ice Dealers | |
| Garages | |
| Garden Center or Retail Nursery | |
| Police Box \ Barrack | |
| Fire \ Rescue Station | |
| Grain & Feed Mills | |
| Household Appliance and Furniture Repair Service | |
| Incineration Facility | |
| Indoor Amusement Centers, Game Arcades | |
| Indoor Theatre | |
| Lithographic or Print Shop | |
| Motor Vehicle Fuelling Station \ Gas Station | |
| Musical Instrument Sales or Repair | |
| Optical Goods Sales | |
| Painting and Wallpaper Sales | |
| Paints and Varnishes | |
| Parking Lot | |
| Patio Homes | |
| Postal Facilities | |
| Poultry | |
| Private Garages | |
| Professional Office | |
| Retail Shops Ancillary To Studio \ Workshop | |
| Stone \ Cut Stone Products Sales | |

Source: Compiled by the Consultants

Restricted Uses

All other uses except;, the permitted and conditionally permitted uses.

d. Rural Settlement Land Use Permitted

The following uses in the tables are proposed to be applicable for this zone only.

Table A.7: Land Use Permitted

| Permitted Rural Settlement |
|---|
| Agricultural Dwellings |
| Animal Husbandry |
| Animal Shelter |
| Graveyard \ Cemetery |
| Child Daycare \ Preschool |
| Primary School |
| Communication Tower Within Permitted Height |
| Cottage |
| Crematorium |
| Dairy Firming |
| General Store |
| Grocery Store |
| Handloom (Cottage Industry) |
| Housing For Seasonal Firm Labor |
| Mosque, Place Of Worship |
| Newspaper Stand |
| Nursery School |
| orphanage |
| Outdoor Religious Events (Eidgah) |
| Playing Field |
| Satellite Dish Antenna |
| NGO \ CBO Facilities |
| Special Dwelling (E.G. Dorm For Physically Challenged Etc.) |
| Temporary Shed \ Tent |
| Specialized School: Dance, Art, Music, Physically |
| Challenged & Others |
| Static Electrical Sub Stations |
| Transmission Lines |
| Utility Lines |
| Woodlot |
| Plantation (Except Narcotic Plant) |
| Social Forestry |
| Memorial Structure |

Source: Compiled by the Consultants

Land Use Conditionally Permitted

The following uses may be permitted or disallowed in this zone after review and approval by the authority/committee following appropriate procedure while the application meets the criteria mentioned in the requirement.

Table No. A.8: Land Use Conditionally Permitted

| Conditionally permitted uses under Rural Settlement |
|---|
| Artisan's Shop (Potter, Blacksmith, and Goldsmith Etc.) |
| Research organization (Agriculture \ Fisheries) |
| Energy Installation |
| Fish Hatchery |
| Garden Center or Retail Nursery |
| Emergency Shelter |
| Sports and Recreation Club, Firing Range: Indoor |

Source: Compiled by the Consultants

Restricted Uses

All uses except permitted and conditionally permitted uses are restricted in this zone.

e. Mixed use zone **Land Use Permitted**

The following uses in the tables are proposed to be applicable for this zone only.

Table A.11: Land Use Permitted

| Permitted uses in Mixed Use Zone |
|---|
| Accounting, Auditing or Bookkeeping Services |
| Addiction Treatment Center |
| Billboards, Advertisements & Advertising Structure |
| Agricultural Sales and Services |
| Antique Store |
| Appliance Store |
| Art Gallery, Art Studio \ Workshop |
| Artisan's Shop |
| Assisted Living or Elderly Home |
| Auditorium, Coliseum, Meeting Halls, and Conference |
| Facilities, Convention |
| Auto Leasing or Rental Office |
| Automobile Wash |
| Automobile Wash Automobile Driving Academy |
| Confectionery Shop |
| Bakery or Confectionery Retail |
| |
| Bank & Financial Institution |
| Barber Shop |
| Bicycle Shop Billiard Parlor \ Pool Hall |
| |
| Blacksmith |
| Boarding and Rooming House |
| Book or Stationery Store or Newsstand |
| Bus Passenger Shelter |
| Child Daycare \ Preschool |
| Cleaning \ Laundry Shop |
| Commercial Recreational Buildings |
| Communication Service Facilities |
| Communication Tower Within Permitted Height |
| Community Center |
| Condominium or Apartment |
| Correctional Institution |
| Courier Service |
| Cyber Café |
| Daycare Center (Commercial or Nonprofit) |
| Doctor \ Dentist Chamber |
| Employee Housing |
| Fabric Store |
| Fast Food Establishment \ Food Kiosk |
| Funeral Services |
| General Store |
| Grocery Store |
| Guest House |
| Hospital |
| Jewelry and Silverware Sales |
| Landscape and Horticultural Services |
| Mosque, Place Of Worship |
| Newspaper Stand |

| Permitted uses in Mixed Use Zone |
|--|
| Nursery School |
| Photocopying and Duplicating Services |
| Pipelines and Utility Lines |
| Primary School |
| Project Identification Signs |
| Property Management Signs |
| Public Transport Facility |
| Resort |
| Satellite Dish Antenna |
| Shelter (Passers By) |
| Shoe Repair or Shoeshine Shop (Small) |
| Slaughter House |
| Social organization |
| Software Development |
| Special Dwelling |
| Toys and Hobby Goods Processing and Supplies |
| Training Centre |
| Transmission Lines |
| Utility Lines |
| Vehicle Sales & Service, Leasing or Rental |
| Warehousing |
| Woodlot |
| Children's Park |
| ATM Booth |
| Water Pump \ Reservoir |
| Social Forestry |
| Dormitory |
| Rickshaw \ Auto Rickshaw Stand |

Source: Compiled by the Consultants

Land Use Conditionally Permitted

The following uses may be permitted or disallowed in this zone after review and approval by the authority/committee.

| Γable A.12: Land Use Conditionally Permitted |
|--|
| Conditionally permitted uses in Mixed Use Zone |
| Agricultural Chemicals, Pesticides or Fertilizers Shop |
| Amusement and Recreation (Indoors) |
| Beauty and Body Service |
| Broadcast Studio \ Recording Studio (No Audience) |
| Building Maintenance \ Cleaning Services, No Outside |
| Storage |
| Building Material Sales or Storage (Indoors) |
| Graveyard \ Cemetery |
| Coffee Shop \ Tea Stall |
| Computer Maintenance and Repair |
| Computer Sales & Services |
| Concert Hall, Stage Shows |
| Conference Center |
| Construction Company |
| Construction, Survey, Soil Testing Firms |
| Cottage |
| Counseling Services |
| Craft Workshop |
| Crematorium |
| Plantation (Except Narcotic Plant) |
| Cultural Exhibits and Libraries |
| Department Stores, Furniture & Variety Stores |

| Conditionally permitted uses in Mixed Use Zone |
|---|
| Drug Store or Pharmacy |
| Energy Installation |
| Fitness Centre |
| Flowers, Nursery Stock and Florist Supplies |
| Freight Handling, Storage & Distribution |
| Freight Transport Facility |
| Gaming Clubs |
| Garages |
| Garden Center or Retail Nursery |
| Commercial Office |
| Project Office |
| Government Office |
| Hotel or Motel |
| Household Appliance and Furniture Repair Service |
| Indoor Amusement Centers, Game Arcades |
| Indoor Theatre |
| Lithographic or Print Shop |
| Market (Bazar) |
| Health Office, Dental Laboratory, Clinic or Lab |
| Musical Instrument Sales or Repair |
| Optical Goods Sales |
| Outdoor Café |
| Outdoor Fruit and Vegetable Markets |
| Painting and Wallpaper Sales |
| Paints and Varnishes |
| Patio Homes |
| Photofinishing Laboratory & Studio |
| Poultry |
| Printing, Publishing and Distributing |
| Psychiatric Hospital |
| Retail Shops Ancillary To Studio \ Workshop |
| Radio \ Television or T&T Station With Transmitter |
| Tower |
| Refrigerator or Large Appliance Repair |
| Restaurant |
| Retail Shops \ Facilities |
| Sporting Goods and Toys Sales |
| Sports and Recreation Club, Firing Range: Indoor |
| Telephone Exchanges |
| Television, Radio or Electronics Repair (No Outside |
| Storage) |

Source: Compiled by the Consultants

Restricted Uses

All uses except permitted and conditionally permitted uses are restricted in this zone.

f. Education and Research Area Land Use Permitted

The following uses in the tables are proposed to be applicable for this zone only.

Table A.13: Land Use Permitted

| Permitted uses under Education & Research Zone | |
|--|--|
| Addiction Treatment Center | |
| Billboards, Advertisements & Advertising Structure | |
| Art Gallery, Art Studio \ Workshop | |
| Automobile Driving Academy | |
| Confectionery Shop | |

| Permitted uses under Education & Research Zone |
|--|
| Bus Passenger Shelter |
| Child Daycare \ Preschool |
| College, University, Technical Institute |
| Communication Service Facilities |
| Communication Tower Within Permitted Height |
| Conference Center |
| Correctional Institution |
| Cultural Exhibits and Libraries |
| Cyber Café |
| Freight Transport Facility |
| General Store |
| Grocery Store |
| High School |
| Hospital |
| Lithographic or Print Shop |
| Mosque, Place Of Worship |
| Multi-Storey Car Park |
| Newspaper Stand |
| Nursery School |
| Outdoor Religious Events |
| Photocopying and Duplicating Services |
| Post Office |
| Primary School |
| Professional Office |
| Project Identification Signs |
| Property Management Signs |
| Public Transport Facility |
| Satellite Dish Antenna |
| School (Retarded) |
| Scientific Research Establishment |
| Shelter (Passers By) |
| Specialized School: Dance, Art, Music & Others |
| Training Centre |
| Transmission Lines |
| Utility Lines |
| Vocational, Business, Secretarial School |
| Woodlot |
| ATM Booth |
| Water Pump \ Reservoir |
| Social Forestry |
| Dormitory |
| Veterinary School \ College and Hospital |
| Source: Compiled by the Consultants |

Land Use Conditionally Permitted

The following uses may be permitted or denied in this zone after review and approval by the authority/committee.

Table A.14: Land Use Conditionally Permitted

| Table 71.14. Land Obe Conditionally 1 chilities | |
|---|---|
| Conditionally permitted uses under Education and | Ī |
| Research Zone | |
| Auditorium, Coliseum, Meeting Halls, and Conference | |
| Facilities, Convention | |
| Bank & Financial Institution | |
| Barber Shop | |
| Boarding and Rooming House | |
| Book or Stationery Store or Newsstand | |
| Coffee Shop \ Tea Stall | |

| Conditionally permitted uses under Education and |
|--|
| Research Zone |
| Counseling Services |
| Courier Service |
| Plantation (Except Narcotic Plant) |
| Daycare Center (Commercial or Nonprofit) |
| Doctor \ Dentist Chamber |
| Drug Store or Pharmacy |
| Fast Food Establishment \ Food Kiosk |
| Flowers, Nursery Stock and Florist Supplies |
| Gallery \ Museum |
| Garages |
| Indoor Theatre |
| orphanage |
| Outdoor Café |
| Parking Lot |
| Pipelines and Utility Lines |
| Postal Facilities |
| Psychiatric Hospital |

Source: Compiled by the Consultants

Restricted Uses

All uses except permitted and conditionally permitted uses are restricted in this zone.

g. Government Office

Land Use Permitted

The following uses in the tables are proposed to be applicable for this zone only.

Table A.15: Land Use Permitted

| Permitted uses under Government Office Zon | е |
|--|----|
| Accounting, Auditing or Bookkeeping Services | |
| Billboards, Advertisements & Advertising Structure | re |
| Confectionery Shop | |
| Bus Passenger Shelter | |
| Civic Administration | |
| Communication Service Facilities | |
| Communication Tower Within Permitted Height | |
| Construction, Survey, Soil Testing Firms | |
| Cultural Exhibits and Libraries | |
| Cyber Café | |
| Emergency Shelter | |
| Freight Transport Facility | |
| General Store | |
| Project Office | |
| Government Office | |
| Grocery Store | |
| Guest House | |
| Multi-Storey Car Park | |
| Newspaper Stand | |
| Outdoor Religious Events | |
| Photocopying and Duplicating Services | |
| Post Office | |
| Professional Office | |
| Public Transport Facility | |
| Satellite Dish Antenna | |
| Scientific Research Establishment | |
| Shelter (Passers By) | |
| Training Centre | |

| Permitted uses under Government Office Zone |
|---|
| Transmission Lines |
| Utility Lines |
| Woodlot |
| ATM Booth |
| Water Pump \ Reservoir |
| Social Forestry |

Source: Compiled by the Consultants

Land Use Conditionally Permitted

The following uses may be permitted or denied in this zone after review and approval by the authority/committee.

Table A.16: Land Use Conditionally Permitted

| Conditionally permitted uses under Government office |
|--|
| Amusement and Recreation (Indoors) |
| Auditorium, Coliseum, Meeting Halls, and Conference |
| Facilities, Convention |
| Bank & Financial Institution |
| Boarding and Rooming House |
| Book or Stationery Store or Newsstand |
| Coffee Shop \ Tea Stall |
| Conference Center |
| Courier Service |
| Plantation (Except Narcotic Plant) |
| Daycare Center (Commercial or Nonprofit) |
| Detention Facilities |
| Doctor \ Dentist Chamber |
| Energy Installation |
| Fast Food Establishment \ Food Kiosk |
| Flowers, Nursery Stock and Florist Supplies |
| Freight Handling, Storage & Distribution |
| Freight Yard |
| Gallery \ Museum |
| Garages |
| Police Box \ Barrack |
| Fire \ Rescue Station |
| Lithographic or Print Shop |
| Mosque, Place Of Worship |
| Outdoor Café |
| Parking Lot |
| Parking Lot (Commercial) |
| Pipelines and Utility Lines |
| Postal Facilities |

Source: Compiled by the Consultants

Restricted Uses

All uses except permitted and conditionally permitted uses are restricted in this zone.

h. Agricultural Zone Land Use Permitted

The following uses in the tables are proposed to be applicable for this zone only.

Table A17: Land Use Permitted

| Permitted uses under Agricultural Zone |
|--|
| Food Grain Cultivation |
| Vegetable Cultivation |
| Cash Crop Cultivation |
| Horticulture |
| Arboriculture |
| Dairy Firming |
| Deep Tube Well |
| Shallow Tube Well |
| Irrigation Facilities (Irrigation Canal, Culvert, Flood Wall |
| etc) |
| Temporary Structure (Agricultural) |
| Animal Shelter |
| Duckery |
| Aquatic Recreation Facility (Without Structure) |
| Tree Plantation (Except Narcotic Plant) |
| Aquaculture |
| Static Transformer Stations |
| Transmission Lines |
| Utility Lines |
| Woodlot |
| Social Forestry |

Source: Compiled by the Consultants

Land Use Conditionally Permitted

Table A18: Land Use Conditionally Permitted

| Conditionally permitted uses under Agricultural Zone |
|--|
| Graveyard \ Cemetery |
| Communication Tower Within Permitted Height |
| Crematorium |
| Fish Hatchery |
| Garden Center or Retail Nursery |
| Poultry |

Source: Compiled by the Consultants

Restricted Uses

All uses except permitted and conditionally permitted uses are restricted in this zone.

j. Open Space

Land Use Permitted

The following uses in the tables are proposed to be applicable for this zone only.

Table A.19: Land Use Permitted

| Permitted uses under Open Space |
|--|
| Botanical Garden & Arboretum |
| Bus Passenger Shelter |
| Caravan Park \ Camping Ground |
| Carnivals and Fairs |
| Circus |
| Plantation (Except Narcotic Plant) |
| Landscape and Horticultural Services |
| Open Theater |
| Park and Recreation Facilities (General) |
| Pipelines and Utility Lines |
| Playing Field |
| Special Function Tent |
| Tennis Club |

| Permitted uses under Open Space |
|---------------------------------|
| Transmission Lines |
| Urban-Nature Reserve |
| Utility Lines |
| Woodlot |
| Zoo |
| Roadside Parking |
| Social Forestry |
| Memorial Structure |

Source: Compiled by the Consultants

Landuse Conditionally Permitted

Table A 20: Land Use Conditionally Permitted

| Conditionally permitted uses under open space |
|--|
| Communication Tower Within Permitted Height |
| Trade Shows |
| Fitness Centre |
| Flowers, Nursery Stock and Florist Supplies |
| Golf Course |
| Motorized Recreation |
| Outdoor Recreation Facilities |
| Outdoor Recreation, Commercial |
| Outdoor Sports and Recreation |
| Park Maintenance Facility |
| Retreat Center |
| Sports and Recreation Club, Firing Range: Indoor |
| |

Restricted Uses

All uses except permitted and conditionally permitted uses are restricted.

k. Water Body

Retaining water is the main purpose of this type of Landuse.

Land Use Permitted

The following uses in the tables are proposed to be applicable for this zone only.

Table A.21: Land Use Permitted

| Permitted uses under Water Body | |
|---|--|
| Aquatic Recreation Facility (Without Structure) | |
| Fishing Club | |
| Utility Lines | |
| Water Parks | |
| Memorial Structure | |

Source: Compiled by the Consultant

Land Use Conditionally Permitted

The following uses may be permitted or denied in this zone after review and approval by the authority/committee.

Table A.22: Land Use Conditionally Permitted

| Table 7 1.22. Land Goo Conditionally 1 chillition | |
|---|--|
| Conditionally permitted uses under water body | |
| Plantation (Except Narcotic Plant) | |
| Marina \ Boating Facility | |
| Motorized Recreation | |

Source: Compiled by the Consultants

Restricted Uses

All uses except permitted and conditionally permitted uses are restricted.

| Δ | N | N | E) | 71 | IR | F |
|---|---|---|----|----|----|---|
| | | | | | | |

Annexure-B: Proposed Road Inventory

Details of Road Network Proposals of Nazipur Paurashava

| Proposed Road Id | Type of Road | Road Name | Existing Width (m) | Length (km) | Proposed RoW (ft) |
|---------------------|--------------|-------------------------|--------------------|-------------|-------------------|
| PR-3 | Primary | | 3.71 | 0.226 | 100 |
| PR-17 | Primary | Old Bazar Road | 6.37 | 0.643 | 100 |
| PR-34 | Primary | Naogaon-Dhamoirhat Road | 6.11 | 3.516 | 100 |
| PR-72 | Primary | Palsa Road | 3.06 | 0.396 | 100 |
| PR-85 | Primary | | 1.66 | 0.188 | 100 |
| PR-86 | Primary | | 1.66 | 0.087 | 100 |
| PR-143 | Primary | | 2.20 | 0.090 | 100 |
| PR-168 | Primary | | 5.72 | 1.294 | 100 |
| PR-211 | Primary | Old Bazar Road | 6.37 | 1.918 | 100 |
| PR-216 | Primary | | 3.12 | 0.100 | 100 |
| PR-243 | Primary | Old Bazar Road | 6.37 | 0.160 | 100 |
| PR-248 | Primary | Hospital Road | 3.37 | 1.686 | 100 |
| PR-304 | Primary | | 3.12 | 0.169 | 100 |
| PR-314 | Primary | Aatrai River Road | 3.54 | 0.131 | 100 |
| PR-371 | Primary | | 3.87 | 0.998 | 100 |
| PR-461 | Primary | Dhamoirhat Road | 4.06 | 0.748 | 100 |
| PR-467 | Primary | | 5.72 | 1.221 | 100 |
| PR-481 | Primary | Aatrai River Road | 3.54 | 0.054 | 100 |
| PR-463 | Primary | | 3.65 | 0.933 | 100 |
| PR-466 | Primary | | 2.56 | 0.036 | 100 |
| PR-479 | Primary | | 3.65 | 0.414 | 100 |
| PR-483 | Primary | | 1.51 | 0.024 | 100 |
| PR-484 | Primary | | 2.70 | 0.782 | 100 |
| PR-485 | Primary | | 2.56 | 0.309 | 100 |
| PR-486 | Primary | Chok Joyram Road | 3.22 | 0.630 | 100 |
| PR-487 | Primary | | 1.88 | 0.280 | 100 |
| PR-488 | Primary | Palsa Road | 3.06 | 0.280 | 100 |
| PR-489 | Primary | Mataji Road | 4.41 | 0.589 | 100 |
| PR-490 | Primary | | 2.70 | 0.382 | 100 |
| PR-491 | Primary | Naogaon-Dhamoirhat Road | 6.11 | 0.604 | 100 |
| PR-572 | Primary | | 1.51 | 0.133 | 100 |
| PR-573 | Primary | | 3.65 | 0.561 | 100 |
| PR-587 | Primary | | 3.87 | 0.499 | 100 |
| PR-588 | Primary | | 2.11 | 0.235 | 100 |
| SR-23 | Secondary | Nazrul Islam Road | 3.58 | 0.593 | 60 |
| SR-43 | Secondary | | 2.73 | 0.450 | 60 |
| SR-44 | Secondary | | 2.73 | 0.841 | 60 |
| SR-93 | Secondary | | 4.03 | 0.514 | 60 |
| SR-96 | Secondary | | 2.74 | 0.085 | 60 |
| SR-97 | Secondary | | 2.74 | 0.101 | 60 |
| SR-129 | Secondary | Mataji Road | 4.41 | 1.093 | 60 |

| Proposed Road Id | Type of Road | Road Name | Existing Width (m) | Length (km) | Proposed RoW (ft) |
|---------------------|--------------|------------------------------------|--------------------|-------------|-------------------|
| SR-144 | Secondary | | 2.20 | 0.353 | 60 |
| SR-156 | Secondary | Old Bazar Road | 6.37 | 0.480 | 60 |
| SR-157 | Secondary | Late Shohidul Dada Smrity Sorok | 2.51 | 0.186 | 60 |
| SR-183 | Secondary | Sapahar Road | 5.96 | 0.760 | 60 |
| SR-210 | Secondary | Old Bazar Road | 6.37 | 0.137 | 60 |
| SR-247 | Secondary | Naogaon-Dhamoirhat Road | 6.11 | 0.887 | 60 |
| SR-286 | Secondary | Choknirikhin Road | 3.73 | 0.610 | 60 |
| SR-313 | Secondary | Aatrai River Road | 3.54 | 0.414 | 60 |
| SR-414 | Secondary | | 2.34 | 0.327 | 60 |
| SR-428 | Secondary | Chandpur Road | 3.07 | 0.946 | 60 |
| SR-435 | Secondary | | 2.57 | 0.327 | 60 |
| SR-442 | Secondary | | 2.55 | 0.228 | 60 |
| SR-459 | Secondary | Kashipur Road | 3.23 | 0.998 | 60 |
| SR-462 | Secondary | Old Bazar Road | 6.37 | 0.630 | 60 |
| SR-472 | Secondary | Naogaon-Dhamoirhat Road | 6.11 | 0.607 | 60 |
| SR-482 | Secondary | | 2.55 | 0.531 | 60 |
| SR-574 | Secondary | Late Shohidul Dada Smrity Sorok | 2.51 | 0.328 | 60 |
| SR-575 | Secondary | | 3.65 | 0.302 | 60 |
| SR-596 | Secondary | | 2.34 | 0.092 | 60 |
| SR-597 | Secondary | | 4.03 | 0.046 | 60 |
| TR-1 | Tertiary | Puia Road | 2.98 | 0.550 | 30 |
| TR-4 | Tertiary | | 2.94 | 0.555 | 30 |
| TR-9 | Tertiary | | 4.03 | 0.346 | 30 |
| TR-12 | Tertiary | | 3.05 | 0.124 | 30 |
| TR-13 | Tertiary | Harirampur Road | 2.97 | 0.510 | 30 |
| TR-49 | Tertiary | | 2.01 | 0.250 | 30 |
| TR-50 | Tertiary | | 2.53 | 0.282 | 30 |
| TR-57 | Tertiary | | 1.04 | 0.131 | 30 |
| TR-66 | Tertiary | | 2.40 | 0.247 | 30 |
| TR-69 | Tertiary | | 2.20 | 0.128 | 30 |
| TR-70 | Tertiary | | 2.20 | 0.059 | 30 |
| TR-74 | Tertiary | | 1.10 | 0.220 | 30 |
| TR-75 | Tertiary | | 1.10 | 0.366 | 30 |
| TR-120 | Tertiary | | 2.10 | 0.137 | 30 |
| TR-121 | Tertiary | Chok Joyram Road | 3.22 | 1.319 | 30 |
| TR-124 | Tertiary | | 2.65 | 0.083 | 30 |
| TR-134 | Tertiary | | 2.00 | 0.185 | 30 |
| TR-135 | Tertiary | | 2.44 | 0.088 | 30 |
| TR-139 | Tertiary | | 1.79 | 0.014 | 30 |
| TR-142 | Tertiary | | 2.54 | 0.024 | 30 |
| TR-146 | Tertiary | | 2.03 | 0.146 | 30 |
| TR-147 | Tertiary | | 2.03 | 0.146 | 30 |
| TR-169 | Tertiary | Harirampur Road | 2.97 | 0.059 | 30 |

| Proposed Road Id | Type of Road | Road Name | Existing Width (m) | Length (km) | Proposed RoW (ft) |
|---------------------|--------------|-------------------------|--------------------|-------------|-------------------|
| TR-182 | Tertiary | Harirampur Road | 2.97 | 0.063 | 30 |
| TR-202 | Tertiary | Naogaon-Dhamoirhat Road | 6.11 | 0.527 | 30 |
| TR-213 | Tertiary | | 3.25 | 0.852 | 30 |
| TR-240 | Tertiary | | 3.16 | 0.186 | 30 |
| TR-241 | Tertiary | | 3.16 | 0.444 | 30 |
| TR-269 | Tertiary | Sardarpara Road | 3.06 | 0.135 | 30 |
| TR-274 | Tertiary | Sardarpara Road | 3.06 | 0.084 | 30 |
| TR-279 | Tertiary | Sardarpara Road | 3.06 | 0.045 | 30 |
| TR-281 | Tertiary | | 2.68 | 0.027 | 30 |
| TR-282 | Tertiary | | 2.68 | 0.100 | 30 |
| TR-296 | Tertiary | | 2.26 | 0.074 | 30 |
| TR-297 | Tertiary | | 3.12 | 0.359 | 30 |
| TR-299 | Tertiary | | 2.22 | 0.088 | 30 |
| TR-303 | Tertiary | Hospital Road | 3.37 | 0.184 | 30 |
| TR-322 | Tertiary | | 2.08 | 0.113 | 30 |
| TR-330 | Tertiary | | 1.58 | 0.100 | 30 |
| TR-337 | Tertiary | | 2.82 | 0.163 | 30 |
| TR-340 | Tertiary | | 2.40 | 0.481 | 30 |
| TR-341 | Tertiary | | 2.40 | 0.314 | 30 |
| TR-345 | Tertiary | | 3.13 | 0.790 | 30 |
| TR-408 | Tertiary | | 2.50 | 0.158 | 30 |
| TR-415 | Tertiary | | 2.70 | 0.424 | 30 |
| TR-416 | Tertiary | | 2.70 | 0.310 | 30 |
| TR-444 | Tertiary | | 3.21 | 0.443 | 30 |
| TR-445 | Tertiary | | 3.21 | 0.402 | 30 |
| TR-451 | Tertiary | | 3.30 | 0.244 | 30 |
| TR-452 | Tertiary | | 3.21 | 0.372 | 30 |
| TR-453 | Tertiary | | 3.30 | 0.934 | 30 |
| TR-468 | Tertiary | | 3.65 | 0.165 | 30 |
| TR-470 | Tertiary | Kalmipar Road | 2.84 | 0.063 | 30 |
| TR-471 | Tertiary | Kalmipar Road | 2.84 | 0.040 | 30 |
| TR-473 | Tertiary | | 2.00 | 0.218 | 30 |
| TR-474 | Tertiary | | 3.21 | 0.099 | 30 |
| TR-492 | Tertiary | | 2.65 | 0.119 | 30 |
| TR-493 | Tertiary | | 3.65 | 0.778 | 30 |
| TR-494 | Tertiary | | 3.65 | 0.606 | 30 |
| TR-495 | Tertiary | | 2.06 | 0.031 | 30 |
| TR-496 | Tertiary | | 2.53 | 0.377 | 30 |
| TR-497 | Tertiary | | 2.01 | 0.664 | 30 |
| TR-502 | Tertiary | | 1.04 | 0.061 | 30 |
| TR-503 | Tertiary | | 1.51 | 0.161 | 30 |
| TR-537 | Tertiary | | 2.08 | 0.196 | 30 |
| TR-546 | Tertiary | | 2.40 | 0.268 | 30 |
| TR-548 | Tertiary | | 2.82 | 0.104 | 30 |

| Proposed Road Id | Type of Road | Road Name | Existing Width (m) | Length (km) | Proposed RoW (ft) |
|---------------------|--------------|-------------------------|--------------------|-------------|-------------------|
| TR-549 | Tertiary | | 1.79 | 0.312 | 30 |
| TR-556 | Tertiary | Sardarpara Road | 3.06 | 0.202 | 30 |
| TR-564 | Tertiary | | 2.01 | 0.150 | 30 |
| TR-565 | Tertiary | Naogaon-Dhamoirhat Road | 6.11 | 0.359 | 30 |
| TR-567 | Tertiary | | 2.02 | 0.035 | 30 |
| TR-568 | Tertiary | | 2.52 | 0.007 | 30 |
| TR-569 | Tertiary | | 2.01 | 0.153 | 30 |
| TR-570 | Tertiary | | 1.99 | 0.230 | 30 |
| TR-576 | Tertiary | | 2.54 | 0.055 | 30 |
| TR-577 | Tertiary | | 3.05 | 0.070 | 30 |
| TR-578 | Tertiary | | 1.98 | 0.068 | 30 |
| TR-580 | Tertiary | | 2.54 | 0.162 | 30 |
| TR-582 | Tertiary | | 2.71 | 0.166 | 30 |
| TR-584 | Tertiary | | 1.61 | 0.019 | 30 |
| TR-586 | Tertiary | | 2.82 | 0.212 | 30 |
| TR-592 | Tertiary | | 1.10 | 0.050 | 30 |
| AR-6 | Access | | 2.42 | 0.147 | 20 |
| AR-8 | Access | | 2.54 | 0.125 | 20 |
| AR-10 | Access | | 1.61 | 0.083 | 20 |
| AR-14 | Access | | 2.06 | 0.130 | 20 |
| AR-15 | Access | Old Bazar Road | 6.37 | 0.036 | 20 |
| AR-16 | Access | | 2.17 | 0.040 | 20 |
| AR-18 | Access | | 2.52 | 0.117 | 20 |
| AR-19 | Access | Sardarpara Road | 3.06 | 0.057 | 20 |
| AR-20 | Access | | 1.98 | 0.174 | 20 |
| AR-21 | Access | | 2.04 | 0.024 | 20 |
| AR-25 | Access | | 3.24 | 0.027 | 20 |
| AR-26 | Access | | 2.74 | 0.077 | 20 |
| AR-27 | Access | | 2.44 | 0.273 | 20 |
| AR-28 | Access | | 3.02 | 0.113 | 20 |
| AR-30 | Access | | 2.81 | 0.167 | 20 |
| AR-31 | Access | | 2.59 | 0.076 | 20 |
| AR-33 | Access | | 15.33 | 0.040 | 20 |
| AR-35 | Access | | 2.57 | 0.370 | 20 |
| AR-36 | Access | | 2.96 | 0.020 | 20 |
| AR-37 | Access | | 2.61 | 0.079 | 20 |
| AR-38 | Access | | 2.82 | 0.065 | 20 |
| AR-39 | Access | | 4.05 | 0.004 | 20 |
| AR-40 | Access | | 3.32 | 0.015 | 20 |
| AR-41 | Access | | 2.63 | 0.033 | 20 |
| AR-42 | Access | | 3.21 | 0.008 | 20 |
| AR-46 | Access | | 2.05 | 0.381 | 20 |
| AR-52 | Access | | 1.91 | 0.143 | 20 |
| AR-53 | Access | | 2.62 | 0.539 | 20 |

| Proposed Road Id | Type of Road | Road Name | Existing Width (m) | Length (km) | Proposed RoW (ft) |
|---------------------|--------------|-----------|--------------------|-------------|-------------------|
| AR-54 | Access | | 1.10 | 0.312 | 20 |
| AR-55 | Access | | 2.61 | 0.178 | 20 |
| AR-58 | Access | | 2.55 | 0.297 | 20 |
| AR-59 | Access | | 1.71 | 0.088 | 20 |
| AR-61 | Access | | 2.45 | 0.375 | 20 |
| AR-62 | Access | | 1.71 | 0.069 | 20 |
| AR-63 | Access | | 1.71 | 0.155 | 20 |
| AR-64 | Access | | 2.68 | 0.195 | 20 |
| AR-65 | Access | | 2.61 | 0.194 | 20 |
| AR-67 | Access | | 1.61 | 0.063 | 20 |
| AR-68 | Access | | 1.60 | 0.115 | 20 |
| AR-78 | Access | | 2.12 | 0.052 | 20 |
| AR-79 | Access | | 1.55 | 0.109 | 20 |
| AR-82 | Access | | 1.73 | 0.093 | 20 |
| AR-83 | Access | | 2.01 | 0.033 | 20 |
| AR-84 | Access | | 2.01 | 0.034 | 20 |
| AR-87 | Access | | 1.51 | 0.145 | 20 |
| AR-88 | Access | | 1.69 | 0.196 | 20 |
| AR-89 | Access | | 1.24 | 0.098 | 20 |
| AR-91 | Access | | 1.97 | 0.523 | 20 |
| AR-92 | Access | | 2.02 | 0.131 | 20 |
| AR-95 | Access | | 4.26 | 0.208 | 20 |
| AR-98 | Access | | 2.51 | 0.134 | 20 |
| AR-99 | Access | | 2.51 | 0.252 | 20 |
| AR-100 | Access | | 1.20 | 0.093 | 20 |
| AR-102 | Access | | 3.90 | 0.110 | 20 |
| AR-103 | Access | | 2.05 | 0.132 | 20 |
| AR-104 | Access | | 2.57 | 0.061 | 20 |
| AR-105 | Access | | 1.56 | 0.148 | 20 |
| AR-106 | Access | | 1.46 | 0.143 | 20 |
| AR-108 | Access | | 1.25 | 0.205 | 20 |
| AR-109 | Access | | 1.49 | 0.044 | 20 |
| AR-110 | Access | | 1.25 | 0.108 | 20 |
| AR-112 | Access | | 4.14 | 0.036 | 20 |
| AR-113 | Access | | 4.14 | 0.251 | 20 |
| AR-115 | Access | | 1.05 | 0.080 | 20 |
| AR-126 | Access | | 1.72 | 0.342 | 20 |
| AR-127 | Access | | 1.00 | 0.055 | 20 |
| AR-128 | Access | | 1.00 | 0.103 | 20 |
| AR-130 | Access | | 2.07 | 0.042 | 20 |
| AR-131 | Access | | 1.23 | 0.076 | 20 |
| AR-132 | Access | | 1.51 | 0.024 | 20 |
| AR-133 | Access | | 2.00 | 0.057 | 20 |
| AR-136 | Access | | 1.83 | 0.106 | 20 |

| Proposed Road Id | Type of Road | Road Name | Existing Width (m) | Length (km) | Proposed RoW (ft) |
|---------------------|--------------|-------------------------|--------------------|-------------|-------------------|
| AR-137 | Access | | 1.72 | 0.104 | 20 |
| AR-138 | Access | | 1.61 | 0.025 | 20 |
| AR-141 | Access | Old Bazar Road | 6.37 | 0.123 | 20 |
| AR-145 | Access | | 2.63 | 0.117 | 20 |
| AR-148 | Access | | 2.27 | 0.249 | 20 |
| AR-149 | Access | | 2.27 | 0.047 | 20 |
| AR-150 | Access | | 2.27 | 0.082 | 20 |
| AR-151 | Access | | 2.00 | 0.182 | 20 |
| AR-152 | Access | | 2.08 | 0.074 | 20 |
| AR-153 | Access | | 2.67 | 0.038 | 20 |
| AR-154 | Access | | 2.00 | 0.043 | 20 |
| AR-155 | Access | | 1.80 | 0.179 | 20 |
| AR-159 | Access | | 1.65 | 0.084 | 20 |
| AR-160 | Access | Old Bazar Road | 6.37 | 0.105 | 20 |
| AR-161 | Access | | 2.14 | 0.236 | 20 |
| AR-163 | Access | | 2.66 | 0.079 | 20 |
| AR-164 | Access | | 2.49 | 0.079 | 20 |
| AR-165 | Access | | 2.05 | 0.037 | 20 |
| AR-166 | Access | | 2.02 | 0.096 | 20 |
| AR-167 | Access | | 2.54 | 0.053 | 20 |
| AR-170 | Access | | 2.08 | 0.199 | 20 |
| AR-173 | Access | Old Bazar Road | 6.37 | 0.075 | 20 |
| AR-174 | Access | | 2.10 | 0.133 | 20 |
| AR-176 | Access | | 15.33 | 0.059 | 20 |
| AR-177 | Access | | 2.14 | 0.167 | 20 |
| AR-179 | Access | Naogaon-Dhamoirhat Road | 6.11 | 0.220 | 20 |
| AR-180 | Access | | 2.54 | 0.052 | 20 |
| AR-181 | Access | Harirampur Road | 2.97 | 0.082 | 20 |
| AR-184 | Access | Old Bazar Road | 6.37 | 0.032 | 20 |
| AR-185 | Access | | 2.08 | 0.060 | 20 |
| AR-188 | Access | | 2.03 | 0.097 | 20 |
| AR-189 | Access | | 3.20 | 0.180 | 20 |
| AR-190 | Access | | 1.15 | 0.037 | 20 |
| AR-194 | Access | | 3.05 | 0.180 | 20 |
| AR-197 | Access | | 1.91 | 0.159 | 20 |
| AR-198 | Access | | 2.05 | 0.191 | 20 |
| AR-203 | Access | | 3.16 | 0.057 | 20 |
| AR-204 | Access | | 3.16 | 0.038 | 20 |
| AR-206 | Access | Old Bazar Road | 6.37 | 0.118 | 20 |
| AR-207 | Access | Old Bazar Road | 6.37 | 0.573 | 20 |
| AR-208 | Access | | 3.65 | 0.453 | 20 |
| AR-209 | Access | Old Bazar Road | 6.37 | 0.120 | 20 |
| AR-212 | Access | | 2.04 | 0.088 | 20 |
| AR-214 | Access | | 2.04 | 0.148 | 20 |

| Proposed Road Id | Type of Road | Road Name | Existing Width (m) | Length (km) | Proposed RoW (ft) |
|---------------------|--------------|-----------------|--------------------|-------------|-------------------|
| AR-215 | Access | | 3.05 | 0.037 | 20 |
| AR-217 | Access | | 2.03 | 0.072 | 20 |
| AR-218 | Access | | 2.61 | 0.113 | 20 |
| AR-219 | Access | | 2.06 | 0.134 | 20 |
| AR-220 | Access | | 2.00 | 0.014 | 20 |
| AR-221 | Access | | 2.00 | 0.058 | 20 |
| AR-222 | Access | | 2.00 | 0.069 | 20 |
| AR-223 | Access | | 2.05 | 0.092 | 20 |
| AR-224 | Access | Harirampur Road | 2.97 | 0.153 | 20 |
| AR-225 | Access | | 2.63 | 0.089 | 20 |
| AR-226 | Access | | 3.16 | 0.152 | 20 |
| AR-227 | Access | | 2.25 | 0.009 | 20 |
| AR-228 | Access | | 2.08 | 0.144 | 20 |
| AR-229 | Access | Old Bazar Road | 6.37 | 0.152 | 20 |
| AR-230 | Access | | 2.00 | 0.037 | 20 |
| AR-233 | Access | | 1.62 | 0.035 | 20 |
| AR-234 | Access | | 1.62 | 0.058 | 20 |
| AR-235 | Access | | 2.53 | 0.261 | 20 |
| AR-236 | Access | | 2.26 | 0.078 | 20 |
| AR-237 | Access | | 2.66 | 0.231 | 20 |
| AR-238 | Access | | 2.02 | 0.160 | 20 |
| AR-242 | Access | | 2.02 | 0.101 | 20 |
| AR-244 | Access | | 2.55 | 0.071 | 20 |
| AR-245 | Access | | 1.62 | 0.040 | 20 |
| AR-246 | Access | | 1.64 | 0.015 | 20 |
| AR-250 | Access | Sardarpara Road | 3.06 | 0.052 | 20 |
| AR-252 | Access | Sardarpara Road | 3.06 | 0.137 | 20 |
| AR-253 | Access | | 2.21 | 0.032 | 20 |
| AR-257 | Access | Sardarpara Road | 3.06 | 0.234 | 20 |
| AR-258 | Access | Sardarpara Road | 3.06 | 0.269 | 20 |
| AR-266 | Access | Sardarpara Road | 3.06 | 0.197 | 20 |
| AR-270 | Access | | 3.10 | 0.016 | 20 |
| AR-271 | Access | Hospital Road | 3.37 | 0.151 | 20 |
| AR-272 | Access | | 2.56 | 0.102 | 20 |
| AR-273 | Access | Sardarpara Road | 3.06 | 0.133 | 20 |
| AR-275 | Access | Sardarpara Road | 3.06 | 0.051 | 20 |
| AR-277 | Access | | 2.04 | 0.171 | 20 |
| AR-280 | Access | | 3.15 | 0.084 | 20 |
| AR-284 | Access | | 2.10 | 0.104 | 20 |
| AR-285 | Access | | 2.06 | 0.170 | 20 |
| AR-287 | Access | | 2.52 | 0.195 | 20 |
| AR-288 | Access | | 2.06 | 0.162 | 20 |
| AR-289 | Access | Hospital Road | 3.37 | 0.079 | 20 |
| AR-290 | Access | | 2.52 | 0.019 | 20 |

| Proposed Road Id | Type of Road | Road Name | Existing Width (m) | Length (km) | Proposed RoW (ft) |
|---------------------|--------------|-------------------|--------------------|-------------|-------------------|
| AR-291 | Access | | 2.52 | 0.022 | 20 |
| AR-293 | Access | Nasir Uddin Road | 1.89 | 0.166 | 20 |
| AR-294 | Access | | 3.04 | 0.104 | 20 |
| AR-295 | Access | | 3.04 | 0.134 | 20 |
| AR-298 | Access | | 2.06 | 0.090 | 20 |
| AR-300 | Access | | 1.99 | 0.069 | 20 |
| AR-301 | Access | | 2.72 | 0.064 | 20 |
| AR-302 | Access | | 1.80 | 0.058 | 20 |
| AR-306 | Access | | 2.05 | 0.250 | 20 |
| AR-308 | Access | | 3.25 | 0.268 | 20 |
| AR-309 | Access | | 2.66 | 0.093 | 20 |
| AR-310 | Access | | 2.66 | 0.230 | 20 |
| AR-311 | Access | | 1.71 | 0.020 | 20 |
| AR-315 | Access | | 3.12 | 0.400 | 20 |
| AR-317 | Access | | 2.45 | 0.017 | 20 |
| AR-318 | Access | | 1.74 | 0.049 | 20 |
| AR-319 | Access | | 2.06 | 0.169 | 20 |
| AR-320 | Access | | 2.06 | 0.182 | 20 |
| AR-321 | Access | | 1.75 | 0.150 | 20 |
| AR-323 | Access | | 1.79 | 0.051 | 20 |
| AR-324 | Access | | 2.55 | 0.143 | 20 |
| AR-325 | Access | Choknirikhin Road | 3.73 | 0.287 | 20 |
| AR-327 | Access | | 4.60 | 0.129 | 20 |
| AR-329 | Access | Nazrul Islam Road | 3.58 | 0.104 | 20 |
| AR-333 | Access | | 2.61 | 0.136 | 20 |
| AR-334 | Access | | 2.74 | 0.090 | 20 |
| AR-338 | Access | | 2.12 | 0.107 | 20 |
| AR-342 | Access | | 3.08 | 0.098 | 20 |
| AR-343 | Access | | 3.05 | 0.156 | 20 |
| AR-344 | Access | | 3.13 | 0.078 | 20 |
| AR-348 | Access | | 1.72 | 0.115 | 20 |
| AR-349 | Access | | 3.44 | 0.015 | 20 |
| AR-350 | Access | | 3.61 | 0.011 | 20 |
| AR-351 | Access | | 3.12 | 0.009 | 20 |
| AR-352 | Access | | 3.18 | 0.054 | 20 |
| AR-353 | Access | | 3.30 | 0.013 | 20 |
| AR-354 | Access | | 3.51 | 0.010 | 20 |
| AR-355 | Access | Nazrul Islam Road | 3.58 | 0.281 | 20 |
| AR-356 | Access | | 1.87 | 0.134 | 20 |
| AR-358 | Access | | 2.10 | 0.042 | 20 |
| AR-360 | Access | | 2.36 | 0.109 | 20 |
| AR-361 | Access | | 2.36 | 0.104 | 20 |
| AR-365 | Access | | 2.03 | 0.066 | 20 |
| AR-367 | Access | | 2.08 | 0.129 | 20 |

| Proposed Road Id | Type of Road | Road Name | Existing Width (m) | Length (km) | Proposed RoW (ft) |
|---------------------|--------------|-----------|--------------------|-------------|-------------------|
| AR-368 | Access | | 2.10 | 0.153 | 20 |
| AR-372 | Access | | 3.87 | 0.058 | 20 |
| AR-374 | Access | | 2.03 | 0.129 | 20 |
| AR-377 | Access | | 3.16 | 0.072 | 20 |
| AR-378 | Access | | 3.16 | 0.123 | 20 |
| AR-379 | Access | | 2.71 | 0.334 | 20 |
| AR-380 | Access | | 3.60 | 0.023 | 20 |
| AR-381 | Access | | 2.01 | 0.037 | 20 |
| AR-382 | Access | | 2.72 | 0.063 | 20 |
| AR-383 | Access | | 1.87 | 0.107 | 20 |
| AR-384 | Access | | 2.30 | 0.474 | 20 |
| AR-385 | Access | | 2.97 | 0.018 | 20 |
| AR-386 | Access | | 3.94 | 0.065 | 20 |
| AR-388 | Access | | 4.22 | 0.065 | 20 |
| AR-391 | Access | | 2.60 | 0.115 | 20 |
| AR-392 | Access | | 2.54 | 0.043 | 20 |
| AR-394 | Access | | 3.08 | 0.469 | 20 |
| AR-396 | Access | | 2.04 | 0.063 | 20 |
| AR-401 | Access | | 2.08 | 0.037 | 20 |
| AR-402 | Access | | 2.35 | 0.083 | 20 |
| AR-403 | Access | | 2.03 | 0.098 | 20 |
| AR-404 | Access | | 1.63 | 0.117 | 20 |
| AR-405 | Access | | 2.03 | 0.040 | 20 |
| AR-409 | Access | | 2.57 | 0.085 | 20 |
| AR-411 | Access | | 2.51 | 0.056 | 20 |
| AR-412 | Access | | 3.08 | 0.219 | 20 |
| AR-413 | Access | | 2.81 | 0.165 | 20 |
| AR-417 | Access | | 2.07 | 0.089 | 20 |
| AR-418 | Access | | 2.54 | 0.153 | 20 |
| AR-419 | Access | | 3.44 | 0.158 | 20 |
| AR-420 | Access | | 2.00 | 0.059 | 20 |
| AR-421 | Access | | 2.06 | 0.059 | 20 |
| AR-422 | Access | | 2.31 | 0.407 | 20 |
| AR-423 | Access | | 2.00 | 0.237 | 20 |
| AR-424 | Access | | 2.00 | 0.081 | 20 |
| AR-425 | Access | | 2.08 | 0.061 | 20 |
| AR-430 | Access | | 2.05 | 0.055 | 20 |
| AR-431 | Access | | 2.05 | 0.165 | 20 |
| AR-438 | Access | | 2.05 | 0.153 | 20 |
| AR-439 | Access | | 2.99 | 0.258 | 20 |
| AR-440 | Access | | 3.01 | 0.289 | 20 |
| AR-441 | Access | | 3.21 | 0.369 | 20 |
| AR-443 | Access | | 3.03 | 0.575 | 20 |
| AR-447 | Access | | 3.03 | 0.667 | 20 |

| Proposed Road Id | Type of Road | Road Name | Existing Width (m) | Length (km) | Proposed RoW (ft) |
|---------------------|--------------|---------------|--------------------|-------------|-------------------|
| AR-449 | Access | | 3.31 | 0.224 | 20 |
| AR-450 | Access | | 3.05 | 0.374 | 20 |
| AR-454 | Access | | 3.30 | 0.317 | 20 |
| AR-455 | Access | | 4.00 | 0.574 | 20 |
| AR-456 | Access | | 3.01 | 0.175 | 20 |
| AR-457 | Access | | 3.01 | 0.232 | 20 |
| AR-458 | Access | | 3.28 | 0.341 | 20 |
| AR-460 | Access | | 4.30 | 0.041 | 20 |
| AR-464 | Access | Palsa Road | 3.06 | 0.213 | 20 |
| AR-465 | Access | | 2.56 | 0.161 | 20 |
| AR-469 | Access | | 2.63 | 0.041 | 20 |
| AR-475 | Access | | 3.12 | 0.056 | 20 |
| AR-476 | Access | | 2.99 | 0.036 | 20 |
| AR-477 | Access | | 3.21 | 0.087 | 20 |
| AR-478 | Access | | 3.65 | 0.036 | 20 |
| AR-480 | Access | | 2.20 | 0.066 | 20 |
| AR-498 | Access | | 2.53 | 0.081 | 20 |
| AR-499 | Access | | 2.05 | 0.123 | 20 |
| AR-500 | Access | | 2.62 | 0.197 | 20 |
| AR-501 | Access | | 2.55 | 0.125 | 20 |
| AR-504 | Access | | 1.51 | 0.149 | 20 |
| AR-505 | Access | | 1.61 | 0.193 | 20 |
| AR-506 | Access | | 2.61 | 0.143 | 20 |
| AR-507 | Access | | 1.60 | 0.072 | 20 |
| AR-508 | Access | Palsa Road | 3.06 | 0.175 | 20 |
| AR-509 | Access | | 1.55 | 0.083 | 20 |
| AR-510 | Access | | 1.69 | 0.181 | 20 |
| AR-511 | Access | | 1.24 | 0.102 | 20 |
| AR-512 | Access | | 1.97 | 0.084 | 20 |
| AR-513 | Access | | 2.04 | 0.069 | 20 |
| AR-514 | Access | | 2.01 | 0.138 | 20 |
| AR-515 | Access | | 2.14 | 0.016 | 20 |
| AR-516 | Access | | 2.05 | 0.105 | 20 |
| AR-517 | Access | | 2.08 | 0.089 | 20 |
| AR-518 | Access | | 2.07 | 0.087 | 20 |
| AR-519 | Access | | 2.03 | 0.059 | 20 |
| AR-520 | Access | | 2.02 | 0.096 | 20 |
| AR-521 | Access | | 2.02 | 0.194 | 20 |
| AR-522 | Access | | 2.36 | 0.109 | 20 |
| AR-523 | Access | Hospital Road | 3.37 | 0.153 | 20 |
| AR-524 | Access | | 3.18 | 0.131 | 20 |
| AR-525 | Access | | 2.08 | 0.132 | 20 |
| AR-526 | Access | | 2.57 | 0.246 | 20 |
| AR-527 | Access | | 3.44 | 0.203 | 20 |

| Proposed Road Id | Type of Road | Road Name | Existing Width (m) | Length (km) | Proposed RoW (ft) |
|---------------------|--------------|-------------------------|--------------------|-------------|-------------------|
| AR-528 | Access | | 2.59 | 0.062 | 20 |
| AR-529 | Access | | 2.08 | 0.143 | 20 |
| AR-530 | Access | | 1.74 | 0.050 | 20 |
| AR-531 | Access | | 2.06 | 0.118 | 20 |
| AR-532 | Access | | 2.04 | 0.034 | 20 |
| AR-533 | Access | | 2.08 | 0.067 | 20 |
| AR-534 | Access | | 2.20 | 0.056 | 20 |
| AR-535 | Access | | 0.00 | 0.049 | 20 |
| AR-536 | Access | | 2.03 | 0.242 | 20 |
| AR-538 | Access | | 1.98 | 0.186 | 20 |
| AR-539 | Access | Nazrul Islam Road | 3.58 | 0.154 | 20 |
| AR-540 | Access | | 1.74 | 0.115 | 20 |
| AR-541 | Access | | 1.72 | 0.076 | 20 |
| AR-542 | Access | Nazrul Islam Road | 3.58 | 0.183 | 20 |
| AR-543 | Access | | 2.00 | 0.140 | 20 |
| AR-544 | Access | Sardarpara Road | 3.06 | 0.199 | 20 |
| AR-545 | Access | | 0.00 | 0.292 | 20 |
| AR-547 | Access | | 2.40 | 0.151 | 20 |
| AR-550 | Access | | 2.52 | 0.117 | 20 |
| AR-551 | Access | | 1.01 | 0.066 | 20 |
| AR-552 | Access | | 2.26 | 0.084 | 20 |
| AR-553 | Access | Sardarpara Road | 3.06 | 0.128 | 20 |
| AR-554 | Access | | 2.61 | 0.081 | 20 |
| AR-555 | Access | | 1.57 | 0.161 | 20 |
| AR-557 | Access | Naogaon-Dhamoirhat Road | 6.11 | 0.328 | 20 |
| AR-558 | Access | | 2.06 | 0.049 | 20 |
| AR-559 | Access | Sardarpara Road | 3.06 | 0.153 | 20 |
| AR-560 | Access | | 2.54 | 0.098 | 20 |
| AR-561 | Access | | 2.11 | 0.018 | 20 |
| AR-562 | Access | | 2.00 | 0.044 | 20 |
| AR-563 | Access | | 2.17 | 0.098 | 20 |
| AR-566 | Access | | 2.02 | 0.025 | 20 |
| AR-571 | Access | | 1.99 | 0.076 | 20 |
| AR-579 | Access | | 2.12 | 0.025 | 20 |
| AR-581 | Access | | 0.00 | 0.044 | 20 |
| AR-583 | Access | | 2.10 | 0.031 | 20 |
| AR-585 | Access | | 2.05 | 0.018 | 20 |
| AR-589 | Access | | 3.87 | 0.628 | 20 |
| AR-590 | Access | Aatrai River Road | 3.54 | 0.018 | 20 |
| AR-591 | Access | | 2.62 | 0.050 | 20 |
| AR-593 | Access | | 2.94 | 0.046 | 20 |
| AR-594 | Access | | 2.53 | 0.128 | 20 |
| AR-595 | Access | | 2.54 | 0.029 | 20 |

Source: Road Network Plan of Nazipur Paurashava

| ΔΙ | N | N | F | X | п | R | F |
|----|---|---|---|---|---|---|---|
| | | | | | | | |

Annexure-C: Proposed Drain Inventory

Details of Drainage Network Proposals of Nazipur Paurashava

| | | | 1 | |
|---------------------|-------------------|-------------------|------------|-------------------|
| Proposed Drain Type | Proposed Drain ID | Construction Type | Length (m) | Average Width (m) |
| Primary | PD-1 | Pucca | 1318.20 | 1.00-2.00 |
| Primary | PD-2 | Pucca | 1332.99 | 1.00-2.00 |
| Primary | PD-6 | Pucca | 1596.52 | 1.00-2.00 |
| Primary | PD-38 | Pucca | 1318.20 | 1.00-2.00 |
| Primary | PD-40 | Pucca | 1332.99 | 1.00-2.00 |
| Primary | PD-67 | Pucca | 1596.52 | 1.00-2.00 |
| Primary | PD-71 | Pucca | 1318.20 | 1.00-2.00 |
| Primary | PD-74 | Pucca | 1332.99 | 1.00-2.00 |
| Secondary | SD-2 | Pucca | 1671.25 | 0.80-1.00 |
| Secondary | SD-4 | Pucca | 1603.92 | 0.80-1.00 |
| Secondary | SD-7 | Pucca | 1765.03 | 0.80-1.00 |
| Secondary | SD-19 | Pucca | 796.93 | 0.80-1.00 |
| Secondary | SD-64 | Pucca | 912.05 | 0.80-1.00 |
| Secondary | SD-65 | Pucca | 439.62 | 0.80-1.00 |
| Secondary | SD-68 | Pucca | 619.17 | 0.80-1.00 |
| Secondary | SD-70 | Pucca | 537.78 | 0.80-1.00 |
| Secondary | SD-73 | Pucca | 615.72 | 0.80-1.00 |
| Secondary | SD-74 | Pucca | 417.89 | 0.80-1.00 |
| Secondary | SD-75 | Pucca | 223.84 | 0.80-1.00 |
| Tertiary | TD-1 | Pucca | 662.21 | 0.60-0.80 |
| Tertiary | TD-10 | Pucca | 596.86 | 0.60-0.80 |
| Tertiary | TD-11 | Pucca | 299.42 | 0.60-0.80 |
| Tertiary | TD-12 | Pucca | 543.66 | 0.60-0.80 |
| Tertiary | TD-13 | Pucca | 400.52 | 0.60-0.80 |
| Tertiary | TD-14 | Pucca | 511.53 | 0.60-0.80 |
| Tertiary | TD-15 | Pucca | 896.46 | 0.60-0.80 |
| Tertiary | TD-16 | Pucca | 1697.07 | 0.60-0.80 |
| Tertiary | TD-17 | Pucca | 578.09 | 0.60-0.80 |
| Tertiary | TD-18 | Pucca | 559.18 | 0.60-0.80 |
| Tertiary | TD-20 | Pucca | 375.22 | 0.60-0.80 |
| Tertiary | TD-21 | Pucca | 342.34 | 0.60-0.80 |
| Tertiary | TD-22 | Pucca | 758.49 | 0.60-0.80 |
| Tertiary | TD-23 | Pucca | 584.79 | 0.60-0.80 |
| Tertiary | TD-24 | Pucca | 1533.33 | 0.60-0.80 |
| Tertiary | TD-25 | Pucca | 364.05 | 0.60-0.80 |
| Tertiary | TD-26 | Pucca | 712.01 | 0.60-0.80 |
| Tertiary | TD-27 | Pucca | 1784.49 | 0.60-0.80 |
| Tertiary | TD-28 | Pucca | 408.04 | 0.60-0.80 |
| Tertiary | TD-29 | Pucca | 528.85 | 0.60-0.80 |
| Tertiary | TD-3 | Pucca | 900.02 | 0.60-0.80 |
| Tertiary | TD-30 | Pucca | 376.28 | 0.60-0.80 |
| Tertiary | TD-31 | Pucca | 107.90 | 0.60-0.80 |

| Proposed Drain Type | Proposed Drain ID | Construction Type | Length (m) | Average Width (m) |
|---------------------|-------------------|-------------------|------------|-------------------|
| Tertiary | TD-32 | Pucca | 229.65 | 0.60-0.80 |
| Tertiary | TD-33 | Pucca | 278.18 | 0.60-0.80 |
| Tertiary | TD-34 | Pucca | 296.05 | 0.60-0.80 |
| Tertiary | TD-35 | Pucca | 700.90 | 0.60-0.80 |
| Tertiary | TD-36 | Pucca | 995.45 | 0.60-0.80 |
| Tertiary | TD-37 | Pucca | 1014.35 | 0.60-0.80 |
| Tertiary | TD-39 | Pucca | 466.40 | 0.60-0.80 |
| Tertiary | TD-40 | Pucca | 749.27 | 0.60-0.80 |
| Tertiary | TD-41 | Pucca | 343.79 | 0.60-0.80 |
| Tertiary | TD-42 | Pucca | 264.72 | 0.60-0.80 |
| Tertiary | TD-43 | Pucca | 540.79 | 0.60-0.80 |
| Tertiary | TD-44 | Pucca | 239.76 | 0.60-0.80 |
| Tertiary | TD-45 | Pucca | 250.81 | 0.60-0.80 |
| Tertiary | TD-46 | Pucca | 224.52 | 0.60-0.80 |
| Tertiary | TD-47 | Pucca | 204.37 | 0.60-0.80 |
| Tertiary | TD-48 | Pucca | 1533.80 | 0.60-0.80 |
| Tertiary | TD-49 | Pucca | 558.93 | 0.60-0.80 |
| Tertiary | TD-5 | Pucca | 432.47 | 0.60-0.80 |
| Tertiary | TD-50 | Pucca | 584.54 | 0.60-0.80 |
| Tertiary | TD-51 | Pucca | 513.70 | 0.60-0.80 |
| Tertiary | TD-52 | Pucca | 457.28 | 0.60-0.80 |
| Tertiary | TD-53 | Pucca | 151.97 | 0.60-0.80 |
| Tertiary | TD-54 | Pucca | 572.78 | 0.60-0.80 |
| Tertiary | TD-55 | Pucca | 582.25 | 0.60-0.80 |
| Tertiary | TD-56 | Pucca | 584.65 | 0.60-0.80 |
| Tertiary | TD-57 | Pucca | 451.18 | 0.60-0.80 |
| Tertiary | TD-58 | Pucca | 656.81 | 0.60-0.80 |
| Tertiary | TD-59 | Pucca | 308.13 | 0.60-0.80 |
| Tertiary | TD-60 | Pucca | 625.07 | 0.60-0.80 |
| Tertiary | TD-61 | Pucca | 879.68 | 0.60-0.80 |
| Tertiary | TD-62 | Pucca | 550.08 | 0.60-0.80 |
| Tertiary | TD-63 | Pucca | 570.20 | 0.60-0.80 |
| Tertiary | TD-66 | Pucca | 348.96 | 0.60-0.80 |
| Tertiary | TD-69 | Pucca | 392.21 | 0.60-0.80 |
| Tertiary | TD-71 | Pucca | 612.93 | 0.60-0.80 |
| Tertiary | TD-72 | Pucca | 567.67 | 0.60-0.80 |
| Tertiary | TD-76 | Pucca | 381.48 | 0.60-0.80 |
| Tertiary | TD-77 | Pucca | 267.37 | 0.60-0.80 |
| Tertiary | TD-78 | Pucca | 382.88 | 0.60-0.80 |
| Tertiary | TD-79 | Pucca | 197.98 | 0.60-0.80 |
| Tertiary | TD-8 | Pucca | 1309.33 | 0.60-0.80 |
| Tertiary | TD-80 | Pucca | 321.88 | 0.60-0.80 |
| Tertiary | TD-81 | Pucca | 577.78 | 0.60-0.80 |
| Tertiary | TD-82 | Pucca | 487.72 | 0.60-0.80 |

| Proposed Drain Type | Proposed Drain ID | Construction Type | Length (m) | Average Width (m) |
|---------------------|-------------------|-------------------|------------|-------------------|
| Tertiary | TD-83 | Pucca | 270.41 | 0.60-0.80 |
| Tertiary | TD-84 | Pucca | 368.30 | 0.60-0.80 |
| Tertiary | TD-85 | Pucca | 517.01 | 0.60-0.80 |
| Tertiary | TD-86 | Pucca | 592.05 | 0.60-0.80 |
| Tertiary | TD-87 | Pucca | 880.02 | 0.60-0.80 |
| Tertiary | TD-9 | Pucca | 518.38 | 0.60-0.80 |

Source: Drainage and Environmental Management Plan

| ANNEXURE | |
|----------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | Annexure-D: Schedule of Land Use Planning Proposal |
| | Annexure-D. Schedule of Land Ose Flamming Proposal |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Planning Schedule of Waterbody of Nazipur Paurashava

| Landuse Type | Mouza | Plot No. | Area |
|-----------------|--------------------------|--|-------|
| | Badpuiya (214_00) | 158,350,394,431,457,528,542,616,649,653,654,656,659,661,683,689,699,745,751,755,772,778,780,793,814,824,826,832,834,836,843,844,870,873,874,880,885,890,898,916,937,938,987 | 31.51 |
| | Chandpur (219_00) | 8,17,54,332,352,355,356,02,509,530,546,571,584,587,661,676,677,680,681,690,69 2,695,705,707,708,716,725,864,926,943,949,953,955,959,965,995,997,1019,1076, 1079,1096,1127,1145,1165,1198,1205,1209,1213,1224,1225,1227,1243,1254 | 13.80 |
| | Chok Joyram (248_00) | 4,19,49,56,71,74,77,83,91,93,166,183,219,281,285,322,373,380,384,405,430,445,4 97,521,525,570,585,588,592,596,602,616,640,641,647,659,665,676,679,682,695,7 01,714,717,725,727,729,772,874 | 12.30 |
| | Chok Nirkhin (222_00) | 56,57,61,94,131,165,170,191,198,202,203,211,212,225,234,237,253,257,271,287,2 90,295,321,330,331,333,335,354,357,390,393,416,460,473 | 8.10 |
| | Chok Shibram (245_00) | ,3,8,218,227,322,331,369,377,383,385,386,399,406,413,425,464,477,482,492,495, 496,501,537,588 | 7.45 |
| | Dohanagar (221_00) | 131,160,165,174,186,194,197,214,224,236,292,316,416,422,447,461 | 5.46 |
| Waterbody | Horirampur (218_00) | 34,39,40,46,48,54,74,104,114,119,140,141,158,164,177,178,179,182,251,254,276, 281,297,345,347,350,351,376,423,429,434,444,449,488,491,496,502,503,504,516, 520,525,530,547,570,582,606,635,654,667,670,698,709,710,711,712,716,731,736, 748,764,766,773,776,786,788,795,805,815,820,823,829,831,835,845,847,854,856, 863,880,886,900,903,923,925,931,933,934,937,956,961 | 14.15 |
| | Mamudpur (185_00) | 119,121,127,148,150,158,235,367,394,538,539 | 1.72 |
| | Nojipur (217_00), | 14,22,31,34,37,44,115,116,120,122,124,136,139,151,153,154,166,173,183,200,205,208,211,216,223,230,246,248,262,263,280,287,289,298,304,315,320,322,324,328,335,393,397,442,445,446,462,601,634,697,701,707,724,731,741,745,789,794,806,814,816,820,824,828,830,832,839,841,843,844,851,856,858,870,877,883,887,901,908,916,917,922,930,931,935,949,953,956,969,972,977,986,1011,1126,1324,1329,1330,1332,1345,1351,1365,1372,1380,1387,1391,1428,1438,1443,1446,1453,1457,1458,1464,1470,1472 | 26.24 |
| | Palsa (215_00) | 65,208,269,305,320,331,334,336,346,359,367,368,372,373,383,384,395,404,406,4 08,417,418,426,433,456,458,466,469,474,478,495,507 | 10.66 |
| | Patichora (223_02) | 1310,1313,1322,1330,1341,1349,1363,1365,1385,1390,1394,1420,1423,1450,1466 ,1480,1484,1491,1499,1513,1547,1679,1712,1739,1753,1762,1790,1794,1798,180 5,1811,1890,1892,1895,1955,1956,1972 | 9.67 |
| | Puiya (213_00) | 5,14,32,34,56,59,80,81,119,145,150,164,166,177,179,183,184,196,218,220,224,22 8,234,244,254,260,263,266,270,277,282,285,287,290,301,308,318,323,325,343,34 4,348,350,364,368,377,431,435,447,449,461,470,488,504,514,530,531,540,544,55 1,560,563,569,571,573,581,583,588,591,595,596,614,624,627,631,639,643,644,64 8,652,655,657,660,712,770,820,825,99999 | 29.22 |

| ANNEXURE | |
|----------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | Annexure-E: Mouza Schedule of Development Proposal |
| | 7 mioxaro E. mouza comodaro or bovoropmont i ropodar |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Detail Mouza Schedule of Development Proposal of Nazipur Paurashava

| Type of Facilities Ward No. | | Mouza Name | Plot No. | Area in Acre | |
|-------------------------------|---|-----------------------|---|-----------------|--|
| Agricultural College | 8 | Dohanagar (221_00) | 425,426,427,428,429,430,431,432,433,434,435,436,437,43 8,439,440,441,442,443,444,445 | 5.55 | |
| | 2 | Badpuiya (214_00) | 2,68 | | |
| Boat Ghat | 2 | Rajpat (216_00) 53,54 | | 0.98 | |
| | 4 | Badpuiya (214_00) | 2,3,4,5,6,7,8,30,31,32 | | |
| | 3 | Nojipur (217_00) | 1436,1438 | | |
| Bus Terminal | 3 | Palsa (215_00), | 494 | 1.85 | |
| | 4 | Palsa (215_00) | 492,493,494,495,513 | | |
| Central Park | 1 | Mamudpur (185_00) | 37-40, 63-90, 161-182 | 35.14 | |
| Central Park | 9 | Chandpur (219_00) | 85-141, 450-473, 766-789 | 22.29 | |
| Low Income Housing Project | 1 | Mamudpur (185_00) | 2-62, 100-114, 123-125, 134, 154-159 | 18.48 | |
| Resettlement Area | 8 | Chak Shibram (245_00) | 644-654, 659-660, 667-668 | 4.25 | |
| New Industrial | | Rajpat 216_00 | 71-178 | 22.86 | |
| Zone | 2 | Nazipur 217_00 | 1227-1273 | 9.35 | |
| Community Centre | 7 | Horirampur (218_00) | 172,173,193,194,195,196 | | |
| Crematorium | 9 | Chandpur (219_00) | 0) 926 | | |
| | 8 | Chok Nirkhin (222_00) | 335 | | |
| | | Horirampur (218_00) | 576,577,580,581,582,583 | 4.07 | |
| Degree College Extension | | Chok Nirkhin (222_00) | 334,335,336,337,338,339,340,341,342,343,344,345,346,34 7,348,349,350,351,352,353,354,518,519,522,523,524,525, 526,99999 | | |
| | | Horirampur (218_00) | 576,582 | | |
| Fire Station Extension | 3 | Nojipur (217_00) | 216,250,251 | 1.18 | |
| Graveyard | 6 | Chok Joyram (248_00) | 660,665,682,683,684,685,686,687,920 | 1.33 | |
| High School-1 | 3 | Nojipur (217_00), | 182,183,268,269 | | |
| High School-2 | 4 | Palsa (215_00) | 358,360,361,362,364,365 | | |
| Indoor Stadium | 6 | Chok Joyram (248_00) | 726,728,729,730,846,847,848,849,850,851,852,854,921 | | |
| Neighbourhood Clinic-1 | 1 | Mamudpur (185_00) | 292,293,325,327 | | |
| Neighbourhood Clinic-2 | 2 | Nojipur (217_00) | 712,713,718,719,720,741 | | |
| Neighbourhood Clinic-3 | 3 | Nojipur (217_00) | 877 | 0.45 | |
| Neighbourhood Clinic-4 | 4 | Palsa (215_00) | 336,337,338,340,391,392 | 0.49 | |

| Type of Facilities | Ward No. | Mouza Name | Plot No. | Area in Acre | |
|---------------------------|-------------|---|--|-----------------|--|
| Neighbourhood Clinic-5 | 5 | Puiya (213_00) | 251,252,507,510 | | |
| Neighbourhood | | od 6 Chok Joyram (248_00) 234,235,236,237,238,239 | | 0.44 | |
| Clinic-6 | б | Horirampur (218_00) | Horirampur (218_00) 692,693,694,695,696 | | |
| Neighbourhood Clinic-7 | 7 | Horirampur (218_00), | 104,105,106,108 | 0.50 | |
| Neighbourhood Clinic-8 | 8 | Chok Nirkhin (222_00) | 31,32,33,59 | 0.48 | |
| Neighbourhood Clinic-9 | 9 | Chandpur (219_00) | 525,526,550,551,552,553,554,555,556 | 0.43 | |
| Neighbourhood Market-1 | 1 | Mamudpur (185_00) | 466,467,472,476,478 | 0.75 | |
| Neighbourhood Market-2 | 2 | Nojipur (217_00) | 1061,1180,1206,1210,1211,1212,1213,1214 | 0.65 | |
| Neighbourhood Market-3 | 3 | Nojipur (217_00) | 388,389,391 | 0.98 | |
| Neighbourhood Market-4 | 4 | Palsa (215_00) | 148,149 | | |
| Neighbourhood Market-5 | 5 | Puiya (213_00) | 499,500 | | |
| Neighbourhood Market-6 | 6 | Chok Joyram (248_00) | 634,689,690,691,692 | | |
| Neighbourhood Market-7 | 7 | Horirampur (218_00) | 531,543,544,545,546 | | |
| Neighbourhood Market-8 | 8 | Patichora (223_02) | 1573,1576,1577,1667,1668,1669 | | |
| Neighbourhood Market-9 | 9 | Chandpur (219_00) | 502,503,504,505,507,508,713,736 | | |
| Neighbourhood Park-1 | 3 | Nojipur (217_00) | 833,834,835,937,938,939 | | |
| Neighbourhood Park-2 | 4 | Palsa (215_00) | 221,222,252 | 1.19 | |
| Neighbourhood Park-3 | 5 | Puiya (213_00) | 252,253,254,258,443,444,451 | | |
| Neighbourhood Park-4 | 6 | Chok Joyram (248_00) | 195,196,197,198,199,203,205,206,210,211,212,213,214,21 | | |
| Neighbourhood Park-5 | 7 | Horirampur (218_00) | 688,689,719 | | |
| Neighbourhood | 8 | Chok Nirkhin (222_00), | 419,420,421,422 | | |
| Park-6 | | Patichora (223_02) | 1785,1792,1793,1794,1795,1796,1797 | 1.32 | |
| Playfield-1 | 1 | Mamudpur (185_00), | 467,468,469,470,471,472,473,474 | 1.94 | |
| Playfield-2 | 2 | Nojipur (217_00) | 637,650,652,653,654,655,656,657,658,659 | 1.18 | |
| Playfield-3 | 3 | Nojipur (217_00) | 205,206,207,208,209,218 | 1.51 | |
| Playfield-4 | 4 | Badpuiya (214_00) | 688,689,833,842 | | |

| Type of Facilities | Ward No. | Mouza Name | Plot No. | Area in Acre |
|----------------------------|-------------|-----------------------|--|-----------------|
| Playfield-5 | 5 | Puiya (213_00) | 252,253,444,491,506,507,508 | 1.04 |
| Playfield-6 | 6 | Chok Joyram (248_00) | 72,73,217 | 2.33 |
| Playfield-7 | 7 | Horirampur (218_00) | 680,681,682,683,684,685,686,747,748,749,750 | 1.12 |
| Playfield-8 | 8 | Patichora (223_02) | 1332,1333,1339,1382,1383,1384 | 2.63 |
| Playfield-9 | 9 | Chandpur (219_00) | 696,699,700,701,702,703,704 | 1.09 |
| Police Box- 1 | 4 | Palsa (215_00) | 422,423,424 | 0.27 |
| Police Box- 2 | 8 | Chok Nirkhin (222_00) | 284,285,286,287,288,289,290,295 | 0.80 |
| Fire Service Extension | 3 | Nojipur (217_00) | 251 | 1.18 |
| Paurashava Office | 2 | Nojipur (217_00) | 87,99,100,108,111 | 0.78 |
| Primary School- 1 | 1 | Mamudpur (185_00), | 209,210,211,212,213,214,215,216,217,219,220,221,222,22 3,224,225,227,306 | 0.91 |
| Primary School- 2 | 3 | Nojipur (217_00) | 268,270,271,272,273,274 | 0.98 |
| Primary School- 3 | 4 | Palsha (215_00) | 382,384,471,479 | 1.19 |
| Primary School- 4 | 6 | Chok Joyram (248_00) | 698,699,700,701,702,703,704,705,706,707,709,723,725,72 | 1.31 |
| Primary School- 5 | 7 | Horirampur (218_00) | 742,745,746,747,753,754,755,759,779,780,781,784 | 1.28 |
| Primary School- 6 | 8 | Chok Nirkhin (222_00) | 211,212,213,215,216,217,256,257,258,260 | |
| Primary School- 7 | 8 | Chok Shibram (245_00) | 467,468,469,470,471,472,475,477,478,479,480,481,482,48 3,484,485,488,489,497,498,499,608 | |
| Primary School- 8 | 9 | Chandpur (219_00) | 937,938,941,943,944,946 | 1.01 |
| Rail Station | 8 | Patichora (223_02) | 1655,1656,1657,1658,1659,1660,1661,1662,1663,1664,16 65,1694,1695,1696,1697,1698,1699,1700,1701,1702,1703, 1704,1766,1767,1774,1775,1776,1777,1778,1779,1780,17 81,2018 | 3.19 |
| Rickshaw/Tempo Stand- 1 | 1 | Mamudpur (185_00) | 308,313,314,315,465 | |
| Rickshaw/Tempo Stand- 2 | 2 | Nojipur (217_00) | 1206,1209,1210 | 0.29 |
| Rickshaw/Tempo Stand- 3 | 3 | Nojipur (217_00) | 389,1408,1409 | 0.25 |
| Rickshaw/Tempo Stand- 4 | 4 | Palsa (215_00) | 427,428 | |
| Rickshaw/Tempo Stand- 5 | 5 | Puiya (213_00), | 495,956 | |
| Rickshaw/Tempo Stand- 6 | 6 | Chok Joyram (248_00) | 469,475 | 0.24 |
| Rickshaw/Tempo Stand- 7 | 7 | Horirampur (218_00) | 644 | 0.22 |

| Type of Facilities | Ward No. | Mouza Name | Plot No. | Area in Acre | |
|---|-------------|-----------------------|--|-----------------|--|
| Rickshaw/Tempo Stand- 8 | 8 | Patichora (223_02) | 1643,1644,1645,1646,1648 | 0.23 | |
| Rickshaw/Tempo Stand- 9 | 9 | Chandpur (219_00) | 1055,1076,1077 | 0.18 | |
| Solid Waste Disposal | 2 | Rajpat (216_00) | 45,46,47,48,49,50,56,57,58,59,60,62 | 5.25 | |
| Stadium | 8 | Chok Nirkhin (222_00) | 218,219,220,221,222,223,224,225,228,229,230,231,232,23 3,235,236,237,238,239 | 5.50 | |
| Truck Terminal | 2 | Rajpat (216_00) | 168,174,175,176,177,178 | 0.77 | |
| Upazilla Health Complex Extension | 9 | Chandpur (219_00) | 1204,1205,1218,1219,1220,1221,1222,1225,1238,1239,12 40,1241,1242,1243,1244,1245,1246,1251,1253 | 5.00 | |
| | 4 | Badpuiya (214_00) | 879,880,884 | | |
| Vocational | 4 | Puiya (213_00) | 553,555 | 3.72 | |
| College | 5 | Puiya (213_00) | 548,549,550,551,552,553,554,555,556,557,558,559,560,57 5,576,577 | 5.72 | |
| Ward Center-1 | 1 | Mamudpur (185_00) | 312, 314, 319 | 0.74 | |
| Ward Center-2 | 2 | Nojipur (217_00), | 1196,1197,1198,1199,1202,1203,1204,1205,1206,1207,12 08 | 1.16 | |
| Ward Center-3 | 3 | Nojipur (217_00) | 389,391,1407,1408 | 0.94 | |
| Ward Center-4 | 4 | Palsa (215_00) | 252,421,425,426,427,428,435,436, | 0.70 | |
| Ward Center-5 | 5 | Puiya (213_00) | 495,496,497,498,956 | | |
| Ward Center-6 | 6 | Horirampur (218_00) | 947,948,949,951 | 0.89 | |
| Ward Center-7 | 7 | Horirampur (218_00) | 641,642,643,644,645,646,647,648 | 0.88 | |
| Ward Center-8 | 8 | Patichora (223_02) | 1576,1577,1667 | | |
| Ward Center-9 | 9 | Chandpur (219_00) | 1078 | 0.71 | |
| Waste Transfer Station-1 | 1 | Mamudpur (185_00) | 374,465 | 0.22 | |
| Waste Transfer Station-2 | 2 | Nojipur (217_00) | 820 | | |
| Waste Transfer Station-3 | 3 | Nojipur (217_00) | 388 | 0.27 | |
| Waste Transfer Station-4 | 4 | Palsa (215_00) | 485,486,487,488 | 0.18 | |
| Waste Transfer Station-5 | 5 | Puiya (213_00) | 228 | 0.22 | |
| Waste Transfer Station-6 | 6 | Chok Joyram (248_00) | 322,337,402,404,405 | 0.20 | |
| Waste Transfer Station-7 | 7 | Horirampur (218_00) | 516,517,518,519,520,521 | 0.22 | |

| Type of Facilities | Ward No. | Mouza Name | Plot No. | Area in Acre |
|-----------------------------|-------------|-----------------------|---|-----------------|
| Waste Transfer Station-8 | 8 | Chok Nirkhin (222_00) | 413,414,418 | 0.20 |
| Waste Transfer Station-9 | 9 | Chandpur (219_00) | 976,977,978,979,984,985,986,990,991,1146,1275 | 0.73 |
| Water Supply Pump-1 | 2 | Nojipur (217_00) | 793,794,808,809,814 | 0.80 |
| Water Supply Pump-2 | 7 | Horirampur (218_00) | 462,471,472,473,474,475,476,477,481,482,483,484,485,48 6,487,488,489 | 0.65 |

| ANNEXURE | |
|----------|--|
| ANNEXORE | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | Annexure-F: Resolution of Final Consultation Meeting |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



নজিপুর পৌরসভা

পত্নীতলা, নওগাঁ

নজিপুর পৌরসভার প্রস্তুতকৃত খসড়া মাস্টার প্ল্যান উপস্থাপন এবং মাস্টার প্ল্যান অনুযায়ী অত্র এলাকার উন্নয়নের লক্ষ্যে মত বিনিময় সভা।

সভাপতি ঃ মোঃ আনোয়ার হোসেন, মেয়র, নজিপুর পৌরসভা

সভার তারিখ ঃ ২২ শে জুলাই, ২০১৩ ইং।

সময় ঃ সকাল ১১.০০ ঘটিকা।

সভায় উপস্থিতির বিবরণঃ

অদ্য ২২ শে জুলাই, ২০১৩ ইং সকাল ১১.০০ ঘটিকায় পৌরসভা ভবনে নজিপুর পৌর-শহরের জন্য প্রস্তুতকৃত খসড়া মাস্টার প্ল্যান উপস্থাপন এবং এর উপর মতবিনিময় সভা মোঃ আনোয়ার হোসেন, মেয়র, নজিপুর পৌরসভা এর সভাপতিতে অনুষ্ঠিত হয়। উক্ত মতবিনিময় সভায় উপজ্ঞেলা প্রকৌশলী, উপজ্ঞেলা শহর অবকাঠামো উন্নয়ন (UTIDP) প্রকল্পের প্রকল্প নগর পরিকল্পনাবিদ মাস্টার প্ল্যান প্রথমনে প্রকল্পে নিমুক্ত পরামর্শকবৃন্দ, স্থানীয় সাংবাদিকবৃন্দ বিভিন্ন দপ্তরের বিভাগীয় কর্মকর্তা ও পৌরসভার কাউনিলরবৃন্দসহ স্থানীয় গণ্যমান্য ব্যক্তিবর্গ উপস্থিত হয়ে আলোচনায় অংশগ্রহণ করেন।

সভার আলোচনা ঃ

নজিপুর পৌরসভার মেয়র মহোদয় জনাব মোঃ আনোয়ার হোসেন স্থাগত বক্তব্যে রাখেন, পৌর এলাকার জন্য মাস্টার প্ল্যান প্রণয়ন এবং মাস্টার প্ল্যান অনুযায়ী অত্র পৌরসভার উন্নয়নের জন্য মতবিনিময় সভার উদ্বোধন করেন। মেয়র মহোদয় সভায় উপস্থিত সকলকে আন্তরিক অভিনন্দন ও ওভেচ্ছা জ্ঞাপন করেন। অতপরঃ তিনি সভায় উপস্থিত সকলের উদ্দেশ্যে মতামত প্রদান করেন।
থেয়র মহোদয়ের মতামতের গুরুত্বপূর্ণ অংশ বিশেষের মধ্যে উল্লেখযোগ্য বিষয়াদিঃ

- প্রধান সমস্যা নজিপুর পৌরসভার ক্ষেত্রে- যাতায়াত ও যোগাযোগ ব্যবস্থা, জলাবদ্ধতা, ড্রেনেজ ব্যবস্থাপনার অপ্রতুলতা।
- মহাপরিকল্পনা বাস্তবায়নের স্বার্থে অর্থায়ন ব্যবস্থাপনা ।

সকল বিভাগের উন্নয়নমূলক কার্যক্রম মাস্টার প্ল্যানে অন্তর্ভূকপূর্বক নজিপুর পৌরসভার অনুমোদন সাপেক্ষে বান্তবায়নের জন্য ব্যবস্থা গ্রহণের নির্দেশনা প্রদানের প্রয়োজনীয়তা তুলে ধরেন। তাদের প্রত্যেককে সবিনয় অনুরোধ জ্ঞানান যতক্রত সম্ভব আপনারা আপনাদের যার যে ভূমিকা আছে তা বান্তবে ক্লপদান করবেন। মহাপরিকল্পনার বিভিন্ন দিক তুলে ধরার জন্য জ্ঞানাব সৈয়দ শাহরিয়ার আমিনকে অনুরোধ করেন এবং এরপর তিনি কার্যক্রম পরিচালনা করেন।

্ খসড়া মাস্টার প্ল্যান উপস্থাপনঃ

থকল্পের নগর পরিকল্পনাবিদ জনাব সৈয়দ শাহরিয়ার আমিন খসড়া মাস্টার প্ল্যানের জিআইএস তথ্যভাভার, যোগাযোগ ব্যবস্থা ও পানি নিক্ষাশন ব্যবস্থার পরিকল্পনাসহ বিভিন্ন বিষয়ে আলোকপাত করেন। তিনি জানান, পরিকল্পনা প্রণয়নসহ ভবিষ্যৎ উন্নয়ন নিশ্চিতকল্পে মূল সড়কের রাইট অফ ওয়ে (ROW) এখনই নির্ধারণ পূর্বক সংরক্ষণ করা জব্রুরী। তিনি নজিপুর পৌরসভার আঞ্চলিক ও স্থানীয় যাতায়াত ব্যবস্থার উন্নয়নকল্পে গৃহীত প্রধান ক্রেকটি সড়কের তথ্য-উপাত্ত যৌজিকতাসহ উপস্থাপন করেন। এছাড়া তিনি নজিপুর পৌরবাসীর উন্নয়নকল্পে প্রভাবিত ও গৃহীত একাধিক উন্নয়ন প্রভাবনার অবস্থান উপস্থাপন করেন যার মধ্যে পৌর পার্ক, যানবাহন পার্কিং, বাস টার্মিনাল প্রভৃতি উল্পেখযোগ্য।

মাস্টার প্ল্যান প্রণয়ন প্রকল্পে নিযুক্ত পরামর্শক প্রতিষ্ঠান (AQUA Consultant and Associates Ltd.) এর পক্ষে নগর পরিকল্পনাবিদ সঞ্জীব সাহা খসড়া মাস্টার প্ল্যান মান্টিমিডিয়া প্রজেক্টরের মাধ্যমে উপস্থাপন করেন। এছাড়া তিনি এর জিআইএস তথ্যভাভার, যোগাযোগ ব্যবস্থা ও পানি নির্দাশন ব্যবস্থার পরিকল্পনাসহ সাম্মিক উন্নয়ন প্রস্তাবনার বিষয়ে আলোকপাত করেন।

তিনি উদ্ধেশ করেন, নজিপুর পৌরসভার ১ম মতবিনিময় সভায় ইতিপূর্বে ওয়ার্ড কাউন্সিলরবৃন্দ এবং মেয়র মহোদয়ের সাথে যৌথভাবে এবং সংখ্রিষ্ট ব্যক্তিবর্গের সাথে আলাদা আলাদা ভাবে বিভিন্ন উন্নয়ন প্রস্তাবনার আকার ও অবস্থান সম্পর্কে বিস্তারিত আলোচনা ও মতামত বিনিময় করা হয়। ১ম মতবিনিময় সভায় সংগৃহীত সকল মতামতের ভিত্তিতেই উন্নয়ন প্রস্তাবনা পরিবর্তন ও পরিবর্ধন করা হয়েছে। উন্নয়ন প্রস্তাবনাসমূহ চূড়ান্ত মতবিনিময় সভায় পুনরায় বর্ণনা করা হয় যা নীচে সংক্রেপে উল্লেখ করা হলো।

- প্রাইমারী রান্তা, সেকেডারী রান্তা ও প্রয়োজনীয় সংখ্যক সংযোগ রান্তাসহ একটি সমন্বিত পরিবহন ব্যবস্থার প্রস্তাবনা করা

 হয়েছে।
- শহরের অভ্যন্তরীন জলাবদ্ধতা নিরসন ও সুষ্ঠভাবে পানি নিক্কাশনের জন্য প্রাইমারী, সেকেন্ডারী ও টারশিয়ারী ড্রেনসহ একটি
 সমন্বিত দ্রেনেজ ব্যবস্থাপনা নেটওয়ার্কের প্রস্তাবনা দেওয়া হয়েছে।
- নজিপুর পৌরসভার জনগনের অর্থনৈতিক উন্নয়নের লক্ষ্যে সাধারন ও ভারী শিল্প এলাকার প্রস্তাব রাখা হয়েছে।
- শহরের বিভিন্ন এলাকায় জনগণেয় নিত্য প্রয়োজনীয় দ্রব্যাদির কেনা-কাটার জন্য প্রত্যেক ওয়ার্ডে ১টি কওে নেইবারহুড মার্কেট
 (পৌর মার্কেট) এর প্রস্তাব রাখা হয়েছে।
- শিক্ষা ব্যবস্থা উন্নয়নের লক্ষ্যে হাইকুল, কলেজ এবং কৃষি কলেজ এর প্রস্তাবনা রাখা হয়েছে;
- শাহ্য সম্বত পরিবেশ নিশ্চিত করার শক্ষ্যে পরিকল্পিত বর্জ্য ব্যবস্থাপনার জন্য বর্জ্য ফেলার স্থান এবং বর্জ্য স্থানান্তরের স্থান দেখানো হয়েছে।
- সামাজিক আচার-অনুষ্ঠানে সুষ্ঠ্ভাবে সম্পাদনের লক্ষ্যে কমিউনিটি সেন্টারের প্রস্তাব করা হয়েছে।
- ষাস্থ্য সম্পত পয়ঃনিকাশন নিশ্চিত করার লক্ষ্যে কয়েকটি গণ-শৌচাগার এর প্রস্তাব রাখা হয়েছে। সে সকল স্থানে বেশী লোকের
 সমাগম হয় সেই সকল স্থান এর অবস্থান (ওয়ার্ড সেন্টার) দেখানো হয়েছে।
- ক্রীড়া ও খেলা-ধূলার উন্নয়নের লক্ষ্যে ১টি ষ্টেডিয়ামের প্রস্তাবনা রাখা হয়েছে এবং প্রত্যেক ওয়ার্ডে ১টি করে খেলার মাঠের
 প্রস্তাবনা রাখা হয়েছে ।
- পৌরবাসীর কেনা-কাটার জন্য এবং বাণিজ্যিক কার্যক্রম তুরাশ্বিত করার লক্ষ্যে সুপার মার্কেট এর প্রস্তাব করা হয়েছে।
- পৌরসভার অভ্যন্তরীন যান-চলাচল এবং পরিবহন ব্যবস্থাকে সুবিধাজনক করার লক্ষ্যে বিভিন্ন গুরুত্বপূর্ণ স্থানে রিক্সা/টেম্পোষ্ট্যাভ
 এর প্রস্তাব করা হয়েছে।

াকে আঞ্চলিক ও জাতীয় যোগাযোগ ব্যবস্থার সাথে সমন্বয় করার লক্ষ্যে এবং টার্মিনাল সুবিধা প্রদানের লক্ষ্যে বাস নাল এবং ট্রাক টার্মিনাল এর প্রস্তাব করা হয়েছে। পৌরসভার অধিবাসীদের প্রাণের দাবী পৌরসভাতে একটি রেল স্টেশন বাব করা হয়েছে।

- ধর্মীয় আচার-অনুষ্ঠান সম্পাদনের লক্ষ্যে ইদগাহ মাঠের উন্নয়ন প্রস্তাব করা হয়েছে।
- পৌরবাসীর চিন্ত বিনোদনের জন্য উন্মুক্ত জায়গা সৃষ্টির লক্ষ্যে ১টি কেন্দ্রীয় পার্ক এবং বিভিন্ন মহল্লায় নেইবারহুড পার্ক এর প্রস্তাব
 করা হয়েছে।
- আশ্রয়হীন বয়কদের পুনর্বাসনের লক্ষ্যে একটি পুনর্বাসন কেন্দ্রের প্রস্তাব রাখা হয়েছে।
- পৌরসভার পরিকল্পনা বান্তবায়ন প্রক্রিয়ায় ক্ষতিয়াছ পরিবারের পুনর্বাসনের জন্য পুনর্বাসন এলাকার প্রক্রাব রাখা হয়েছে ।
- ড়्মিহীন, গৃহহীন, অসহায় দরিদ্রদের আবাসন সুযোগ-সুবিধা প্রদানের লক্ষ্যে Land for Poor People এর প্রস্তাব করা হয়েছে।
- ভারী যান-বাহন দ্বিমুখী চলাচলের ক্ষেয়ে সম্ভাব্য সংঘর্ষ নিরসনের লক্ষ্যে সেন্ট্রাল ডিভাইডার এর প্রস্তাব আনা হয়েছে।
- পথচারীদের নির্বিয়ে চলাচলের লক্ষ্যে ফুটপাতের প্রস্তাব রাখা হয়েছে।
- পৌরসভাকে বন্যার কবল থেকে মৃক্ত রাখা এবং নদী ভাঙ্গন নিরসনের জন্য শহর রক্ষা বাঁধের প্রস্তাব আনা হয়েছে।

খসড়া মাস্টার প্ল্যান উপস্থাপনের পর স্থানীয় নেতৃবৃন্দ এবং বিভিন্ন জনগোষ্ঠীর প্রতিনিধিবৃন্দ উপস্থাপিত মাস্টার প্ল্যানের উপর জাপোচনা করেন। তাদের মতামতের গুরুতৃপূর্ণ অংশ বিষয়ের মধ্যে উল্লেখবোগ্য বিষয়াদিঃ

- স্থানীয় মতামতের গুরুতৃ তুর্বে ধরেন এবং স্থানীয় মতামত নেয়ার জন্য ধন্যবাদ জ্ঞাপন করেন ।
- বাস স্ট্যান্ড/টার্মিনাল রাখার প্রস্তাব করেন ।
- আত্রাই নদীর প্লাবনের কারণে যে ক্ষয়ক্ষতি হয় তা বর্ণনা করেন ।
- মহাপরিকল্পনা বান্তবায়নের পরবর্তিতে উক্ত মহাপরিকল্পনা Revise করার প্রস্তাব করেন ।

সভাপতি ও নজিপুর পৌরসভার মেরর মহোদয় জনাব মোঃ আনোয়ার হোসেন তার সমাপনী বক্তব্যে রাখেন, মাস্টার গ্ল্যান প্রণায়নে প্রকল্পে নিযুক্ত পরামর্শক প্রতিষ্ঠান (AQUA Consultant and Associates Ltd.) এর পক্ষে সঞ্জীব সাহা এবং LGED এর পক্ষে সৈয়দ শাহরিয়ার আমিন, নগর পরিকল্পনাবিদ, উপজেলা শহর অবকাঠামো উন্নয়ন প্রকল্প, এসজিইডি কে ধন্যবাদ জ্ঞাপন করে মজিপুর পৌরসভার উন্নয়ন এর আশাবাদ ব্যক্ত করে তার বক্তব্য শেষ করেন।

সভার সিদ্ধান্তসমূহ:

- ১. বিভিন্ন নাগরিক সুবিধাদিসহ উন্নয়ন প্রস্তাবনা, যেমন: ষ্টেডিয়াম, কেন্দ্রীয় পার্ক, নেইবারহুড পার্ক, হাইকুল, কলেজ, সুপার মার্কেট, নেইবারহুড মার্কেট, গণ-শৌচাগার, বাস টার্মিনাল, ট্রাক টার্মিনাল, রেল স্টেশন, শিল্প এলাকা, পূর্নবাসন কেন্দ্র, কমিউনিটি সেন্টার, ঈদগাহ মাঠ প্রভৃতির প্রস্তাব সর্বসম্বতিক্রমে গৃহীত হয় ।
- প্রাইমারী রাস্তা, সেকেন্ডারী রাস্তা ও প্রয়োজনীয় সংখ্যক সংযোগ রাস্তার প্রস্তাব গৃহীত হয় ।
- বাস টার্মিনাল, ট্রাক টার্মিনাল, টেম্পোষ্ট্যান্ত ও পার্কিং এলাকার প্রস্তাবের ব্যাপারে সিদ্ধান্ত গৃহীত হয় ।
- সূষ্ঠভাবে পানি নিকাশনের জন্য প্রাইমারী, সেকেভারী ও টারশিয়ারী ড্রেনসহ একটি সমন্বিত ড্রেনেজ ব্যবস্থাপনা নেটওয়ার্কের প্রস্তাবনা গৃহীত হলো ।
- ৫. এছাড়াও পৌরসভার উন্নয়নের সাঝে সংশ্লিষ্ট অন্যান্য প্রস্তাবনা সর্বসম্মতিক্রমে গৃহীত হয় ।



মহাপরিকল্পনা প্রণয়ন প্রকল্পে নিযুক্ত পরামর্শক প্রতিষ্ঠান (AQUA Consultant and Associates Ltd.) কে মহাপরিকল্পনার বিভিন্ন উন্নয়ন মূলক প্রস্তাবনা যাচাই বাছাই পূর্বক নজিপুর পৌরসভার চূড়ান্ত মহাপরিকল্পনা প্রণয়নের কাজ সমান্ত করে চূড়ান্ত মাস্টার প্রাান রিপোর্ট প্রকল্প অফিসে অভিসন্থার দাখিল করার জন্য অনুরোধ করেন।

সভায় আর কোন আলোচনা না থাকায় সভাপতি মহোদয় সকলকে পুনরায় ধন্যবাদ জ্ঞাপনপূর্বক সভার সমান্তি ঘোষণা করেন।

মোঃ আদোমান হোসেন)
(মোঃ আদোমান হোসেন)
(মোঃ আদোমান হোসেন)
নজিপুর গোনসভা
নজিপুর পৌরসভা

পত্নীতলা, নওগাঁ।

चात्रक मर- मिदः (लोतः/प्रात्नोः/२०१७/১)

অনুদিপি সদয় অকাতির জন্য প্রেরণ করা হলোঃ


- ১. প্রকল্প পরিচালক, উপজেলা শহর অবকাঠামো উন্নয়ন প্রকল্প, এশব্দিইডি, ঢাকা।
- ২. নির্বাহী প্রকৌশলী, সড়ক ও জনপথ বিভাগ, নওগাঁ।
- ৩. উপবিভাগীয় প্রকৌশলী, গণপূর্ত অধিদণ্ডর, নওগাঁ।
- 8. সহকারী প্রকৌশলী, জনসাস্থ্য প্রকৌশল অধিদপ্তর, পত্নীতলা, নওগাঁ।
- ৫. উপজেলা প্রকৌশলী, স্থানীয় সরকার প্রকৌশল অধিদন্তর, পত্নীতলা, নওগা।
- ৬. ব্যবস্থাপনা পরিচালক, AQUA Consultant and Associates Ltd., ঢাকা ।
- ৭. জনাব সৈয়দ শাহরিয়ার আমিন, নগর পরিকল্পনাবিদ, উপজেলা শহর অবকাঠামো উন্নয়ন প্রকল্প, এলজিইডি, ঢাকা।


(মোঃ জীলোনার হোসেন) মেন্দ্রর নাজিবুরুফ্রারনজন্তা,

পত্নীতলা, নওগাঁ ৷

| | | χı | | |
|--|--|----|--|--|
| | | | | |
| | | | | |

Annexure-G: Gazette of Nazipur Paurashava





Appendix

Appendix-1: Structure Plan of Nazipur Paurashava

Appendix-2: Land Use Plan of Nazipur Paurashava

Appendix-3: Transportation and Traffic Management Plan

Appendix-4: Drainage and Environmental Management Plan